


```

CREATE TABLE EventPlan (
  planNo CHAR(8) NOT NULL,
  evntNo CHAR(8) NOT NULL,
  empNo CHAR(8),
  workDate DATE NOT NULL,
  notes TEXT,
  activity CHAR(10) NOT NULL,
  CONSTRAINT PK_EventPlan PRIMARY KEY (planNo),
  CONSTRAINT FK_EventRequest FOREIGN KEY (evntNo) REFERENCES EventRequest (evntNo),
  CONSTRAINT FK_Employee FOREIGN KEY (empNo) REFERENCES Employee (empNo)
);

```



SQL Fiddle - MySQL 5.6

SQL Editor:

```

34 ('C184', 'Women's Softball', 'Box 351208', TRUE, 'Boulder', '80309', 'CO')
35
36 INSERT INTO Customer (custNo, custName, address, internal, city, zip, state,
37 ('C105', 'High School Football', '123 AnyStreet', FALSE, 'Louisville', '86
38
39

```

Buttons: Build Schema, Edit Fullscreen, Browser, Run SQL, Edit Fullscreen, Format Code

planNo	evntNo	empNo	workDate	notes	activity
P100	E100	E102	2013-10-25	Standard operation	Operation
P101	E104	E100	2013-12-03	Watch for gate crashers	Operation
P102	E105	E102	2013-12-05	Standard operation	Operation
P103	E106	(null)	2013-12-12	Watch for seat switching	Operation
P104	E101	E101	2013-10-26	Standard cleanup	Cleanup
P105	E100	E101	2013-10-25	Light cleanup	Cleanup
P199	E102	E101	2013-12-10	Standard operation	Operation
P299	E101	E101	2013-10-26		Operation
P349	E106	E101	2013-12-12		Cleanup
P85	E100	E102	2013-10-25	Standard operation	Setup
P95	E101	E102	2013-10-26	Extra security	Setup