Step0 - Tuples

May 8, 2018

0.0.1 Tuples

A tuple is a sequence of immutable Python objects. Tuples are sequences, just like lists. The differences between tuples and lists are, the tuples cannot be changed unlike lists and tuples use parentheses, whereas lists use square brackets

```
In [15]: # Creating a tuple
         Tuple = ()
         print "Empty Tuple: ", Tuple
         Tuple = (1,)
         print "Tuple with single item: ", Tuple
         Tuple = ('a', 'b', 'c', 'd', 1, 2, 3)
         print "Sample Tuple :", Tuple
Empty Tuple: ()
Tuple with single item: (1,)
Sample Tuple: ('a', 'b', 'c', 'd', 1, 2, 3)
In [34]: # Accessing items in tuple
         print "3rd item of Tuple:", Tuple[2]
         print "First 3 items of Tuple", Tuple[0:2]
3rd item of Tuple: c
First 3 items of Tuple ('a', 'b')
In [40]: # Deleting tuple
         Tuple = ('a', 'b', 'c', 'd', 1, 2, 3)
         print "Sample Tuple: ",
         del Tuple
         print Tuple # Will throw an error message as the tuple does not exist
 Sample Tuple:
```

NameError Traceback (most recent call last) <ipython-input-40-ba3679c4d8d2> in <module>() 4 print "Sample Tuple: ", 5 del Tuple ----> 6 print Tuple # Will throw an error message as the tuple does not exist NameError: name 'Tuple' is not defined In [41]: # Basic Tuple operations Tuple = ('a', 'b', 'c', 'd', 1, 2, 3)print "Length of Tuple: ", len(Tuple) Tuple_Concat = Tuple + (7,8,9) print "Concatinated Tuple: ", Tuple_Concat print "Repetition: ", (1, 'a',2, 'b') * 3 print "Membership check: ", 3 in (1,2,3) # Iteration for x in (1, 2, 3): print xprint "Negative sign will retrieve item from right: ", Tuple_Concat[-2] print "Sliced Tuple [2:] ", Tuple_Concat[2:] # Comparing two tuples print "Comparing tuples (1,2,3) and (1,2,3,4): ", cmp((1,2,3), (1,2,3,4))print "Comparing tuples (1,2,3,4) and (1,2,3): ", cmp((1,2,3,4), (1,2,3))# Find max print "Max of the Tuple (1,2,3,4,5,6,7,8,9,10): ", max((1,2,3,4,5,6,7,8,9,10))print "Min of the Tuple (1,2,3,4,5,6,7,8,9,10): ", min((1,2,3,4,5,6,7,8,9,10))print "List [1,2,3,4] converted to tuple: ", type(tuple([1,2,3,4])) Length of Tuple: 7 Concatinated Tuple: ('a', 'b', 'c', 'd', 1, 2, 3, 7, 8, 9) Repetition: (1, 'a', 2, 'b', 1, 'a', 2, 'b', 1, 'a', 2, 'b') Membership check: True 1 2 3 Negative sign will retrieve item from right: 8

```
Sliced Tuple [2:] ('c', 'd', 1, 2, 3, 7, 8, 9)
Comparing tuples (1,2,3) and (1,2,3,4): -1
Comparing tuples (1,2,3,4) and (1,2,3): 1
Max of the Tuple (1,2,3,4,5,6,7,8,9,10): 10
Min of the Tuple (1,2,3,4,5,6,7,8,9,10): 1
List [1,2,3,4] converted to tuple: <type 'tuple'>
```

Reference: Mastering machine learning with python six-steps