

Result Summary

Scenario	: ALT25_TC025_Validate_the_Direct_Bill_paid_PRINT_functionality	Overall Status	: Fail
Cycle	: Cycle1	Tescase Status	<div></div>
Release	: Release1		Pass: 97.78% Fail: 2.22% Terminated: 0.00%
Project	: SSP_Web	Start Date and Time	: 2024-05-10 12:58:27
Domain	: Insurance	End Date and Time	: 2024-05-10 13:00:53
Browser Type	: Chrome	Elapsed Time	: ~00:02:26
Browser Version	: 124.0.6367.61		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
1	TestCase Name: TC_SSP_data_param_25						
2		Parameterization method executed and status is Pass			00:00:03:00		
3		Read file: \\cna.com\shared\public\CNA-SLK-NEW\CNA Surety ME PME\Surety_Product_AVO\Regression\SSP_Testdata\SSP_TestData.xlsxSheet2:Dataparam			00:00:03:00		
4		Start Loop			00:00:03:00		
5	Start iteration	Dataparam: Iteration 1 started			00:00:03:00		
6	TestCase Name: TC_Log in_Surety_Portal						

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
7	Step1	Open "Chrome" browser	As Expected	Pass	00:00:09:806234		
8	Step2	Clear the cache of browser			00:00:03:782700		
9	Step3	Wait for "3" second(s)	As Expected	Pass	00:00:03:120227		
10	Step4	Navigate to url "https://cut1-www.cnasurety.com/cna/guest/cnasurety/" in the browser	As Expected	Pass	00:00:04:613694		
11	Step7	Verify "AGENT LOG IN" is the text of the "NOTARY PUBLIC BOND APPLICATION_element"			00:00:00:626218	Web Element not found	
12	Step9	Wait for "3" second(s)	As Expected	Pass	00:00:03:132494		
13	Step13	Enter text "Activity" in the "User_ID_txtbox".	As Expected	Pass	00:00:01:046250		
14	Step14	Wait for "2" second(s)	As Expected	Pass	00:00:02:121906		
15	Step15	Enter text "Bond1234" in the "Password_txtbox".	As Expected	Pass	00:00:00:972420		
16	Step16	Verify "LOG IN_Ink" is Enabled	As Expected	Pass	00:00:03:688175		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
17	Step17	Wait for "5" second(s)	As Expected	Pass	00:00:05:133126		
18	Step18	Click on "LOG IN_Button"	As Expected	Pass	00:00:19:728391		
19	Test Case Name: TC_Click_on_ACCOUNTS_RECEIVABLE_link						
20	Step1	Wait for "6" second(s)	As Expected	Pass	00:00:06:124581		
21	Step2	Wait until the element "ACCOUNTS RECEIVABLE1_Ink" is visible	As Expected	Pass	00:00:00:362847		
22	Step3	Wait for "4" second(s)	As Expected	Pass	00:00:04:116264		
23	Step4	Click on "ACCOUNTS RECEIVABLE1_Ink"	As Expected	Pass	00:00:04:662862		
24	Step5	Wait for "7" second(s)	As Expected	Pass	00:00:07:117494		
25	Test Case Name: TC_Click_on_Direct_Bill_Paid_link						
26	Step1	Wait for "2" second(s)	As Expected	Pass	00:00:02:114933		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
27	Step2	Wait until the element "Direct Bill Paid_Ink" is visible	As Expected	Pass	00:00:00:349578		
28	Step3	Wait for "1" second(s)	As Expected	Pass	00:00:01:113654		
29	Step4	Click on "Direct Bill Paid_Ink"	As Expected	Pass	00:00:01:432187		
30	Step5	Wait for "4" second(s)	As Expected	Pass	00:00:04:123051		
31	Test Case Name: TC_Click_on_Print_AR						
32	Step1	Delete variable "{n}"			00:00:00:122369		
33	Step2	Create a variable "{n}" with value "1"			00:00:00:116809		
34	Step3	Verify "BONDS IN FORCE_page_Ink" exists			00:00:00:357292		
35	Step4	Encountered :if Condition is False			00:00:0:000		
36	Step8	Encountered :endif			00:00:0:000		
37	Test Case Name: TC_Verify_pdf_direct_bill_paid						
38	Step1	getCurrentDateAndTime Executed	As Expected	Pass	00:00:00:118107		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
39	Step2	Split the string "{currentdate}" with split character "/" and save the value: "05,10,2024 12:59:57" in "{date}"	As Expected	Pass	00:00:00:119298		
40	Step3	{date} = ["05", "10", "2024 12:59:57"]	As Expected	Pass	00:00:01:175789		
41	Step4	Concatenate string "Direct_Bill_Paid_40-01315_,05_,10_,2024 12:59:57" and save the value "Direct_Bill_Paid_40-01315_05_10_2024 12:59:57" in "{bond}"	As Expected	Pass	00:00:00:117820		
42	Step5	Get Substring of the string "{bond}" with index/range "0-39" and save the Substring "Direct_Bill_Paid_40-01315_05_10_2024 12" in "{bondname}"	As Expected	Pass	00:00:00:119709		
43	Step6	{bondname} = Direct_Bill_Paid_40-01315_05_10_2024 12	As Expected	Pass	00:00:01:169087		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
44	Step7	Get Substring of the string "{currentdate}" with index/range "14-16" and save the Substring "59" in "{min}"	As Expected	Pass	00:00:00:118973		
45	Step8	{min} = 59	As Expected	Pass	00:00:01:167229		
46	Step9	Concatenate string "Direct_Bill_Paid_40-01315_05_10_2024 12_59,.pdf" and save the value "Direct_Bill_Paid_40-01315_05_10_2024 12_59.pdf" in "{filename}"	As Expected	Pass	00:00:00:118668		
47	Step10	{filename} = Direct_Bill_Paid_40-01315_05_10_2024 12_59.pdf	As Expected	Pass	00:00:01:173192		
48	Step12	Wait for "1" second(s)	As Expected	Pass	00:00:01:124823		
49	Step13	delete: "{filename}" file from the path: "{filepath5}"			00:00:00:122973	File not found in the specified path.	
50	Step14	Wait for "5" second(s)	As Expected	Pass	00:00:05:126669		
51	Step15	Press on the "print_dbp_img"	As Expected	Pass	00:00:01:317358		
52	Step16	Wait for "7" second(s)	As Expected	Pass	00:00:07:122843		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
53	Step17	Concatenate string "\\cna.com\shared \public\CNA-SLK- NEW\CNA Surety ME PME\Surety_Prod uct_AVO\Regress ion\SSP_Testdata \Download Validation,\,Direct _Bill_Paid_40- 01315_05_10_20 24_12_59.pdf" and save the value "\\cna.com\shared \public\CNA-SLK- NEW\CNA Surety ME PME\Surety_Prod uct_AVO\Regress ion\SSP_Testdata \Download Validation\Direct_ Bill_Paid_40- 01315_05_10_20 24_12_59.pdf" in " {filepath}"	As Expected	Pass	00:00:00:106342		
54	Step18	{filepath} = \\cna.com\shared\ public\CNA-SLK- NEW\CNA Surety ME PME\Surety_Prod uct_AVO\Regress ion\SSP_Testdata \Download Validation\Direct_ Bill_Paid_40- 01315_05_10_20 24_12_59.pdf	As Expected	Pass	00:00:01:161800		


SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
55	Step19	The file/folder has been copied			00:00:00:117712	Source file does not exist, Please provide a valid source file	
56	Step20	normalizePDF Executed			00:00:00:122364		
57	Step21	Concatenate string "C:\Users\caF7905\Downloads\PDF ,\,Direct_Bill_Paid_40-01315_05_10_2024 12_59.pdf" and save the value "C:\Users\caF7905\Downloads\PDF \Direct_Bill_Paid_40-01315_05_10_2024 12_59.pdf,0" in "{pdf};0"			00:00:00:116372		
58	Step22	Get content from the file "C:\Users\caF7905\Downloads\PDF \Direct_Bill_Paid_40-01315_05_10_2024 12_59.pdf" and save it in "{a};0"			00:00:00:121359	File doesn't exist.	
59	Step23	{a} = null	As Expected	Pass	00:00:01:155075		
60	Step24	Wait for "5" second(s)	As Expected	Pass	00:00:05:124149		
61	Step25	delete: "{filename}" file from the path: "{filepath5}"			00:00:00:126833	File not found in the specified path.	

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
62	Step26	Wait for "1" second(s)	As Expected	Pass	00:00:01:115549		
63	Step27	delete: "{filename}" file from the path: "C:\Users\caF7905\Downloads\PDF"			00:00:00:119274	File not found in the specified path.	
64	Test Case Name: TC_Log out_Surety_Portal						
65	Step1	Wait for "5" second(s)	As Expected	Pass	00:00:05:129722		
66	Step2	Click on "Logout_Ink"			00:00:03:288521		
67	Step3	Wait for "5" second(s)	As Expected	Pass	00:00:05:122285		
68	Step4	Wait for "5" second(s)	As Expected	Pass	00:00:05:112498		
69	Test Case Name: TC_SS P_data param_25						
70	End iteration	Dataparam: Iteration 1 executed			00:00:0:000		
71	Test Case Name: TC_Log out_Surety_Portal						


SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
72		EndLoop : Data Parameterization completed			00:00:0:000		
73	Step6	Close the browser	As Expected	Pass	00:00:02:797923		
74	Test Case Name: TC_CLOSE_BROWSER						
75	Step1	Wait for "4" second(s)	As Expected	Pass	00:00:04:113882		
76	Step2	Closed the current sub window.			00:00:00:611717	No sub windows to close	
77	Step3	Close the browser	Fail	Fail	00:00:00:605149	For this closeBrowser keyword, openBrowser or openNewBrowser keyword is not present	




Above image belongs to SI No. 7




Above image belongs to SI No. 8




Above image belongs to SI No. 10




Above image belongs to SI No. 11




Above image belongs to SI No. 13




Above image belongs to SI No. 15




Above image belongs to SI No. 16



Above image belongs to SI No. 18



Above image belongs to SI No. 21



Above image belongs to SI No. 23

Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:59 PM | [Logout](#)

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

Select all on page ☐

Total items selected 0

	Tran Code	Writing Company	Bond Number	Principal	Bond Description	Term Effective Date	Gross Premium	Commission Amount	Net Premium	Due Date	Pay Now
		0601	66672948	0623 TEST PAY	COMMISSION	07/07/2023	(\$150.00)	\$0.00	(\$150.00)		<input type="checkbox"/>
		0601	66672957	0623 INDIVIDUAL	COMMISSION	07/07/2023	(\$35.00)	\$0.00	(\$35.00)		<input type="checkbox"/>
		0601	66673546	0712 RTB TEST	COMMISSION	11/09/2023	(\$46.90)	\$0.00	(\$46.90)		<input type="checkbox"/>
	RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		<input type="checkbox"/>
	RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		<input type="checkbox"/>
		0601	72559101	0623 THREE TERMS BON	COMMISSION	06/06/2022	(\$60.00)	\$0.00	(\$60.00)		<input type="checkbox"/>

Above image belongs to SI No. 27

Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:59 PM | [Logout](#)

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

loading...

SERVICE MY ACCOUNTS

APPLICATIONS / DOWNLOADS

REFERENCE CENTER

MY PROFILE

RENEWALS >

BONDS IN FORCE >

ACCOUNTS RECEIVABLE >

BOND APPLICATIONS >

DIRECT BILL APPLICATION >

ORDER SUPPLIES >

EDUCATION >

FAQs >

PORTAL USER GUIDE >

AGENCY PROFILE >

VIEW / EDIT PROFILE >

CHANGE PASSWORD >

Above image belongs to SI No. 29

Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:59 PM | [Logout](#)

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

There are no Paid Direct Bill Items to display.

SERVICE MY ACCOUNTS

APPLICATIONS / DOWNLOADS

REFERENCE CENTER

MY PROFILE

RENEWALS >

BONDS IN FORCE >

ACCOUNTS RECEIVABLE >

BOND APPLICATIONS >

DIRECT BILL APPLICATION >

ORDER SUPPLIES >

EDUCATION >

FAQs >


PORTAL USER GUIDE >

AGENCY PROFILE >


VIEW / EDIT PROFILE >

CHANGE PASSWORD >


Above image belongs to SI No. 34




Above image belongs to SI No. 51



Above image belongs to SI No. 66



Above image belongs to SI No. 73



Above image belongs to SI No. 76

Avo Assure

https://cd-webserver.sikgroup.com/execute

Project: SS

File Edit Tools Help

Configure

Disconnect Do Not Dist

S.No.

51

52

53

24-05-10 13:00:48: CONSOLE: threading:926 ***Test case name: TC_CLOSE_BROWSER***

24-05-10 13:00:48: CONSOLE: threading:926 Step number is : 1

24-05-10 13:00:48: CONSOLE: threading:926 Keyword is wait

24-05-10 13:00:48: CONSOLE: threading:926 Wait for :4seconds

24-05-10 13:00:52: CONSOLE: threading:926 wait executed and the status is Pass

24-05-10 13:00:52: CONSOLE: threading:926 Step number is : 2

24-05-10 13:00:52: CONSOLE: threading:926 No sub windows to close

24-05-10 13:00:53: CONSOLE: threading:926 Screenshot captured

24-05-10 13:00:53: CONSOLE: threading:926 closeSubWindows executed and the status is Fail

24-05-10 13:00:53: CONSOLE: threading:926 Step number is : 3

24-05-10 13:00:53: CONSOLE: threading:926 For this closeBrowser keyword, openBrowser or openNewBrowser keyword is not present

Debug options

Normal

Stepwise

RunfromStep

Kill Stale Process

Terminate

Clear

Configure & Execute

Reports

Search

Add Configuration

Execution Options

Actions

Execute Now

Schedule

CI/CD

Cloud Test

Execute Now

Schedule

CI/CD

Cloud Test

Execute Now

Schedule

CI/CD

Cloud Test

<<

<

2

3

4

5

6

>

>>

Copyright 2024 Avo Automation -Terms of Use

Avo Assure v24.0.4

55°F Rain

1:00 PM

5/10/2024

Above image belongs to SI No. 77