

Result Summary

Scenario	: ALT14_TC014_Validate_the_Agency_bill_unpaid_PRINT_functionality	Overall Status	: Fail
Cycle	: Cycle1	Tescase Status	<div></div>
Release	: Release1		Pass: 97.50% Fail: 2.50% Terminated: 0.00%
Project	: SSP_Web	Start Date and Time	: 2024-05-10 12:34:39
Domain	: Insurance	End Date and Time	: 2024-05-10 12:36:49
Browser Type	: Chrome	Elapsed Time	: ~00:02:09
Browser Version	: 124.0.6367.61		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
1	TestCase Name: TC_SSP_data_param_14						
2		Parameterization method executed and status is Pass			00:00:03:00		
3		Read file: \\cna.com\shared\public\CNA-SLK-NEW\CNA Surety ME PME\Surety_Product_AVO\Regression\SSP_Testdata\SSP_TestData.xlsxSheet2:Dataparam			00:00:03:00		
4		Start Loop			00:00:03:00		
5	Start iteration	Dataparam: Iteration 1 started			00:00:03:00		
6	TestCase Name: TC_Log in_Surety_Portal						

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
7	Step1	Open "Chrome" browser	As Expected	Pass	00:00:06:557192		
8	Step2	Clear the cache of browser			00:00:03:954722		
9	Step3	Wait for "3" second(s)	As Expected	Pass	00:00:03:122981		
10	Step4	Navigate to url "https://cut1-www.cnasurety.com/cna/guest/cnasurety/" in the browser	As Expected	Pass	00:00:04:209009		
11	Step7	Verify "AGENT LOG IN" is the text of the "NOTARY PUBLIC BOND APPLICATION_element"			00:00:00:705344	Web Element not found	
12	Step9	Wait for "3" second(s)	As Expected	Pass	00:00:03:131153		
13	Step13	Enter text "Activity" in the "User_ID_txtbox".	As Expected	Pass	00:00:01:114142		
14	Step14	Wait for "2" second(s)	As Expected	Pass	00:00:02:120602		
15	Step15	Enter text "Bond1234" in the "Password_txtbox".	As Expected	Pass	00:00:00:936353		
16	Step16	Verify "LOG IN_Ink" is Enabled	As Expected	Pass	00:00:03:581945		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
17	Step17	Wait for "5" second(s)	As Expected	Pass	00:00:05:123824		
18	Step18	Click on "LOG IN_Button"	As Expected	Pass	00:00:17:394475		
19	Test Case Name: TC_Click_on_ACCOUNTS_RECEIVABLE_link						
20	Step1	Wait for "6" second(s)	As Expected	Pass	00:00:06:112990		
21	Step2	Wait until the element "ACCOUNTS RECEIVABLE1_Ink" is visible	As Expected	Pass	00:00:00:415595		
22	Step3	Wait for "4" second(s)	As Expected	Pass	00:00:04:112274		
23	Step4	Click on "ACCOUNTS RECEIVABLE1_Ink"	As Expected	Pass	00:00:02:607371		
24	Step5	Wait for "7" second(s)	As Expected	Pass	00:00:07:126381		
25	Test Case Name: TC_Click_on_Print_AR						
26	Step1	Delete variable "{n}"			00:00:00:106918		
27	Step2	Create a variable "{n}" with value "1"			00:00:00:121879		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
28	Step3	Verify "BONDS IN FORCE_page_Ink" exists			00:00:00:419590		
29	Step4	Encountered :if Condition is False			00:00:0:000		
30	Step8	Encountered :endif			00:00:0:000		
31	Test Case Name: TC_Verify_pdf_AR						
32	Step1	getCurrentDateAndTime Executed	As Expected	Pass	00:00:00:109026		
33	Step2	Split the string "{currentdate}" with split character "/" and save the value: "05,10,2024 12:35:53" in "{date}"	As Expected	Pass	00:00:00:116073		
34	Step3	{date} = ["05", "10", "2024 12:35:53"]	As Expected	Pass	00:00:01:166841		
35	Step4	Concatenate string "Agency_Bill_Unpaid_40-01315_,05_,10_,2024 12:35:53" and save the value "Agency_Bill_Unpaid_40-01315_05_10_2024 12:35:53" in "{bond}"	As Expected	Pass	00:00:00:115875		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
36	Step5	Get Substring of the string "{bond}" with index/range "0-41" and save the Substring "Agency_Bill_Unpaid_40-01315_05_10_20 24 12" in "{bondname}"	As Expected	Pass	00:00:00:117915		
37	Step6	{bondname} = Agency_Bill_Unpaid_40-01315_05_10_20 24 12	As Expected	Pass	00:00:01:184421		
38	Step7	Get Substring of the string "{currentdate}" with index/range "14-16" and save the Substring "35" in "{min}"	As Expected	Pass	00:00:00:117922		
39	Step8	{min} = 35	As Expected	Pass	00:00:01:171865		
40	Step9	Concatenate string "Agency_Bill_Unpaid_40-01315_05_10_20 24 12_35..pdf" and save the value "Agency_Bill_Unpaid_40-01315_05_10_20 24 12_35.pdf" in "{filename}"	As Expected	Pass	00:00:00:115957		
41	Step10	{filename} = Agency_Bill_Unpaid_40-01315_05_10_20 24 12_35.pdf	As Expected	Pass	00:00:01:169977		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
42	Step12	Wait for "1" second(s)	As Expected	Pass	00:00:01:128649		
43	Step13	delete: "{filename}" file from the path: "[filepath5]"			00:00:00:132441	File not found in the specified path.	
44	Step14	Wait for "5" second(s)	As Expected	Pass	00:00:05:114248		
45	Step15	Press on the "print_ar_bup_image"	As Expected	Pass	00:00:01:347939		
46	Step16	Wait for "7" second(s)	As Expected	Pass	00:00:07:107814		
47	Step17	Concatenate string "\\cna.com\shared\public\CNA-SLK-NEW\CNA Surety ME PME\Surety_Product_AVO\Regression\SSP_Testdata\Download Validation\Agency_Bill_Unpaid_40-01315_05_10_2024 12_35.pdf" and save the value "\\cna.com\shared\public\CNA-SLK-NEW\CNA Surety ME PME\Surety_Product_AVO\Regression\SSP_Testdata\Download Validation\Agency_Bill_Unpaid_40-01315_05_10_2024 12_35.pdf" in "{filepath}"	As Expected	Pass	00:00:00:105106		


SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
48	Step18	{filepath} = \\cna.com\shared\public\CNA-SLK-NEW\CNA Surety ME PME\Surety_Product_AVO\Regression\SSP_Testdata\Download Validation\Agency_Bill_Unpaid_40-01315_05_10_2024 12_35.pdf	As Expected	Pass	00:00:01:141215		
49	Step19	The file/folder has been copied			00:00:00:119288	Source file does not exist, Please provide a valid source file	
50	Step20	normalizePDF Executed			00:00:00:117455		
51	Step21	Concatenate string "C:\Users\caF7905\Downloads\PDF ,\Agency_Bill_Unpaid_40-01315_05_10_2024 12_35.pdf" and save the value "C:\Users\caF7905\Downloads\PDF \Agency_Bill_Unpaid_40-01315_05_10_2024 12_35.pdf,0" in "{pdf};0"			00:00:00:120240		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
52	Step22	Get content from the file "C:\Users\caF7905\Downloads\PDF\Agency_Bill_Unpaid_40-01315_05_10_2024_12_35.pdf" and save it in "{a};0"			00:00:00:121132	File doesn't exist.	
53	Step23	{a} = null	As Expected	Pass	00:00:01:160398		
54	Step24	Wait for "5" second(s)	As Expected	Pass	00:00:05:121312		
55	Step25	delete: "{filename}" file from the path: "{filepath5}"			00:00:00:107263	File not found in the specified path.	
56	Step26	Wait for "1" second(s)	As Expected	Pass	00:00:01:127729		
57	Step27	delete: "\" file from the path: "C:\Users\caF7905\Downloads\PDF"			00:00:00:122659	Input Error: Invalid number of inputs.	
58	Test Case Name: TC_Logout_Surety_Portal						
59	Step1	Wait for "5" second(s)	As Expected	Pass	00:00:05:124897		
60	Step2	Click on "Logout_Ink"			00:00:03:054482		
61	Step3	Wait for "5" second(s)	As Expected	Pass	00:00:05:129488		
62	Step4	Wait for "5" second(s)	As Expected	Pass	00:00:05:109122		




SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
63	Test Case Name: TC_SS P_data param_14						
64	End iteration	Dataparam: Iteration 1 executed			00:00:0:000		
65	Test Case Name: TC_Log out_Surety_Portal						
66		EndLoop : Data Parameterization completed			00:00:0:000		
67	Step6	Close the browser	As Expected	Pass	00:00:02:775826		
68	Test Case Name: TC_CLOSE_BROWSER						
69	Step1	Wait for "4" second(s)	As Expected	Pass	00:00:04:135771		
70	Step2	Closed the current sub window.			00:00:00:606201	No sub windows to close	
71	Step3	Close the browser	Fail	Fail	00:00:00:625687	For this closeBrowser keyword, openBrowser or openNewBrowser keyword is not present	


Above image belongs to SI No. 7




Above image belongs to SI No. 8




Above image belongs to SI No. 10




Above image belongs to SI No. 11




Above image belongs to SI No. 13




Above image belongs to SI No. 15



Above image belongs to SI No. 16



Above image belongs to SI No. 18



Above image belongs to SI No. 21



Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:33 PM | Logout

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

Select all on page

Total items selected 0

Tran Code	Writing Company	Bond Number	Principal	Bond Description	Term Effective Date	Gross Premium	Commission Amount	Net Premium	Due Date	Pay Now
Loading...										

Payment is being processed

Delinquent

Credit Card payment limit is

\$2,500.00.

ACH payment limit is

\$1,000,000.00.

PAY NOW

Above image belongs to SI No. 23

Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:33 PM | Logout

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

Select all on page

Total items selected 0

	Tran Code	Writing Company	Bond Number	Principal	Bond Description	Term Effective Date	Gross Premium	Commission Amount	Net Premium	Due Date	Pay Now
+		0601	66672948	0623 TEST PAY	COMMISSION	07/07/2023	(\$150.00)	\$0.00	(\$150.00)		<input type="checkbox"/>
+		0601	66672957	0623 INDIVIDUAL	COMMISSION	07/07/2023	(\$35.00)	\$0.00	(\$35.00)		<input type="checkbox"/>
+		0601	66673546	0712 RTB TEST	COMMISSION	11/09/2023	(\$46.90)	\$0.00	(\$46.90)		<input type="checkbox"/>
+	RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		<input type="checkbox"/>
+	RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		<input type="checkbox"/>
+		0601	72559101	0623 THREE TERMS BON	COMMISSION	06/06/2022	(\$60.00)	\$0.00	(\$60.00)		<input type="checkbox"/>

Above image belongs to SI No. 28

Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:33 PM | Logout

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT


PRINT

Select all on page


Total items selected 0

	Tran Code	Writing Company	Bond Number	Principal	Bond Description	Term Effective Date	Gross Premium	Commission Amount	Net Premium	Due Date	Pay Now
+		0601	66672948	0623 TEST PAY	COMMISSION	07/07/2023	(\$150.00)	\$0.00	(\$150.00)		<input type="checkbox"/>
+		0601	66672957	0623 INDIVIDUAL	COMMISSION	07/07/2023	(\$35.00)	\$0.00	(\$35.00)		<input type="checkbox"/>
+		0601	66673546	0712 RTB TEST	COMMISSION	11/09/2023	(\$46.90)	\$0.00	(\$46.90)		<input type="checkbox"/>
+	RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		<input type="checkbox"/>
+	RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		<input type="checkbox"/>
+		0601	72559101	0623 THREE TERMS BON	COMMISSION	06/06/2022	(\$60.00)	\$0.00	(\$60.00)		<input type="checkbox"/>


Above image belongs to SI No. 45




Above image belongs to SI No. 60



Above image belongs to SI No. 67



Above image belongs to SI No. 70



Above image belongs to SI No. 71