

Result Summary

Scenario : ALT18\_TC018\_Validate\_the\_Agency\_Bill\_paid\_PRINT\_functionality

Cycle : Cycle1

Release : Release1

Project : SSP\_Web

Domain : Insurance

Browser Type : Chrome

Browser Version : 124.0.6367.61

Overall Status : Fail

Tescase Status 

Pass: 97.78% Fail: 2.22% Terminated: 0.00%

Start Date and Time : 2024-05-10 12:39:26

End Date and Time : 2024-05-10 12:41:43

Elapsed Time : ~00:02:17

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
1	Test Case Name: TC_SSP_data_param_18						
2		Parameterization method executed and status is Pass			00:00:03:00		
3		Read file: \\cna.com\shared\public\CNA-SLK-NEW\CNA Surety ME PME\Surety_Product_AVO\Regression\SSP_Testdata\SSP_TestData.xlsxSheet2:Dataparam			00:00:03:00		
4		Start Loop			00:00:03:00		
5	Start iteration	Dataparam: Iteration 1 started			00:00:03:00		
6	Test Case Name: TC_Log in_Surety_Portal						

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
7	Step1	Open "Chrome" browser	As Expected	Pass	00:00:06:347187		
8	Step2	Clear the cache of browser			00:00:03:872583		
9	Step3	Wait for "3" second(s)	As Expected	Pass	00:00:03:126601		
10	Step4	Navigate to url "https://cut1-www.cnasurety.com/cna/guest/cnasurety/" in the browser	As Expected	Pass	00:00:03:512060		
11	Step7	Verify "AGENT LOG IN" is the text of the "NOTARY PUBLIC BOND APPLICATION_element"			00:00:00:619438	Web Element not found	
12	Step9	Wait for "3" second(s)	As Expected	Pass	00:00:03:126604		
13	Step13	Enter text "Activity" in the "User_ID_txtbox".	As Expected	Pass	00:00:01:015997		
14	Step14	Wait for "2" second(s)	As Expected	Pass	00:00:02:123760		
15	Step15	Enter text "Bond1234" in the "Password_txtbox".	As Expected	Pass	00:00:00:936433		
16	Step16	Verify "LOG IN_Ink" is Enabled	As Expected	Pass	00:00:03:602075		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
17	Step17	Wait for "5" second(s)	As Expected	Pass	00:00:05:112909		
18	Step18	Click on "LOG IN_Button"	As Expected	Pass	00:00:05:701286		
19	Test Case Name: TC_Click_on_ACCOUNTS_RECEIVABLE_link						
20	Step1	Wait for "6" second(s)	As Expected	Pass	00:00:06:129787		
21	Step2	Wait until the element "ACCOUNTS RECEIVABLE1_Ink" is visible	As Expected	Pass	00:00:00:419552		
22	Step3	Wait for "4" second(s)	As Expected	Pass	00:00:04:129392		
23	Step4	Click on "ACCOUNTS RECEIVABLE1_Ink"	As Expected	Pass	00:00:13:422927		
24	Step5	Wait for "7" second(s)	As Expected	Pass	00:00:07:127567		
25	Test Case Name: TC_Click_on_Agency_Bill_Paid_link						
26	Step1	Wait for "2" second(s)	As Expected	Pass	00:00:02:126083		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
27	Step2	Wait until the element "Agency Bill Paid_Ink" is visible	As Expected	Pass	00:00:00:372965		
28	Step3	Wait for "1" second(s)	As Expected	Pass	00:00:01:122658		
29	Step4	Click on "Agency Bill Paid_Ink"	As Expected	Pass	00:00:01:420864		
30	Step5	Wait for "4" second(s)	As Expected	Pass	00:00:04:116691		
31	Test Case Name: TC_Click_on_Print_AR						
32	Step1	Delete variable "{n}"			00:00:00:104914		
33	Step2	Create a variable "{n}" with value "1"			00:00:00:119752		
34	Step3	Verify "BONDS IN FORCE_page_Ink" exists			00:00:00:330165		
35	Step4	Encountered :if Condition is False			00:00:0:000		
36	Step8	Encountered :endif			00:00:0:000		
37	Test Case Name: TC_Verify_pdf_bill_paid						
38	Step1	getCurrentDateAndTime Executed	As Expected	Pass	00:00:00:109393		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
39	Step2	Split the string "{currentdate}" with split character "/" and save the value: "05,10,2024 12:40:46" in "{date}"	As Expected	Pass	00:00:00:119028		
40	Step3	{date} = ["05", "10", "2024 12:40:46"]	As Expected	Pass	00:00:01:146772		
41	Step4	Concatenate string "Agency_Bill_Paid_40-01315_,05_,10_,2024 12:40:46" and save the value "Agency_Bill_Paid_40-01315_05_10_2024 12:40:46" in "{bond}"	As Expected	Pass	00:00:00:114927		
42	Step5	Get Substring of the string "{bond}" with index/range "0-39" and save the Substring "Agency_Bill_Paid_40-01315_05_10_2024 12" in "{bondname}"	As Expected	Pass	00:00:00:118812		
43	Step6	{bondname} = Agency_Bill_Paid_40-01315_05_10_2024 12	As Expected	Pass	00:00:01:168146		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
44	Step7	Get Substring of the string "{currentdate}" with index/range "14-16" and save the Substring "40" in "{min}"	As Expected	Pass	00:00:00:119967		
45	Step8	{min} = 40	As Expected	Pass	00:00:01:164274		
46	Step9	Concatenate string "Agency_Bill_Paid_40-01315_05_10_20 24 12_40,.pdf" and save the value "Agency_Bill_Paid_40-01315_05_10_20 24 12_40.pdf" in "{filename}"	As Expected	Pass	00:00:00:116564		
47	Step10	{filename} = Agency_Bill_Paid_40-01315_05_10_20 24 12_40.pdf	As Expected	Pass	00:00:01:158150		
48	Step12	Wait for "1" second(s)	As Expected	Pass	00:00:01:120167		
49	Step13	delete: "{filename}" file from the path: "{filepath5}"			00:00:00:109406	File not found in the specified path.	
50	Step14	Wait for "5" second(s)	As Expected	Pass	00:00:05:123594		
51	Step15	Press on the "AR_bp_print_img"	As Expected	Pass	00:00:01:291855		
52	Step16	Wait for "7" second(s)	As Expected	Pass	00:00:07:119922		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
53	Step17	Concatenate string "\\cna.com\shared \public\CNA-SLK- NEW\CNA Surety ME PME\Surety_Prod uct_AVO\Regress ion\SSP_Testdata \Download Validation,\,Agenc y_Bill_Paid_40- 01315_05_10_20 24 12_40.pdf" and save the value "\\cna.com\shared \public\CNA-SLK- NEW\CNA Surety ME PME\Surety_Prod uct_AVO\Regress ion\SSP_Testdata \Download Validation\Agency _Bill_Paid_40- 01315_05_10_20 24 12_40.pdf" in " {filepath}"	As Expected	Pass	00:00:00:105676		
54	Step18	{filepath} = \\cna.com\shared\ public\CNA-SLK- NEW\CNA Surety ME PME\Surety_Prod uct_AVO\Regress ion\SSP_Testdata \Download Validation\Agency _Bill_Paid_40- 01315_05_10_20 24 12_40.pdf	As Expected	Pass	00:00:01:150378		

SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
55	Step19	The file/folder has been copied			00:00:00:120149	Source file does not exist, Please provide a valid source file	
56	Step20	normalizePDF Executed			00:00:00:119101		
57	Step21	Concatenate string "C:\Users\caF7905\Downloads\PDF ,\,Agency_Bill_Paid_40-01315_05_10_2024 12_40.pdf" and save the value "C:\Users\caF7905\Downloads\PDF \Agency_Bill_Paid_40-01315_05_10_2024 12_40.pdf,0" in "{pdf};0"			00:00:00:114725		
58	Step22	Get content from the file "C:\Users\caF7905\Downloads\PDF \Agency_Bill_Paid_40-01315_05_10_2024 12_40.pdf" and save it in "{a};0"			00:00:00:108819	File doesn't exist.	
59	Step23	{a} = null	As Expected	Pass	00:00:01:159446		
60	Step24	Wait for "5" second(s)	As Expected	Pass	00:00:05:129851		
61	Step25	delete: "{filename}" file from the path: "[filepath5]"			00:00:00:122323	File not found in the specified path.	




SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
62	Step26	Wait for "1" second(s)	As Expected	Pass	00:00:01:126235		
63	Step27	delete: "\" file from the path: "C:\Users\caF7905\Downloads\PDF"			00:00:00:108636	Input Error: Invalid number of inputs.	
64	Test Case Name: TC_Logout_Surety_Portal						
65	Step1	Wait for "5" second(s)	As Expected	Pass	00:00:05:124169		
66	Step2	Click on "Logout_Ink"			00:00:03:722065		
67	Step3	Wait for "5" second(s)	As Expected	Pass	00:00:05:123519		
68	Step4	Wait for "5" second(s)	As Expected	Pass	00:00:05:114956		
69	Test Case Name: TC_SS P_data param_18						
70	End iteration	Dataparam: Iteration 1 executed			00:00:0:000		
71	Test Case Name: TC_Logout_Surety_Portal						


SI No.	Test Step No.	Expected Result	Actual Result	Status	Elapsed Time	Comments	Jira Defect ID
72		EndLoop : Data Parameterization completed			00:00:0:000		
73	Step6	Close the browser	As Expected	Pass	00:00:02:857924		
74	Test Case Name: TC_CLOSE_BROWSER						
75	Step1	Wait for "4" second(s)	As Expected	Pass	00:00:04:119226		
76	Step2	Closed the current sub window.			00:00:00:583083	No sub windows to close	
77	Step3	Close the browser	Fail	Fail	00:00:00:590467	For this closeBrowser keyword, openBrowser or openNewBrowser keyword is not present	




Above image belongs to SI No. 7




Above image belongs to SI No. 8




Above image belongs to SI No. 10




Above image belongs to SI No. 11




Above image belongs to SI No. 13




Above image belongs to SI No. 15




Above image belongs to SI No. 16



Above image belongs to SI No. 18



Above image belongs to SI No. 21



Above image belongs to SI No. 23



Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:40 PM | Logout

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

Select all on page

Total items selected 0

Tran Code	Writing Company	Bond Number	Principal	Bond Description	Term Effective Date	Gross Premium	Commission Amount	Net Premium	Due Date	Pay Now
	0601	66672948	0623 TEST PAY	COMMISSION	07/07/2023	(\$150.00)	\$0.00	(\$150.00)		
	0601	66672957	0623 INDIVIDUAL	COMMISSION	07/07/2023	(\$35.00)	\$0.00	(\$35.00)		
	0601	66673546	0712 RTB TEST	COMMISSION	11/09/2023	(\$46.90)	\$0.00	(\$46.90)		
RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		
RP	0601	66674471	TEST BOND	DISHONESTY B ACCO	04/16/2024	(\$80.00)	(\$28.00)	(\$52.00)		
	0601	72559101	0623 THREE TERMS BON	COMMISSION	06/06/2022	(\$60.00)	\$0.00	(\$60.00)		

Above image belongs to SI No. 27

Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:40 PM | Logout

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

loading...

SERVICE MY ACCOUNTS

APPLICATIONS / DOWNLOADS

REFERENCE CENTER

MY PROFILE

RENEWALS >

BONDS IN FORCE >

ACCOUNTS RECEIVABLE >

BOND APPLICATIONS >

DIRECT BILL APPLICATION >

ORDER SUPPLIES >

EDUCATION >

FAQs >

PORTAL USER GUIDE >

AGENCY PROFILE >

VIEW / EDIT PROFILE >

CHANGE PASSWORD >

Above image belongs to SI No. 29

Welcome activity Perform | C N A Solution, Inc. | Agency Code: 32-17950 | Last Log In: May 10, 2024, 12:40 PM | Logout

CNA SURETY

[Home](#) | [Contact Us](#) | [Office Locations](#) | [bONDLINE® FORMS LIST](#) | [bONDLINE®](#) |

ABOUT CNA SURETY

PRODUCTS

AGENT / BROKER SERVICES

CLAIM SERVICES

APPLICATIONS / DOWNLOADS

NEWS (1)

OWNER / OBLIGEE SERVICES

SERVICE MY ACCOUNTS

RENEWALS

BONDS IN FORCE

ACCOUNTS RECEIVABLE

CLAIMS HISTORY

DOCUMENTS / MESSAGES

Agency Bill Unpaid

Agency Bill Paid

Direct Bill Unpaid

Direct Bill Paid

Statements

SEARCH

EXPORT

PRINT

There are no Paid Agency Bill Items to display.

SERVICE MY ACCOUNTS

APPLICATIONS / DOWNLOADS

REFERENCE CENTER

MY PROFILE

RENEWALS >

BONDS IN FORCE >

ACCOUNTS RECEIVABLE >

BOND APPLICATIONS >

DIRECT BILL APPLICATION >

ORDER SUPPLIES >

EDUCATION >

FAQs >


PORTAL USER GUIDE >

AGENCY PROFILE >


VIEW / EDIT PROFILE >

CHANGE PASSWORD >


Above image belongs to SI No. 34




Above image belongs to SI No. 51



Above image belongs to SI No. 66



Above image belongs to SI No. 73



Above image belongs to SI No. 76



Avo Assure Client (testkr)

Project: SS

File Edit Tools Help

Configure & Execute Reports

Search Add Configuration

Execution Options Actions

Execution Options	Actions
Execute Now Schedule CI/CD Cloud Test	
Execute Now Schedule CI/CD Cloud Test	
Execute Now Schedule CI/CD Cloud Test	

Debug options

Normal Stepwise RunfromStep Kill Stale Process Terminate Clear

24-05-10 12:41:38: CONSOLE: threading:926 \*\*\*Test case name: TC\_CLOSE\_BROWSER\*\*\*

24-05-10 12:41:38: CONSOLE: threading:926 Step number is : 1

24-05-10 12:41:38: CONSOLE: threading:926 Keyword is wait

24-05-10 12:41:38: CONSOLE: threading:926 Wait for :4seconds

24-05-10 12:41:42: CONSOLE: threading:926 wait executed and the status is Pass

24-05-10 12:41:42: CONSOLE: threading:926 Step number is : 2

24-05-10 12:41:42: CONSOLE: threading:926 No sub windows to close

24-05-10 12:41:42: CONSOLE: threading:926 Screenshot captured

24-05-10 12:41:42: CONSOLE: threading:926 closeSubWindows executed and the status is Fail

24-05-10 12:41:42: CONSOLE: threading:926 Step number is : 3

24-05-10 12:41:42: CONSOLE: threading:926 For this closeBrowser keyword, openBrowser or openNewBrowser keyword is not present

Copyright 2024 Avo Automation -Terms of Use

Avo Assure v24.0.4

55°F Rain 12:41 PM 5/10/2024

Above image belongs to SI No. 77