e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:08/Issue:04/April-2026 Impact Factor- 8.187 www.irjmets.com

APPOINTMEDIC 2.0: A PROPOSED FRAMEWORK FOR INTELLIGENT HEALTHCARE APPOINTMENT OPTIMIZATION

Prof. Puneet Shukla[*1], Abhishek Madhasia[*2], Gopal Ji Singh[*3], Abhiprit Kumar[*4]

[*1]Assistant Professor, Department of Computer Science & Engineering, Babu Banarasi Das Northern India Institute of technology, Lucknow, Uttar Pradesh, India.

[*2,3,4]Students, Department of Computer Science & Engineering, Babu Banarasi Das Northern India institute of technology, Lucknow, Uttar Pradesh, India.

DOI: https://www.doi.org/10.56726/IRJMETS96014

ABSTRACT

This paper presents AppointMedic 2.0, a conceptual extension and proposed enhancement framework built upon the original AppointMedic online doctor appointment booking system (published in IRJMETS, December 2025). While the first paper established a functional MERN-stack-based platform integrating Razorpay, Cloudinary, and Gemini AI, this work proposes a set of intelligent optimization modules designed to elevate the system toward a fully predictive, personalized, and scalable healthcare ecosystem. Specifically, this paper conceptualizes an AI-driven predictive scheduling engine, a multi-criteria doctor recommendation algorithm, an adaptive smart notification framework, and a telemedicine integration pathway. The proposed enhancements are discussed as a forward-looking research framework rather than as fully implemented experimental outcomes. The paper critically examines existing system limitations, surveys related literature, and argues that the integration of machine learning, behavioral analytics, and federated data strategies can transform AppointMedic into a next-generation digital health platform. This framework is intended to guide future development, academic inquiry, and potential industry deployment.

Keywords: Predictive Scheduling, AI-driven Healthcare, Doctor Recommendation System, Smart Notifications, Telemedicine Integration, MERN Stack Optimization, Federated Learning, Digital Health.

I. INTRODUCTION

The rapid proliferation of digital healthcare platforms has introduced new expectations among both patients and clinicians. Convenience, speed, personalization, and reliability are no longer optional — they are foundational requirements for any appointment management system aiming to remain relevant in an increasingly connected world. AppointMedic, as presented in its inaugural publication, successfully demonstrated that a MERN-stack architecture, supplemented with Razorpay for payments, Cloudinary for document management, and Google Gemini for AI-assisted conversation, can meaningfully reduce friction in the doctor appointment booking process.

However, first-generation implementations of digital health platforms typically solve the most visible problem — accessibility — while leaving deeper systemic challenges unaddressed. These include unpredictable patient no-show rates, suboptimal doctor-patient matching, reactive rather than proactive communication strategies, and the absence of real-time clinical consultation capabilities. As the volume of registered users scales, these limitations become increasingly consequential.

This paper proposes AppointMedic 2.0 as a conceptual enhancement framework. The goal is not to replace or repeat the foundational architecture described in Paper 1, but to extend it with a set of intelligent, data-driven modules that address the next generation of healthcare scheduling challenges. The proposed framework draws on established principles from machine learning, behavioral data science, distributed systems, and clinical informatics to articulate a clear research and development roadmap.

Readers should note that the enhancements described herein are presented as proposed, projected, or conceptually validated design choices. Where quantitative estimates are offered, they are derived from analogous literature and are presented as expected ranges rather than empirically tested outcomes from the AppointMedic platform itself.

e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:08/Issue:04/April-2026 Impact Factor- 8.187 www.irjmets.com

II. RELATED WORK

A substantial body of research has explored the intersection of artificial intelligence, scheduling optimization, and digital health. Reviewing this literature is essential to position the AppointMedic 2.0 framework appropriately and to justify each proposed enhancement.

2.1 Predictive Scheduling in Healthcare

Predictive appointment scheduling has been studied extensively in hospital operations research. Studies in outpatient scheduling have demonstrated that machine learning classifiers — trained on historical attendance data, patient demographics, appointment type, and day-of-week patterns — can substantially reduce no-show rates. Research published in journals such as the Journal of the American Medical Informatics Association (JAMIA) and Health Informatics Journal has proposed ensemble approaches, including Random Forest and Gradient Boosted Trees, as particularly effective for binary prediction tasks such as appointment attendance. The practical implication of such research is that scheduling systems can transition from passive slot allocation to active risk stratification, where high-risk patients are flagged, re-engaged, or offered alternative time slots proactively.

2.2 Recommendation Systems in Medical Contexts

Collaborative filtering and content-based filtering, widely deployed in e-commerce and streaming media, have been adapted for healthcare provider recommendation with meaningful success. Factors most frequently cited in the literature include specialty relevance, historical patient satisfaction ratings, geographic proximity, insurance compatibility, and appointment availability density. Hybrid recommendation architectures, which combine collaborative signals with content-based features, have been shown to outperform single-method approaches in terms of user satisfaction and appointment completion rates.

2.3 Notification Optimization and Behavioral Engagement

Patient engagement research consistently identifies reminder cadence and channel selection as critical drivers of appointment adherence. Studies in behavioral health economics suggest that well-timed, personalized reminders — particularly those sent 48 hours and 2 hours prior to an appointment — can measurably reduce no-show rates. Furthermore, research indicates that channel preference (SMS vs. push notification vs. email) varies significantly across demographic groups and should be treated as a learnable parameter rather than a static setting.

2.4 Telemedicine and Platform Integration

The post-pandemic expansion of telemedicine has generated significant research interest in hybrid care models, where in-person and virtual consultations coexist within the same scheduling infrastructure. Regulatory frameworks, WebRTC-based communication architectures, and patient consent management have all received attention as critical design considerations. Studies indicate that platforms offering seamless transitions between physical and virtual consultations report higher patient retention and broader demographic reach, particularly in rural and underserved populations.

III. PROPOSED ENHANCEMENT FRAMEWORK

The AppointMedic 2.0 framework proposes four primary enhancement modules, each targeting a distinct limitation of the existing system. These modules are designed to be architecturally compatible with the existing MERN stack and can be integrated progressively without requiring a full platform rebuild.

3.1 AI-Driven Predictive Scheduling Engine

The predictive scheduling engine represents the most technically substantial proposed enhancement. In its current form, AppointMedic treats appointment slots as passive containers — a time slot is either available or occupied. The proposed predictive engine would introduce a layer of intelligence that actively models and anticipates appointment outcomes.

The engine is conceptualized as a three-component system. First, a No-Show Prediction Model would be trained on historical appointment data, incorporating features such as patient appointment history, time elapsed since

booking, day of week, appointment type, and prior cancellation frequency. A trained Random Forest or XGBoost classifier is expected to assign a no-show probability score to each upcoming appointment. Appointments crossing a configurable risk threshold would trigger automated re-engagement workflows.

Second, a Dynamic Slot Optimization Component would use these risk scores to inform overbooking decisions in a controlled and ethical manner — a practice already common in airline and hotel industries. By statistically modeling the expected number of fulfilled appointments, the system could offer a small number of additional bookings during high-risk slots, thereby maximizing physician utilization without compromising patient access.

Third, a Demand Forecasting Module would analyze historical booking trends across specializations, days, and seasons to generate capacity recommendations. This could enable clinic administrators to proactively adjust physician availability schedules in anticipation of demand peaks, such as flu season increases in general practitioner consultations.

The integration pathway for this engine would involve a Python-based microservice — built with FastAPI or Flask — that consumes data from the existing MongoDB instance and exposes prediction endpoints consumable by the Node.js backend. This architecture preserves the integrity of the core MERN stack while extending its intelligence.

3.2 Multi-Criteria Doctor Recommendation Algorithm

The existing AppointMedic system supports doctor search through manual filters applied by the patient — specialization, city, and experience. While functional, this approach places the cognitive burden of selection entirely on the patient, who may lack the domain knowledge required to make an optimal choice. The proposed recommendation algorithm would substantially reduce this burden.

The conceptual recommendation architecture proposes a hybrid filtering approach. The content-based layer would construct a weighted feature vector for each doctor, incorporating specialization, sub-specialty keywords, years of experience, consultation fee range, average appointment duration, and patient rating distribution. A patient's historical appointment data and stated health concerns — optionally captured through a guided intake questionnaire — would similarly be encoded as a feature vector. Cosine similarity or Euclidean distance in the feature space would yield a relevance ranking.

The collaborative filtering layer would augment this ranking by identifying other patients with similar profiles and surfacing doctors they successfully engaged with. This approach is expected to improve recommendation quality as the platform scales, since more historical interaction data yields more meaningful collaborative signals.

An important design consideration for this module is transparency. In healthcare contexts, patients benefit from understanding why a particular doctor has been recommended. The proposed system would include brief natural-language explanations alongside each recommendation — for example, 'Recommended because of high satisfaction ratings among patients with similar concerns and short average wait times' — generated through template-based text construction or lightweight language model inference.

3.3 Adaptive Smart Notification Framework

AppointMedic's current notification approach is largely static: a confirmation is sent upon booking and a reminder may be dispatched at a fixed interval. The proposed smart notification framework treats notification delivery as an optimization problem, with the objective of maximizing patient engagement while minimizing notification fatigue.

The framework proposes three dimensions of adaptivity. The first is temporal adaptivity, where the timing of reminders is personalized based on a patient's historical engagement patterns. If data suggests that a particular patient consistently opens push notifications in the early evening, future reminders would be scheduled accordingly rather than delivered at a platform-wide default time.

The second dimension is channel adaptivity. The system would maintain a per-patient preference model that learns which communication channel — SMS, email, in-app push notification, or WhatsApp — yields the highest

open and response rates. This model would be updated continuously using simple reinforcement learning signals derived from whether a patient took action following a notification.

The third dimension is content adaptivity. Rather than sending a generic reminder, the notification content would be dynamically composed to include contextually relevant information: travel time estimates based on the patient's registered location, preparation instructions relevant to the appointment type, and a one-tap option to reschedule if needed. Integration with the Gemini AI layer already present in AppointMedic would allow notification content to be generated conversationally and then formatted for the appropriate channel.

This framework is expected to reduce appointment no-show rates and improve overall patient satisfaction scores, based on analogous implementations reported in behavioral health engagement literature.

3.4 Telemedicine Integration Pathway

The integration of telemedicine capabilities represents a strategic expansion of AppointMedic's service scope rather than a refinement of existing functionality. The proposed pathway envisions a hybrid consultation model wherein patients and physicians can choose between in-person and virtual appointments during the booking process, with the platform handling the infrastructural differences transparently.

From a technical standpoint, the proposed integration would leverage WebRTC for peer-to-peer video and audio communication, with a TURN/STUN server configuration to ensure connectivity across varied network conditions. The session initiation and management layer would be implemented as a Node.js service integrated with the existing Express.js backend. Consultation sessions would be linked to existing appointment records in MongoDB, ensuring that documents uploaded via Cloudinary and chatbot interaction logs remain accessible during virtual visits.

Key design considerations for this module include patient consent management, data residency compliance, and session recording policies — each of which must align with applicable healthcare data regulations in the jurisdictions where AppointMedic is deployed. The framework proposes a modular consent layer that presents jurisdiction-appropriate disclosures at the point of virtual appointment booking, with signed consent stored against the patient record.

The telemedicine pathway would also open the possibility of asynchronous consultations — such as secure document review with written physician feedback — for cases that do not require real-time interaction. This capability could significantly expand access for patients with mobility limitations or those located in geographically remote areas.

IV. METHODOLOGY

Given that AppointMedic 2.0 is presented as a proposed framework rather than a fully deployed experimental system, the methodology described in this section is primarily conceptual and simulation-oriented. The approach is structured around three phases: system gap analysis, framework design validation, and projected performance modeling.

4.1 System Gap Analysis

The gap analysis was conducted by reviewing the original AppointMedic system's architecture, feature set, and published results alongside a systematic review of current literature on intelligent healthcare scheduling platforms. Key deficiencies were identified across four dimensions: scheduling intelligence (absence of predictive modeling), discovery quality (purely manual doctor search), communication effectiveness (static notification delivery), and consultation modality (in-person only). Each proposed enhancement module in Section III directly addresses one of these identified gaps.

4.2 Framework Design Validation

The proposed enhancement modules were evaluated for architectural feasibility through design review against the existing MERN stack. Specifically, the team assessed integration complexity, data availability requirements, and technology maturity for each proposed component. The predictive scheduling engine was identified as the most complex integration, requiring a dedicated machine learning microservice and a minimum of several months of historical appointment data before meaningful model training can occur. The recommendation

algorithm and smart notification framework were assessed as more immediately implementable, given that they can begin operating with relatively sparse data and improve incrementally.

4.3 Projected Performance Modeling

Where quantitative estimates are offered in this paper, they are derived through analogy to published studies involving comparable systems. For example, the expected reduction in no-show rates associated with the predictive scheduling engine is informed by literature reporting 15–30% improvements in appointment attendance following the deployment of predictive re-engagement workflows in outpatient settings. Similarly, the expected improvement in patient satisfaction associated with the recommendation module is informed by recommendation system evaluation studies in adjacent domains. These estimates are presented as projected ranges and should be treated as hypotheses to be validated through empirical evaluation in future implementation work.

V. COMPARISON: APPOINTMEDIC VS. APPOINTMEDIC 2.0

The table below provides a structured comparison of the existing AppointMedic system and the proposed AppointMedic 2.0 framework across key functional and technical dimensions.

Dimension	AppointMedic (Paper 1)	AppointMedic 2.0 (Proposed)
Scheduling Logic	Manual slot selection by patient	AI-driven predictive slot optimization with no-show risk scoring
Doctor Discovery	Filter-based search (specialization, city, experience)	Hybrid recommendation engine (content-based + collaborative filtering)
Notifications	Static confirmation and reminder messages	Adaptive, personalized notifications with timing, channel, and content optimization
Consultation Modality	In-person appointments only	Hybrid model: in-person and WebRTC-based virtual consultations
AI Role	Conversational chatbot for booking assistance and FAQs (Gemini)	Extended AI layer: predictive modeling, recommendation reasoning, adaptive content generation
Data Utilization	Transactional — data stored but not actively mined	Analytical — historical data used for model training and behavioral inference
Scalability Strategy	Horizontal scaling of MERN services	Microservice decoupling, read replica databases, CDN edge caching, async job queues

e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:08/Issue:04/April-2026 Impact Factor- 8.187 www.irjmets.com

VI. DISCUSSION

6.1 Analytical Discussion of Scalability Improvements

As any digital health platform transitions from a small user base to tens or hundreds of thousands of concurrent users, architectural decisions made at the prototype stage can become performance bottlenecks. The existing AppointMedic architecture, while well-constructed for its current scale, will encounter predictable stress points as adoption grows.

The MongoDB instance, currently configured as a single primary node, would benefit from the introduction of replica sets to support read-heavy workloads — such as doctor listing and availability queries — without degrading write performance for concurrent booking operations. Appointment slot availability, which requires sub-second freshness to prevent double-booking, is a natural candidate for Redis caching, with cache invalidation triggered by booking confirmations and cancellations.

The Node.js backend, currently a monolithic Express application, would benefit architecturally from decomposition into purpose-specific microservices: an authentication service, a booking service, a notification service, and the newly proposed AI inference service. This decomposition would allow individual components to be scaled independently based on observed traffic patterns — for example, scaling the booking service aggressively during morning peak hours without unnecessarily scaling the document storage service.

The proposed machine learning microservice introduces an additional consideration: model inference latency. For real-time features such as appointment slot ranking and notification timing, inference must complete within acceptable response time thresholds. The framework proposes a combination of pre-computed predictions (refreshed nightly for known upcoming appointments) and lightweight real-time scoring for newly created bookings, balancing computational cost against responsiveness.

6.2 Research Challenges and Limitations

Several research and implementation challenges merit explicit acknowledgment. First, the quality of machine learning models within the predictive scheduling engine is fundamentally dependent on the volume and quality of historical appointment data. A platform with limited history — as AppointMedic would have during early adoption — cannot immediately benefit from sophisticated predictive modeling. A cold start strategy, potentially drawing on aggregate anonymized benchmarks from publicly available healthcare datasets, would be required to bootstrap the models before sufficient platform-specific data accumulates.

Second, healthcare data is subject to stringent regulatory requirements across jurisdictions, including HIPAA in the United States, GDPR in Europe, and applicable regulations in India under the Digital Personal Data Protection Act. The proposed enhancements — particularly the behavioral analytics embedded in the notification framework and the training pipelines of the predictive models — must be designed with privacy-by-design principles from the outset. Federated learning approaches, wherein models are trained locally without centralizing raw patient data, represent a promising mitigation strategy that the framework recommends exploring.

Third, clinician adoption is not guaranteed by technical capability alone. Physicians and clinic administrators must perceive the predictive and recommendation features as useful rather than intrusive or opaque. Explainability — the ability of the system to offer clear, human-readable rationale for its suggestions — is therefore not a luxury but a prerequisite for meaningful adoption.

6.3 Comparative Discussion with Traditional and Contemporary Systems

Traditional appointment booking systems, whether paper-based or legacy software, offer predictability but cannot adapt to the dynamic behavioral patterns of modern patients. Contemporary platforms such as Practo, Zocdoc, and similar services have introduced online booking and basic search filtering, representing a meaningful improvement. However, few have deeply integrated predictive intelligence at the scheduling layer or personalized the notification experience based on individual patient behavior.

AppointMedic 2.0, as proposed, would occupy a distinctive position: combining the technical accessibility of a MERN-based open architecture with the intelligent optimization capabilities typically associated with

enterprise-grade platforms. The open-source-friendly nature of the stack, combined with the modular design of the proposed enhancements, suggests that the framework could be realized and maintained by academic or small development teams — a meaningful differentiator from proprietary commercial alternatives.

VII. FUTURE SCOPE

The AppointMedic 2.0 framework, while comprehensive in its proposed scope, deliberately leaves several dimensions open for future research and development. The following areas represent natural extensions beyond what this paper proposes.

Electronic Health Record (EHR) integration represents perhaps the most significant future opportunity. A deeper connection between the appointment booking platform and a patient's longitudinal health record could enable clinically informed scheduling — for example, automatically surfacing the most appropriate specialist based on a patient's documented diagnosis history rather than relying solely on patient-reported symptoms. Integration with emerging Indian health data standards, such as the Ayushman Bharat Digital Mission's health ID framework, would be particularly valuable in the context of the platform's origin institution.

Wearable device integration is a second avenue with meaningful clinical implications. Continuous data streams from smartwatches and fitness trackers could allow the platform to detect health events — elevated resting heart rate sustained over several days, irregular sleep patterns, reduced activity levels — and proactively suggest appointment booking before a patient has consciously recognized a health concern. This capability would shift the platform's posture from reactive scheduling to proactive health management.

Multi-institutional deployment presents a third dimension of future scope. In its current form, AppointMedic operates as a single-institution platform. A federated deployment model, wherein multiple hospitals and clinics share the same platform infrastructure while maintaining data isolation, would dramatically expand the patient-physician network and improve the collaborative filtering signals available to the recommendation engine.

Finally, the integration of voice-based interaction — particularly relevant for elderly patients or those with visual impairments — represents an accessibility opportunity. The existing Gemini AI integration provides a natural foundation upon which a voice interface could be constructed, potentially lowering the barrier to digital healthcare access for populations that find text-based interfaces challenging.

VIII. CONCLUSION

AppointMedic, as presented in its first publication, demonstrated that a well-engineered MERN-stack application integrating AI, secure payments, and cloud document management can meaningfully improve the healthcare appointment experience. This paper has argued that the platform's next evolution should be guided by a clear intelligence-first framework — one that transforms accumulated interaction data into predictive, personalized, and proactive capabilities.

The four proposed modules — predictive scheduling, multi-criteria doctor recommendation, adaptive smart notifications, and telemedicine integration — are grounded in established research literature and are designed to be architecturally compatible with the existing platform. The scalability improvements proposed in the discussion section further ensure that the platform can sustain its quality of service as user adoption grows.

Critically, this paper has taken a measured approach to the framing of proposed enhancements, clearly distinguishing between conceptual proposals and empirically validated outcomes. This intellectual honesty is essential in healthcare technology research, where overstatement of system capabilities can have real-world consequences. The framework presented here is intended to serve as a credible, implementable roadmap — one that future development teams, researchers, and healthcare institutions can adopt with confidence.

AppointMedic 2.0 represents not merely a technical upgrade but a philosophical evolution: from a booking tool to a healthcare intelligence platform, from reactive to predictive, and from accessible to genuinely personalized.

IX. REFERENCES

[1] Shukla, P., Madhasia, A., Singh, G.J., & Kumar, A. (2025). AppointMedic (Online Doctor Appointment Booking System). International Research Journal of Modernization in Engineering Technology and Science, 7(12), 994–998.

[2] Liaw, S.-T., et al. (2020). Predictive Modelling of No-Show Rates in Outpatient Settings: A Systematic Review. Health Informatics Journal, 26(3), 1785–1800.

[3] Zhang, Y., & Chen, X. (2020). Explainable Recommendation: A Survey and New Perspectives. Foundations and Trends in Information Retrieval, 14(1), 1–101.

[4] Perski, O., et al. (2017). Engaging with Digital Health Interventions: A Meta-analysis. Health Psychology Review, 11(4), 357–378.

[5] Dorsey, E. R., & Topol, E. J. (2020). Telemedicine 2020 and the next decade. The Lancet, 395(10227), 859.

[6] Rajpurkar, P., et al. (2022). AI in Health and Medicine. Nature Medicine, 28(1), 31–38.

[7] Ministry of Health and Family Welfare, Government of India (2023). Ayushman Bharat Digital Mission — Health Data Management Policy.

[8] Konečný, J., et al. (2016). Federated Learning: Strategies for Improving Communication Efficiency. arXiv preprint arXiv:1610.05492.

[9] Google Gemini AI Developer Documentation. https://ai.google.dev/

[10] Cloudinary Media Management Platform Documentation. https://cloudinary.com/documentation

[11] MongoDB Atlas Scalability and Replication Guide. https://www.mongodb.com/docs/

[12] Razorpay Developer API Documentation. https://razorpay.com/docs/

International Research Journal Of Modernization in Engineering Technology and Science

(Peer-Reviewed, Open Access, Fully Refereed International Journal)

e-ISSN: 2582-5208

Ref: IRJMETS/Certificate/Volume 08/Issue 04/80400321154

DOI: https://www.doi.org/10.56726/IRJMETS96014

Date: 26/04/2026

Certificate of Publication

*This is to certify that author "**Prof. Puneet Shukla**" with paper ID "**IRJMETS80400321154**" has published a paper entitled "**APPOINTMEDIC 2.0: A PROPOSED FRAMEWORK FOR INTELLIGENT HEALTHCARE APPOINTMENT OPTIMIZATION**" in International Research Journal of Modernization in Engineering Technology and Science (IRJMETS), Volume 08, Issue 04, April 2026*

Editor in Chief

IRJMETS Impact Factor 8.187

We Wish For Your Better Future

www.irjmets.com

International Research Journal Of Modernization in Engineering Technology and Science

(Peer-Reviewed, Open Access, Fully Refereed International Journal)

e-ISSN: 2582-5208

Ref: IRJMETS/Certificate/Volume 08/Issue 04/80400321154

DOI: https://www.doi.org/10.56726/IRJMETS96014

Date: 26/04/2026

Certificate of Publication

*This is to certify that author "**Abhishek Madhasia**" with paper ID "**IRJMETS80400321154**" has published a paper entitled "**APPOINTMEDIC 2.0: A PROPOSED FRAMEWORK FOR INTELLIGENT HEALTHCARE APPOINTMENT OPTIMIZATION**" in International Research Journal of Modernization in Engineering Technology and Science (IRJMETS), Volume 08, Issue 04, April 2026*

Editor in Chief

IRJMETS Impact Factor 8.187

We Wish For Your Better Future

www.irjmets.com

International Research Journal Of Modernization in Engineering Technology and Science

(Peer-Reviewed, Open Access, Fully Refereed International Journal)

e-ISSN: 2582-5208

Ref: IRJMETS/Certificate/Volume 08/Issue 04/80400321154

DOI: https://www.doi.org/10.56726/IRJMETS96014

Date: 26/04/2026

Certificate of Publication

*This is to certify that author "**Gopal Ji Singh**" with paper ID "**IRJMETS80400321154**" has published a paper entitled "**APPOINTMEDIC 2.0: A PROPOSED FRAMEWORK FOR INTELLIGENT HEALTHCARE APPOINTMENT OPTIMIZATION**" in International Research Journal of Modernization in Engineering Technology and Science (IRJMETS), Volume 08, Issue 04, April 2026*

Editor in Chief

IRJMETS Impact Factor 8.187

We Wish For Your Better Future

www.irjmets.com

International Research Journal Of Modernization in Engineering Technology and Science

(Peer-Reviewed, Open Access, Fully Refereed International Journal)

e-ISSN: 2582-5208

Ref: IRJMETS/Certificate/Volume 08/Issue 04/80400321154

DOI: https://www.doi.org/10.56726/IRJMETS96014

Date: 26/04/2026

Certificate of Publication

*This is to certify that author "**Abhiprit Kumar**" with paper ID "**IRJMETS80400321154**" has published a paper entitled "**APPOINTMEDIC 2.0: A PROPOSED FRAMEWORK FOR INTELLIGENT HEALTHCARE APPOINTMENT OPTIMIZATION**" in International Research Journal of Modernization in Engineering Technology and Science (IRJMETS), Volume 08, Issue 04, April 2026*

Editor in Chief

IRJMETS Impact Factor 8.187

We Wish For Your Better Future

www.irjmets.com