

tbl_user

Stores login credentials and basic account information for all system users. It provides secure authentication and authorization based on assigned roles.

Field Name	Data Type	Key Constraint	Description
user_id	INT	Primary Key, Auto Increment	Unique user identifier
hospital_id	INT	Foreign Key	References tbl_hospital(hospital_id). NULL for Super Admin
role_id	INT	Foreign Key	References tbl_role(role_id)
user_name	VARCHAR(100)	NOT NULL	Full name of user
user_email	VARCHAR(100)	UNIQUE	Login email
user_phone	VARCHAR(15)	UNIQUE	Contact number
user_password	VARCHAR(255)	NOT NULL	Encrypted password
user_is_active	BOOLEAN	DEFAULT TRUE	User account status
user_created_at	DATETIME	NOT NULL	Account creation date
user_updated_at	DATETIME	NOT NULL	Last updated timestamp.

tbl_hospital

Stores details of hospitals that have registered and been approved to participate in the UniCare platform.

Field Name	Data Type	Key Constraint	Description
hospital_id	INT	Primary Key, Auto Increment	Unique identifier for each hospital
hospital_uid	VARCHAR(20)	UNIQUE	System-generated Hospital ID
hospital_name	VARCHAR(100)	NOT NULL	Name of the hospital
hospital_email	VARCHAR(100)	UNIQUE	Official email address
hospital_phone	VARCHAR(15)	NOT NULL	Contact number
hospital_address	TEXT	-	Address of the hospital

hospital_status	ENUM('Pending','Approved','Rejected')	NOT NULL	Hospital approval status
hospital_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether hospital is active
hospital_created_at	DATETIME	NOT NULL	Registration date and time

tbl_department

Stores hospital departments (e.g., Cardiology, Orthopedics, Neurology) and associates them with a specific participating hospital.

Field Name	Data Type	Key Constraint	Description
department_id	INT	Primary Key, Auto Increment	Unique department identifier
hospital_id	INT	Foreign Key	References tbl_hospital(hospital_id)
department_name	VARCHAR(100)	NOT NULL	Name of department
department_description	TEXT	-	Description of department
department_is_active	BOOLEAN	DEFAULT TRUE	Department status

tbl_role

Stores the different user roles in the system such as Super Admin, Hospital Administrator, Doctor, Receptionist, and Patient to support role-based access control.

Field Name	Data Type	Key Constraint	Description
role_id	INT	Primary Key	Unique role identifier
role_name	VARCHAR(50)	UNIQUE	Name of the role
role_is_active	BOOLEAN	DEFAULT TRUE	Role status
role_created_at	DATETIME	-	Date and Time when the role was created
role_updated_at	DATETIME	-	Date and time of the latest update.

tbl_doctor

Stores doctor information including qualifications, specialization, department, and hospital association for healthcare service management.

Field Name	Data Type	Key Constraint	Description
doctor_id	INT	Primary Key, Auto Increment	Unique doctor identifier
user_id	INT	Foreign Key	References tbl_user(user_id)
hospital_id	INT	Foreign Key	References tbl_hospital(hospital_id)
department_id	INT	Foreign Key	References tbl_department(department_id)
doctor_specialization	VARCHAR(100)	NOT NULL	Doctor specialization
doctor_license_no	VARCHAR(50)	UNIQUE	Medical registration number
doctor_qualification	VARCHAR(100)	-	Educational qualification
doctor_experience	INT	-	Years of experience
doctor_is_active	BOOLEAN	DEFAULT TRUE	Account status

tbl_receptionist

Stores receptionist details for each participating hospital to manage patient appointments and administrative operations.

Field Name	Data Type	Key Constraint	Description
receptionist_id	INT	Primary Key, Auto Increment	Unique identifier for each receptionist.
user_id	INT	Foreign Key	References tbl_user(user_id) for login credentials.
hospital_id	INT	Foreign Key	References tbl_hospital
department_id	INT	Foreign Key	References tbl_department(department_id).

receptionist_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether the receptionist account is active.
------------------------	---------	-----------------	---

tbl_patient

Stores the patient's unique UniCare ID and personal information, enabling identification and access to medical history across participating hospitals.

Field Name	Data Type	Key Constraint	Description
patient_id	INT	Primary Key, Auto Increment	Unique identifier for each patient.
user_id	INT	Foreign Key	References tbl_user(user_id) for patient login credentials.
patient_uid	VARCHAR(20)	UNIQUE	System-generated Universal Patient ID (UPID).
patient_name	VARCHAR(100)	NOT NULL	Full name of the patient.
patient_dob	DATE	NOT NULL	Date of birth of the patient.
patient_gender	ENUM('Male','Female','Other')	NOT NULL	Gender of the patient.
patient_phone	VARCHAR(15)	UNIQUE	Patient's contact number.
patient_email	VARCHAR(100)	UNIQUE	Patient's email address.
patient_address	TEXT	-	Residential address of the patient.
patient_blood_group	VARCHAR(5)	-	Patient's blood group.
patient_emergency_contact	VARCHAR(15)	-	Emergency contact number.

patient_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether the patient account is active.
patient_created_at	DATETIME	NOT NULL	Date and time when the patient was registered.

tbl_appointment

Stores appointment bookings between patients and doctors, including appointment date, time, reason, and current appointment status.

Field Name	Data Type	Key Constraint	Description
appointment_id	INT	Primary Key, Auto Increment	Unique appointment identifier
patient_id	INT	Foreign Key	References tbl_patient(patient_id)
doctor_id	INT	Foreign Key	References tbl_doctor(doctor_id)
hospital_id	INT	Foreign Key	References tbl_hospital(hospital_id)
appointment_date	DATE	NOT NULL	Appointment date
appointment_time	TIME	NOT NULL	Appointment time
appointment_status	ENUM('Pending','Confirmed','Completed','Cancelled')	NOT NULL	Current appointment status
appointment_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether the appointment is active
appointment_created_at	DATETIME	NOT NULL	Appointment booking date and time

tbl_patient_visit

Records every patient consultation or hospital visit after an appointment, maintaining a history of visits for future reference.

Field Name	Data Type	Key Constraint	Description
visit_id	INT	Primary Key, Auto Increment	Unique visit identifier
appointment_id	INT	Foreign Key	References tbl_appointment(appointment_id)
patient_id	INT	Foreign Key	References tbl_patient(patient_id)
doctor_id	INT	Foreign Key	References tbl_doctor(doctor_id)
hospital_id	INT	Foreign Key	References tbl_hospital(hospital_id)
visit_date	DATE	NOT NULL	Date of consultation
visit_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether the visit record is active

tbl_medical_record

Stores diagnosis, clinical observations, consultation notes, and essential medical history generated during a patient visit. It also controls whether the record can be shared with other participating hospitals.

Field Name	Data Type	Key Constraint	Description
record_id	INT	Primary Key, Auto Increment	Unique medical record identifier
visit_id	INT	Foreign Key	References tbl_patient_visit(visit_id)
patient_id	INT	Foreign Key	References tbl_patient(patient_id)
doctor_id	INT	Foreign Key	References tbl_doctor(doctor_id)
hospital_id	INT	Foreign Key	References tbl_hospital(hospital_id)

record_diagnosis	TEXT	NOT NULL	Doctor's diagnosis
record_notes	TEXT	-	Additional clinical notes
record_share_flag	BOOLEAN	DEFAULT FALSE	TRUE = Shared with other participating UniCare hospitals, FALSE = Visible only within the treating hospital
record_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether the medical record is active
record_created_at	DATETIME	NOT NULL	Date and time the medical record was created

tbl_prescription

Stores prescriptions issued by doctors for a patient visit and manages whether the prescription is shared across participating UniCare hospitals.

Field Name	Data Type	Key Constraint	Description
prescription_id	INT	Primary Key, Auto Increment	Unique prescription identifier
record_id	INT	Foreign Key	References tbl_medical_record(record_id)
visit_id	INT	Foreign Key	References tbl_patient_visit
doctor_id	INT	Foreign Key	References tbl_doctor
prescription_date	DATE	NOT NULL	Date of prescription
remarks	TEXT	-	Additional remarks
prescription_share_flag	BOOLEAN	DEFAULT TRUE	TRUE = Shared across participating UniCare hospitals, FALSE = Local hospital only
prescription_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether the prescription is active
prescription_created_at	DATETIME	NOT NULL	Prescription creation date and time

tbl_prescription_item

Stores the individual medicines, dosage, frequency, duration, and usage instructions belonging to a prescription.

Field Name	Data Type	Key Constraint	Description
prescription_item_id	INT	Primary Key, Auto Increment	Unique prescription item identifier
prescription_id	INT	Foreign Key	References tbl_prescription(prescription_id)
medicine_name	VARCHAR(100)	NOT NULL	Name of the prescribed medicine
medicine_dosage	VARCHAR(50)	NOT NULL	Dosage (e.g., 500 mg)
medicine_frequency	VARCHAR(50)	NOT NULL	Frequency (e.g., Twice Daily)
medicine_duration	VARCHAR(50)	NOT NULL	Duration of medication
medicine_instruction	TEXT	-	Additional instructions from the doctor

tbl_lab_report

Stores laboratory reports, diagnostic reports, and scan reports linked to a patient's medical record. It also manages report sharing between participating hospitals.

Field Name	Data Type	Key Constraint	Description
lab_report_id	INT	Primary Key, Auto Increment	Unique laboratory report identifier
record_id	INT	Foreign Key	References tbl_medical_record(record_id)
hospital_id	INT	Foreign Key	References tbl_hospital(hospital_id)

report_type	VARCHAR(100)	NOT NULL	Type of report (Blood Test, X-Ray, MRI, CT Scan, etc.)
report_title	VARCHAR(150)	NOT NULL	Report title
report_file	VARCHAR(255)	NOT NULL	File path or uploaded document location
report_share_flag	BOOLEAN	DEFAULT FALSE	TRUE = Shared with participating UniCare hospitals, FALSE = Local hospital only
report_is_active	BOOLEAN	DEFAULT TRUE	Indicates whether the report is active
report_uploaded_at	DATETIME	NOT NULL	Date and time of report upload

tbl_audit_log

Records all important system activities such as login, record creation, updates, report uploads, and other user actions for security, monitoring, and auditing purposes.

Field Name	Data Type	Key Constraint	Description
audit_id	INT	Primary Key, Auto Increment	Unique audit log identifier
user_id	INT	Foreign Key	References tbl_user(user_id)
audit_action	VARCHAR(200)	NOT NULL	Action performed (Login, Create Prescription, Upload Report, etc.)
audit_module	VARCHAR(100)	NOT NULL	Module where the action occurred
audit_ip_address	VARCHAR(50)	-	User IP address
audit_datetime	DATETIME	NOT NULL	Date and time of the activity