

Exercise – 1

1.a)

Aim: To design HTML heading constructors

HTML code:

```
<!DOCTYPE html>
<html>
<head>
<title>Example on HTML headings</title>
</head>
<body>
<h1>My First Heading with H1 size</h1>
<h2>My First Heading with H2 size</h2>
<h3>My First Heading with H3 size</h3>
<h4>My First Heading with H4 size</h4>
<h5>My First Heading with H5 size</h5>
<h6>My First Heading with H6 size</h6>
</body>
</html>
```

OUTPUT:



My First Heading with H1 size

My First Heading with H2 size

My First Heading with H3 size

My First Heading with H4 size

My First Heading with H5 size

My First Heading with H6 size



1.b)

Aim: To design HTML links constructor

HTML code:

```
<!DOCTYPE html>

<html>

<head>

<title>Example on HTML links</title>

</head>

<body>

<h1>HTML links</h1>

<p>

<a href="https://www.w3schools.com/">



Click here for More Information!</a>

</p>

</body>

</html>
```

OUTPUT:



1.c)

Aim: To design HTML paragraph constructor

HTML code:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Example on HTML paragraphs</title>
```

```
</head>
```

```
<body>
```

```
<p>
```

This is one of the main tag

which is used to display the content in paragraph manner

Here we can give either single line or multiple lines.

```
</p>
```

```
<pre>
```

This is one of the main tag

which is used to display the content in paragraph manner


Here we can give either single line or multiple lines.

```
</pre>
```

```
</body>
```

```
</html>
```

OUTPUT:



1.d)

Aim: To construct HTML image constructor

HTML code:

```
<!DOCTYPE html>

<html>

<head>

<title>Example on HTML links</title>

</head>

<body>

<h1>HTML links</h1>

<p>

<a href="https://www.w3schools.com/">


Click here for More Information!</a>

</p>

</body>

</html>
```

OUTPUT:



1.e)

Aim: To design HTML constructors on different elements

HTML code:

```
<!DOCTYPE html>

<html>

<head>

<title>Example on HTML different constructors</title>

</head>

<body>

<p>This is <b>bold</b> text</p>

<p>This is <i>italic</i> text</p>

<p>This is <u>underlined</u> text</p>

<p>This is <s>strikethrough</s> text</p>

<p>H<sub>2</sub>O</p>

<p>10<sup>5</sup></p>

</body>

</html>
```

OUTPUT:

