

Cypress CI/CD 1-Page Cheat Sheet

What is CI?

Continuous Integration means automatically building and testing code whenever changes are pushed to the repository.

What is CD?

Continuous Delivery means code is always ready to deploy. Continuous Deployment means automatic deployment after tests pass.

Your Working CI/CD Flow

Developer → Git → GitHub → Jenkins (Local Server) → Cypress Tests → Reports → Pass/Fail → Deploy (if enabled)

Tools in Your Setup

Git (Version Control), GitHub (Repo Hosting), Jenkins (CI Server), Cypress (Test Automation)

Basic Jenkins Pipeline Steps

1. Checkout code
2. Install dependencies
3. Run Cypress tests
4. Generate reports
5. Mark build pass/fail

Run Cypress in CI

`npx cypress run`
Runs tests in headless mode and fails build on errors.

Parallel Execution

Use Cypress Dashboard or Jenkins parallel stages to split test files and reduce execution time.

Failure Handling

On test failure: Jenkins build fails, screenshots/videos archived, notifications sent.

Environment Handling

Use Jenkins env variables or Cypress --env flag to run tests on QA, UAT, or Prod.

Interview One-Liner

I use GitHub + Jenkins CI pipeline to trigger Cypress automation on every commit. Jenkins runs tests headlessly, publishes reports, and blocks deployment if failures occur.