

Complete Industry-Level Guide

MCP + Playwright at Framework Level (For QA / SDET)

This guide covers:

1. What MCP really is (no hype)
2. How it fits inside the automation framework
3. Real enterprise architecture
4. How QA teams should use it
5. Deterministic vs AI testing strategy
6. Production design pattern
7. CI/CD integration
8. Governance & risk control
9. Real-world implementation blueprint

1 What MCP Actually Is (In Practical Terms)

MCP (Model Context Protocol) is a standard that allows an LLM to:

- Call structured tools
- Execute automation
- Retrieve data
- Make decisions based on runtime state

Without MCP:

```
Engineer → Playwright → Browser
```

With MCP:

```
Engineer → AI → MCP → Playwright → Browser
```

MCP turns Playwright into a callable tool layer for AI.

It does NOT replace Playwright.


It orchestrates it.

🏗️ 2 Where MCP Fits in a Real Automation Framework

In real companies, frameworks have:

- Core engine
- Test layer
- Utilities
- Reporting
- CI integration

MCP becomes an additional layer:



Important:

Your framework must exist first.

MCP is NOT the framework.

It is an AI interface to your framework.

3 Industry-Level Framework Structure

Proper structure:

```
framework/
|
├── core/
|   ├── browserManager.ts
|   ├── configManager.ts
|   └── logger.ts
|
├── pages/
|   ├── loginPage.ts
|   └── dashboardPage.ts
|
├── services/
|   └── apiClient.ts
|
├── mcp/
|   ├── mcpServer.ts
|   └── tools/
|       ├── navigationTool.ts
|       ├── interactionTool.ts
|       ├── validationTool.ts
|       └── screenshotTool.ts
|
├── tests/
├── docker/
└── ci/
```

This ensures:

- ✓ Separation of concerns
- ✓ Reusability
- ✓ Clean AI integration

4 How MCP Works Internally in Framework

MCP exposes your framework capabilities as tools.

Example:

Instead of AI clicking the raw selector:

❌ Bad:

```
click("#btn-login")
```

✅ Better:

```
login_user(username, password)
```

You expose business-level tools.

This keeps:

- Stability
- Domain logic
- Security
- Control

5 Types of MCP Tools QA Should Expose

Never expose low-level chaos tools blindly.

Expose structured tools like:

Navigation Tools

- open_url
- go_to_login

Business Actions

- login_user
- create_order
- submit_form

Validation Tools

- verify_text_present
- verify_status_code
- verify_element_visible

Observation Tools

- take_screenshot
- get_network_logs
- get_console_errors

This keeps automation deterministic.

6 How QA Teams Actually Use MCP

Use Case 1 — AI Exploratory Testing

AI:

- Opens page
- Finds clickable elements
- Navigates randomly
- Detects 500 errors
- Logs anomalies
- Captures screenshots

This is NOT replacing regression. It's an additional discovery layer.

Use Case 2 — Smart Failure Debugging

CI fails.

AI:

- Opens failed page
- Captures DOM state
- Extracts console logs
- Suggests root cause

This reduces debugging time massively.

Use Case 3 — Test Case Generation

AI:

- Reads API schema
 - Generates Playwright tests
 - Uses framework utilities
 - Maintains code standards
-



7

Deterministic vs AI-Driven Strategy

Industry rule:

Testing Type	Tool
Regression	Playwright
Smoke	Playwright
Contract	API tests
Exploratory	MCP + AI
Debugging	MCP

Never replace regression with AI. Layer AI on top.

8 Dockerized Industry Setup

Use the official Playwright base image:

Dockerfile:

```
FROM mcr.microsoft.com/playwright:v1.42.0-jammy
WORKDIR /app
COPY . .
RUN npm install
RUN npx playwright install --with-deps
CMD ["node", "dist/mcp/mcpServer.js"]
```

Why?

Because browsers need system dependencies.

9 CI/CD Architecture (Enterprise Pattern)

Pipeline:

Stage 1 → Lint
Stage 2 → Deterministic tests
Stage 3 → MCP exploratory run
Stage 4 → AI analysis report
Stage 5 → Publish artifacts

Artifacts include:

- Screenshots
 - Console logs
 - AI anomaly summary
-

AI Exploratory Engine Design (Advanced)

Real AI agent loop:

1. Extract page state
2. Score interactive elements
3. Choose safest unexplored path
4. Execute tool
5. Observe:
 - HTTP errors
 - Console errors
 - UI anomalies
6. Record memory
7. Repeat

Add:

- ✓ State memory
- ✓ Path tracking
- ✓ Duplicate avoidance
- ✓ Risk scoring

Now you have intelligent automation.

Enterprise Guardrails (Very Important)

Without guardrails, MCP is dangerous.

Must implement:

Domain Whitelisting

Allow only staging URLs.

Tool Restrictions

Disable destructive actions in prod.

Rate Limiting

Avoid infinite loops.

Full Audit Logs

Log:

- Tool name
 - Params
 - Timestamp
 - Screenshot
-

1 2 Real Industry Maturity Model

Level 1 — Manual automation
Level 2 — Framework
Level 3 — CI integrated
Level 4 — AI-assisted coding
Level 5 — MCP exploratory layer

Most companies are Level 2-3.

You become future-ready at Level 4-5.

Final Understanding

MCP in Playwright is not:

- ✗ Replacement for QA
- ✗ Magic autonomous testing
- ✗ No-code solution

It is:

- ✓ AI interface to your framework
 - ✓ Exploratory intelligence layer
 - ✓ Debugging accelerator
 - ✓ Innovation layer
-

What Makes You Industry-Level?

Not knowing MCP syntax.

But knowing:

- When to use it
- Where to isolate it
- How to control it
- How to combine with deterministic testing

That's SDET maturity.
