

100 Playwright Interview Questions for Python

Playwright Basics

1. What is Playwright and how does it differ from Selenium?
2. How do you install Playwright for Python?
3. What browsers does Playwright support?
4. How do you launch a browser in Playwright?
5. What are the different browser contexts in Playwright?
6. How do you open a new page in Playwright?
7. How do you navigate to a URL?
8. How do you take a screenshot of a page?
9. How do you emulate a mobile device?
10. How do you handle multiple tabs?

Python Integration

11. How do you use async/await with Playwright in Python?
12. What is the difference between sync and async APIs in Playwright?
13. How do you structure a Playwright test using `pytest`?
14. How do you use fixtures with Playwright in Python?
15. How do you handle exceptions in Playwright scripts?
16. How do you integrate Playwright with Python logging?
17. How do you use environment variables in Playwright tests?
18. How do you run Playwright tests in parallel using Python?
19. How do you use Playwright with `unittest`?
20. How do you mock APIs in Playwright using Python?

Test Automation Design

21. How do you design a test framework using Playwright?
22. What is the Page Object Model (POM) and how do you implement it in Playwright?

23. How do you manage test data in Playwright?
24. How do you handle test retries?
25. How do you structure reusable components in Playwright?
26. How do you manage locators in a scalable way?
27. How do you handle flaky tests?
28. How do you implement tagging or grouping of tests?
29. How do you generate test reports?
30. How do you integrate Playwright with Allure reports?

Advanced Playwright Features

31. How do you intercept network requests?
32. How do you mock network responses?
33. How do you capture console logs?
34. How do you handle file uploads?
35. How do you handle file downloads?
36. How do you test iframes?
37. How do you test popups and modals?
38. How do you test shadow DOM elements?
39. How do you handle authentication in Playwright?
40. How do you persist login sessions?

Debugging and Troubleshooting

41. How do you debug Playwright tests?
42. What is `playwright codegen` and how do you use it?
43. How do you use `tracing` in Playwright?
44. How do you capture video of test execution?
45. How do you handle timeouts?
46. How do you troubleshoot flaky selectors?

- 47. How do you use ``wait_for_selector`` effectively?
- 48. How do you debug async issues in Playwright?
- 49. How do you use ``pause()`` in Playwright?
- 50. How do you inspect the DOM during test execution?

CI/CD and Test Execution

- 51. How do you run Playwright tests in CI/CD pipelines?
- 52. How do you integrate Playwright with GitHub Actions?
- 53. How do you run Playwright tests in Docker?
- 54. How do you manage browser binaries in CI?
- 55. How do you run Playwright tests headlessly?
- 56. How do you configure test environments for different stages?
- 57. How do you handle secrets in CI for Playwright tests?
- 58. How do you generate and store test artifacts?
- 59. How do you run Playwright tests on cloud platforms?
- 60. How do you schedule Playwright test runs?

Real-world Scenarios

- 61. How do you test a login flow?
- 62. How do you test a shopping cart?
- 63. How do you test a search feature?
- 64. How do you test a form with validation?
- 65. How do you test a multi-step wizard?
- 66. How do you test a drag-and-drop feature?
- 67. How do you test a real-time chat application?
- 68. How do you test a dashboard with dynamic data?
- 69. How do you test a single-page application (SPA)?
- 70. How do you test a progressive web app (PWA)?

Behavioral and Best Practices

- 71. What are the best practices for writing Playwright tests?
- 72. How do you ensure test maintainability?
- 73. How do you handle test failures in production?
- 74. How do you prioritize test cases?
- 75. How do you balance UI and API testing?
- 76. How do you review Playwright test code?
- 77. How do you onboard new team members to Playwright?
- 78. How do you handle test coverage?
- 79. How do you measure test performance?
- 80. How do you handle test data cleanup?

Miscellaneous

- 81. How do you test localization and internationalization?
- 82. How do you test accessibility with Playwright?
- 83. How do you test visual regressions?
- 84. How do you test animations and transitions?
- 85. How do you test third-party integrations?
- 86. How do you test browser compatibility?
- 87. How do you test APIs with Playwright?
- 88. How do you test cookies and local storage?
- 89. How do you test service workers?
- 90. How do you test analytics and tracking?

Conceptual and Theoretical

- 91. What are the limitations of Playwright?
- 92. How does Playwright compare to Cypress?
- 93. How does Playwright handle concurrency?

94. What is the role of selectors in Playwright?
95. How does Playwright ensure test isolation?
96. What is the difference between `locator.click()` and `page.click()`?
97. How does Playwright handle browser events?
98. What is the difference between `expect()` and `assert`?
99. How does Playwright handle cross-origin requests?
100. What are some common anti-patterns in Playwright testing?