

Angular v16+

Angular Signals – Explained Simply

Real-world explanation +
Interview ready 🚀

Let's Swipe Right



Angular v16+

Think of Signals Like a Smart Switch

🧠 Imagine:

- A room has multiple lights
- When you turn ON one switch,
- Only that light updates, not the whole building

📌 Signal = Smart switch

📌 Component = Light

Angular updates only what depends on the signal

Let's Swipe Right



Angular v16+

What is a Signal?

A Signal is:

- A value that Angular watches
- When it changes, only dependent UI updates

```
count = signal(0);
```

👉 Read value: `count()`

👉 Update value: `count.set(1)`

Let's Swipe Right



Angular v16+

Problem Before Signals

- ✗ Too much RxJS for simple UI
- ✗ Whole component tree re-checks
- ✗ Hard to debug subscriptions

- ✓ Signals fix this
 - Automatic tracking
 - No subscriptions
 - Faster rendering

Let's Swipe Right



Angular v16+

Button Counter Example

🧠 User clicks a button

➡ Only counter text updates

➡ Rest of page stays untouched

```
count = signal(0);
```

```
increment() {  
  this.count.update(v => v + 1);  
}
```

Perfect for:

- ✓ Buttons
- ✓ Toggles
- ✓ UI state

Let's Swipe Right



Angular v16+

Find this useful?

Like and share this post with
your friends. Click the "save"
button to keep it.

Let's Connected

