

01

04


Creating Your First Component


A Hands-On Guide

Let's swipe now



Ardianto Nugroho
Fullstack Developer





Step 1:

Create Angular Project


Before we start to create component, ensure you have installed Angular on your local. But, if you haven't done this yet you can create a Angular project using the Angular CLI.


Open your terminal and run this command:

```
ng new <project-name>
```



Ardianto Nugroho
Fullstack Developer





Let's see the example below, it will create a new directory called **my-angular-app** with necessary files and dependencies.

Terminal




```
ng new my-angular-app
```


```
// it will show some configuration for your  
project. Just move the arrow and select which your  
desire. If you don't have any preference, just hit  
enter key to take the default configuration.
```

For this tutorial, just followed the default configuration



Ardianto Nugroho
Fullstack Developer






Step 2: Generate a new Component


Now that project is set up. So, we can make a new component with Angular CLI for easy way.

Open your terminal and run this command:
`ng generate component <component-name>`



Ardianto Nugroho
Fullstack Developer





Terminal


```
ng generate component my-first-component
```


The command will create a folder called my-first-component inside [src/app](#) directory. It will contain four files:

- my-first-component.component.ts
- my-first-component.component.css
- my-first-component.component.html
- my-first-component.component.spec.ts



Ardianto Nugroho
Fullstack Developer






Step 3: Understand the Component Files

Let's take a quick look at the generated files



Ardianto Nugroho
Fullstack Developer





my-first-component.component.ts


This file contains the component class. Here you can define **properties** and **methods** that control the behaviour of your component


TypeScript

```
1 import { Component } from '@angular/core'
2
3 @Component({
4   selector: 'app-my-first-component',
5   templateUrl: './my-first-component.component.html',
6   styleUrls: ['./my-first-component.component.css']
7 })
8 export class MyFirstComponent {}
```



Ardianto Nugroho
Fullstack Developer





my-first-component.component.html


This is where you define the **HTML** structure of your component. You can add any HTML elements you want to display.

HTML

```
1 <p>my-first-component works!</p>
```



Ardianto Nugroho
Fullstack Developer





my-first-component.component.css


Use this file to style your component. You can add **CSS rules** that will only apply to this component.


CSS

```
1 p {  
2   background-color: red;  
3   color: white;  
4 }
```



Ardianto Nugroho
Fullstack Developer





Step 4: Modify the Component


Open the `my-first-component.component.ts` file and modify it to include a simple message. Here's an example:


TypeScript

```
1 /** Another code */
2 export class MyFirstComponent {
3     message: string = 'Hello Angular'
4 }
```



Ardianto Nugroho
Fullstack Developer






Next, open `my-first-component.component.html` file and update it to display the message


HTML

```
1 <p>my-first-component works!</p>
2 <p>{{message}}</p>
// It will dynamic value from property message at
class component
```



Ardianto Nugroho
Fullstack Developer





Step 5: Use the Component in the App


Now that you have created your component, you need to use it in your application. Open the `app.component.html` file (located in the `src/app` directory) and following line below:


HTML

```
1 <app-my-first-component></app-my-fist-component>
```



Ardianto Nugroho
Fullstack Developer





Step 6: Run Your Application

It's time to see your component in action! In your terminal, run the following command to start the development server:

```
Terminal
```





```
1 ng serve
```

Once the server is running, open your web browser and navigate to <http://localhost:4200>. BOOM💣 you should see your message displayed on the page



Ardianto Nugroho
Fullstack Developer





Conclusion


Congratulations! 🎉

You have successfully created your first Angular component. You learned how to generate a component, modify its logic and template, and use it within your application.

Keep experimenting with components, and don't hesitate to dive deeper into Angular's features!



Ardianto Nugroho
Fullstack Developer





Like, save, and share if this post is helpful

Don't hesitate to share your thoughts in the comments or DM me anytime!



Ardianto Nugroho
Fullstack Developer