

Angular Basics:



Niyati Kaneriya



What is **ng-container**?

- It's a logical container that helps apply Angular directives without adding an extra element to the DOM.
- Used with ***ngIf**, ***ngFor**, etc.
- No **<div>** pollution!

```
1 <ng-container *ngIf="user">
2   <p>Welcome, {{ user.name }}</p>
3 </ng-container>
```

What is **ng-template** ?

- It defines a template block that Angular doesn't render immediately — you manually tell Angular when to use it.
- Common in: **ngIf** else, **ngTemplateOutlet**, **ngSwitch**.
- Delayed rendering by design.



```
1 <ng-template #notLoggedIn>
2   <p>Please log in</p>
3 </ng-template>
```

Key Differences

Feature	ng-container	ng-template
Renders in DOM	No	No (until invoked)
Purpose	Avoid extra wrapper elements	Define reusable/dynamic blocks
Usage	Structural directives (*ngIf)	Manual render control (else)



When to Use Which

- Use **ng-container** when:
 - » You want to conditionally show multiple elements without extra HTML.
- Use **ng-template** when:
 - » You need a named chunk of UI rendered dynamically (e.g. else block).



Combine both for complex views!

Real Example

```
1 <ng-container *ngIf="isLoggedIn; else loginTpl">
2   <p>Welcome!</p>
3 </ng-container>
4
5 <ng-template #loginTpl>
6   <p>Please log in</p>
7 </ng-template>
```

Elegant logic + clean DOM. Best of both worlds!