

HTML Input Types Cheatsheet

Button

This input type is used to define a input field as a button.

```
<input type="button" value="Button">
```

Checkbox

This input type is used to create a checkbox a input field.

```
<input type="checkbox">
```

Color

This input type is used to create a input field which contain color.

```
<input type="color">
```

DateTime

This input type is used to create an input field that contains the date and time.

```
<input type="datetime">
```

Email

Email input type is used to create an input field which will take e-mail address as input text.

```
<input type="email">
```

File

The file input type is used for the input field which takes a file as input from the user.

```
<input type="file">
```

Image

This input type is used to define an image as a submit button.

```
<input type="image">
```

Number

This number input type is used to define an input field that contains a numeric value.

```
<input type="number">
```

Password

This password input type is used to define an input field that contains which contains input data as password.

```
<input type="password">
```

Radio

The radio input type is used to create a radio button.

```
<input type="radio">
```

Range

This range input type is used to define a control for entering a numeric value. The default range value of input type range is from 0 to 100.

```
<input type="range">
```

Reset

Reset input type is used to create a reset button.

```
<input type="reset" value="reset">
```

Submit

Submit input type is used to create submit button which submits all values to a form-handler.

```
<input type="submit" value="Submit">
```

Tel

This input type is used to define a input field that contains a telephone number as input data.

```
<input type="tel">
```

Text

Text input type is used to create a input field which takes text as input data.

```
<input type="text">
```

Time

The time input type is used to create an input field which allow the user to select a time.

```
<input type="time">
```

URL

This URL input type is used to create an input field that contain a URL address as an input data.

```
<input type="url">
```

Week

This week input type is used to create an input field that allows the user to select a week and year.

```
<input type="week">
```