

CSS

Color Keywords In Detail

Swipe



Mallikarjun | Web Developer

[f](#) [t](#) [i](#) [v](#) @CodeBustler



The transparent Keyword

The transparent keyword is used to make a color transparent. This is often used to make a transparent **background color** for an element.

Example

```
div.ex1 {  
  background-color: orange;  
  border: 2px solid red;  
  padding: 15px;  
}  
  
div.ex2 {  
  background-color: transparent;  
  border: 2px solid red;  
  padding: 15px;  
}
```

The transparent Keyword

This div has a Orange background.

This div has a transparent background.

@CODEBUSTLER

Note: The transparent keyword is equivalent to `rgba(0,0,0,0)`.



The currentcolor Keyword

The currentcolor keyword is like a variable that holds the *current value of the color* property of an element.

This keyword can be useful if you want a **specific color** to be consistent in an element or a page.

Example

```
div {  
  color: purple;  
  border: 10px solid currentcolor;  
  padding: 15px;  
}
```

The currentcolor Keyword

This div element has a purple text color and a purple border.

@CODEBUSTLER



The inherit Keyword

The **inherit** keyword can be used for any CSS property, and on any HTML element.

The **inherit keyword** specifies that a property should inherit its value from **its parent element**.

Example

```
div {  
  border: 2px solid orange;  
  padding: 10px 5px;  
}  
  
span {  
  border: inherit;  
  padding: 1px;  
}
```

The inherit Keyword

Here, the **span element's** border settings will be inherited from the parent element.

@CODEBUSTLER





@CodeBustler

»» Swipe



Also Checkout This Awesome Posts

Tap Here



@CodeBustler





@CodeBustler



@CodeBustler

Mallikarjun Mavnoor | Web Developer

FOLLOW FOR MORE !
FOLLOW FOR MORE !
FOLLOW FOR MORE !
FOLLOW FOR MORE !
FOLLOW FOR MORE !
FOLLOW FOR MORE !



Please Like This Post

Save It For Later

