

A Guide to CSS Positions



static (default)

Elements are positioned according to the normal document flow (no positioning applied).

```
1 .element {  
2   position: static;  
3 }
```

CodePen Demo 



relative

Moves the element relative to its original position without affecting other elements.

```
1 .element {  
2     position: relative;  
3     top: 10px; /* moves down */  
4     left: 20px; /* moves right */  
5 }
```

CodePen Demo 

absolute

Positions the element relative to the nearest positioned ancestor (not `static`), or the `<html>` element if none exists.

```
1 .parent {  
2     position: relative;  
3 }  
4 .child {  
5     position: absolute;  
6     top: 0;  
7     right: 0;  
8 }
```

CodePen Demo 



fixed

Sticks the element to a specific spot on the screen, even when scrolling.

```
1 .element {  
2   position: fixed;  
3   bottom: 0;  
4   right: 0;  
5 }
```

CodePen Demo [🔗](#)



sticky

The element scrolls with the page until it reaches a threshold, then “sticks” in place.

```
1 .element {  
2   position: sticky;  
3   top: 0;  
4 }
```

CodePen Demo 

z-index

Controls the stacking order of overlapping positioned elements.

```
1 .element {  
2   position: relative;  
3   z-index: 10;  
4 }
```

CodePen Demo 