

ANKITA TRIPATHY

JAVASCRIPT DATE METHODS

```
const date = new Date()
```

- @iamfrontender

- `date.getDate();` // 3
 `day` as number (1-31)

- `date.getDay();` // 1 `monday`
 `Weekday` as number (0-6)

- `date.getHours();` 9
 `hour` (0-23)

- `date.getFullYear();` 2022
 `Year` as four digit (YYYY)

- `date.getMinutes();` 4
 `minute` (0-59)

- `date.getMonth();` 9
 `month` as number (0-11)

- `date.getSeconds();` 8
 `second` (0-59)

-@iam_frontend

- Date.parse(date); // 1664771213000

↳ parse a string date and it will return the number of milliseconds since Jan 1, 1970

- Date.now(); // 1664771429897

↳ returns the no. of milliseconds elapsed since Jan 1, 1970

00:00:00 UTC

- date.toTimeString() :- '10:03:41 GMT+0530 (IST)'

↳ Return the time portion of a date as a string

- date.toDateString() :- 'Mon Oct 03 2022'

↳ Return the date (not the time) of a date object as a string.

ANKITA TRIPATHY

- date.toString();
'MON Oct 03 2022 10:10:19 GMT+0530
(INDIAN STANDARD TIME)'

↳ Returns Date Object as string

- date.toLocaleDateString();
'10/3/2022'

↳ Returns the date (not the time)
of a date Object as a string,
using locale conventions.

JAVASCRIPT SET DATE METHODS.

- date.setDate(24);

→ Set the day as number
(1-31)

-@iam_frontend

`date.setFullYear (2022);`

Set the year (optionally
month and date)

`date.setHours (12);`

Set hours (0-23)

`date.setMinutes (45);`

Set minutes (0-59)

`date.setMonths (3);`

Set the month (0-11)

`date.setSeconds (42);`

Set the seconds (0-59)

`date.setTime (14);`

Set the time (milliseconds
since Jan 1, 1970)