

- Introduction
 - History of JavaScript
 - Download and Install vscode
 - How to execute javascript code
-

- Hello World program
 - Intro to variables
 - Rules for naming variables
 - Let keyword
 - Const keyword
 - String Indexing
 - Useful string methods
 - typeof , string to number, number to string conversion
 - String Concatenation
 - Template Strings
 - undefined null bigint
-

- Booleans and comparison Operators
 - if else , truthy and falsy values
 - Ternary operator
 - And Or Operator
 - Nested If else
 - if elseif
 - Switch statement
 - While loop
 - While loop example
 - Intro to for loop
 - for loop examples
 - Break and Continue Keyword
 - Do while loop
-

- Intro to arrays
 - push pop shift unshift
 - Primitive vs reference data types
 - Clone array, concat, spread operator
 - For loop in array
 - Use const for creating arrays
 - While loop in array
 - For of loop
 - For in loop
 - Array destructuring
-

- Intro to objects
- Dot vs bracket notation

- How to iterate objects
 - Computed Properties
 - Spread operator in array and objects
 - Object destructuring
 - Object inside array
 - Nested destructuring
-

- Function
 - Function declaration
 - Function Expression
 - Arrow Functions
 - Hoisting intro (later covered in detail)
 - Functions inside functions
-

- Lexical Scope
 - Block scope vs function scope
 - Default parameters
 - Rest parameters
 - Param destructuring
 - callback functions
 - Function returning function
-

- forEach method
 - map method
 - filter method
 - reduce method
 - sort method
 - find method
 - every method
 - some method
 - fill method
 - splice method
 - Iterables, array like objects
 - sets
 - map data structure
 - clone using Object.assign
 - optional chaining
 - Create your own methods
-

- This keyword
- call, apply, bind methods
- small warning
- arrow functions and this
- short syntax

- create functions to create multiple objects
 - store methods in different object
 - solution using object.create
 - What is prototype
 - Use prototype
 - New keyword
 - hasOwnProperty
 - more about prototype
 - class keyword
 - class practice and extends keyword
 - super keyword
 - same method in base class
 - getters and setters
 - static methods and properties
-

- How javascript works overview
 - How javascript execute code
 - Global execution context
 - What happens to function declarations ?
 - What is hoisting ?
 - What happens to function expressions ?
 - Are let and const are hoisted ?
 - Quick summary of what we've learned so far
 - Function execution context
 - Scope chain
-

- Intro to closures
 - Closures Examples
 - Create Webpage using HTML & CSS
 - Async vs Defer | Correct way of linking JS file
-

- What is DOM ?
- getElementById
- querySelector
- textContent and innerText
- Change the styles of elements
- get and set attributes
- querySelectorAll & getElementsByClassName
- Iterate elements
- innerHTML
- DOM Tree
- Traversing DOM Tree
- classList ,add and remove, toggle classes
- Add HTML element using JavaScript
- createElement, append, prepend, remove, before, after

- insertAdjacentHTML
 - Clone Nodes
 - appendChild, insertBefore, replaceChild, removeChild
 - static list vs live list
 - How to get the dimensions of an element
-

- Intro to events
 - This keyword inside eventListener callback
 - Click event on multiple buttons
 - Event object
 - Events Behind the scenes
 - practice with click events
 - Little demo project
 - Keypress & mouseover event
-

- Event bubbling
 - Event Capturing
 - Event Delegation
 - Project Using Event Delegation
-

- setTimeout
 - setInterval
 - callbacks in general
 - callbacks
 - callback hell
 - the pyramid of doom
-

- Intro to promise
 - Function returning a promise
 - Promise and setTimeout
 - Promise.resolve and promise chaining
 - Callback hell to flat code
 - ES6 Modules
 - Consume Promises Using Async Await
-

- AJAX Basic Theory
 - XHR (XML HTTP Request)
 - XHR practice and error handling
 - XHR using promises
 - Fetch API
-