




Form Methods

- GET
- POST
- PUT
- PATCH
- DELETE





GET

Retrieves data from a server.

Considered safe as it doesn't modify server data. It gets data from server.

Data is appended to the URL as a query string.



GET.js

```
fetch('/users?name=Gagan&age=21')  
  .then(response => response.json())  
  .then(data => console.log(data))  
  .catch(error => console.error(error));
```




POST

Submits data to the server for processing, often used for creating new resources.

Not inherently safe, can modify server data. Data is sent in the request body (not visible in the URL).



```
POST.js

const userData = { name: 'Gagan', age: 21 };

fetch('/users', {
  method: 'POST',
  body: JSON.stringify(userData),
  headers: { 'Content-Type': 'application/json' }
})
  .then(response => response.json())
  .then(data => console.log(data))
  .catch(error => console.error(error));
```




PUT

Updates a specific resource on the server by replacing the entire resource with the provided data.

Modifies server data, use with caution.
Data for the entire resource is sent in the request body.



```
PUT.js

const userData = { id: 1, name: 'Gagan', age: 35 };

fetch('/users/1', {
  method: 'PUT',
  body: JSON.stringify(updatedUserData),
  headers: { 'Content-Type': 'application/json' }
})
  .then(response => response.json())
  .then(data => console.log(data))
  .catch(error => console.error(error));
```




PATCH

Updates a specific resource on the server by modifying only a portion of the resource data. Modifies server data, but more targeted than PUT.

Data for the specific changes is sent in the request body. (Format can vary depending on the server implementation)



```
PATCH.js

const userDataPatch = new URLSearchParams();
userDataPatch.append('age', 21);

fetch('/users/1', {
  method: 'PATCH',
  body: userDataPatch
})
  .then(response => response.json())
  .then(data => console.log(data))
  .catch(error => console.error(error));
```




DELETE

Deletes a specific resource from the server.

Permanently removes data, use with caution.

No data is usually sent in the request body.



```
DELETE.js

fetch('/users/1', {
  method: 'DELETE'
})
  .then(response => {
    if (response.ok)
      console.log('User deleted successfully');
    else
      console.error('Error deleting user');
  })
  .catch(error => console.error(error));
```




If found it useful then,
Like & Share 

Know about Top 5 Animation Libraries?

Gagan Saini
@gagan-saini-gs

Github: Gagan-Saini-GS

TOP

Animation Libraries

Created By

Gagan Saini

0 >

Gagan Saini
@gagan-saini-gs

Github: Gagan-Saini-GS

1

gsap

Created By

Gagan Saini

1 >

Gagan Saini
@gagan-saini-gs

Github: Gagan-Saini-GS

2

Anim

Created By

Gagan Saini

1 >