

JS *super useful to make your job easier*

JS



JavaScript tips

JS

◀ SWIPE ≡

 @nishasingla05

Save it

Use **Optional Chaining operator** ?

```
const user={  
  name: 'Sumit',  
  address:{  
    city:'Pune',  
  }  
}
```

//bad

```
const res = user  
    && user.address  
    && user.address.city;
```



//better

```
const data = user?.address?.city;
```



@nishasingla05

< SWIPE ≡

If with multiple conditions

// long hand syntax

```
const isValidUser = (type) => {  
  if(type === 'Admin'  
    || type === 'Employee'  
    || type === 'Customer'){  
    return true;  
  } else {  
    return false;  
  }  
}
```



//short hand

```
const isValidUser = (type) =>  
  ['Admin', 'Employee', 'Customer'].includes(type);
```



@nishasingla05



Destructuring Assignment

```
const user = {  
  firstName: 'Sumit',  
  lastName: 'Sharma'  
};
```

//bad

```
const fName= user.firstName;  
const lName = user.lastName;
```

//better

```
const { firstName, lastName }= user;
```



Object Property Assignment

```
const firstName="Sumit";  
const lastName ="Sharma";
```



//bad

```
const user1 = {  
    firstName: firstName,  
    lastName:lastName  
};
```

//better

```
const user2 = {firstName, lastName}
```



Simplify the condition

```
const age= 10;  
let isEligibleForVoting;;  
  
//bad  
if(age >=18){  
    isEligibleForVoting = true;  
} else {  
    isEligibleForVoting = false;  
}
```



```
//better  
  
isEligibleForVoting = age>=18 ? true :false;
```

```
//best  
isEligibleForVoting = age>=18;
```



@nishasingla05

