

DAY 38:
JAVASCRIPT
INTERVIEW
QUESTIONS – Q11 TO
Q20



Lakshmiprasanna Vakada

? Q11: What is a higher-order function?

- ✓ A higher-order function takes another function as an argument or returns a function.

```
function greet(callback) {  
    callback();  
}
```

? Q12: What is currying in JavaScript?

- ✓ Currying transforms a function with multiple arguments into nested single-argument functions.

```
function add(a) {  
    return function(b) {  
        return a + b;  
    };  
}  
console.log(add(2)(3)); // 5
```

? Q₁₃: What is the difference between
for...in and for...of?

- ✓ for...in: iterates over object keys.
- ✓ for...of: iterates over iterable values like arrays.

? Q₁₄: What is the use of this keyword?

- ✓ Refers to the current object context. Its value depends on how the function is called.

? Q15: What is the difference between arrow function and regular function?

✓ Arrow functions:

- Don't have their own this, arguments, or super.
- Are concise for small logic.

```
const add = (a, b) => a + b;
```

? Q16: What is optional chaining (?.)?

- ### ✓ Safely access deeply nested properties without throwing errors.

```
user?.profile?.email;
```

? Q17: What is the nullish coalescing operator (??)?

- ✓ Returns the right-hand value only if the left-hand is null or undefined.

```
const name = null ?? "Guest"; // "Guest"
```

? Q18: What is memoization?

- ✓ Memoization is a caching technique to store expensive function results and reuse them.

? Q19: What are arrow functions not suitable for?

✓ Not suitable for:

- Object methods (they don't bind this)
- Constructors (new)
- Dynamic this binding

? Q20: What is a pure function?

✓ A function that:

- Given the same input, always returns the same output.
- Has no side effects.