



# SESSION STORAGE

**V**<sub>S</sub>

◆ ..... HOW TO USE THEM IN WEBSITE ? ..... ●●●●

# LOCAL STORAGE





# Session Storage

For **sessionStorage**, changes are only available **per tab**. Changes made are saved and available for the current page in that tab until it is **closed**.



---

# Local Storage

In **localStorage** persists until explicitly deleted. Changes made are saved and available for all current and **future visits** to the site.





SAVE THIS POST

TURN ON THE  
POST NOTIFICATIONS



## SESSION STORAGE

- ♠ 5MB Storage
- ♠ Client side reading only
- ♠ Session based
- ♠ Working per window or tab

## LOCAL STORAGE

- ♠ 5MB/10MB Storage
- ♠ Client side reading only
- ♠ Not session based
- ♠ Need to be deleted via js or manually





SAVE THIS POST

TURN ON THE  
POST NOTIFICATIONS

# How to use them in your website ?

◆..... Let's understand the code .....



BASIC USAGE





SAVE THIS POST

TURN ON THE  
POST NOTIFICATIONS



# BASIC USAGE

```
// Save data to sessionStorage
sessionStorage.setItem('key', 'value');

// Get saved data from sessionStorage
let data = sessionStorage.getItem('key');

// Remove saved data from sessionStorage
sessionStorage.removeItem('key');

// Remove all saved data from sessionStorage
sessionStorage.clear();
```



LOCAL STORAGE





SAVE THIS POST

TURN ON THE  
POST NOTIFICATIONS



# BASIC USAGE

```
// To accesses the current domain's local Storage object
and adds a data item to it using Storage.setItem().
localStorage.setItem('myCat', 'Tom');

// Syntax for reading the localStorage item
const cat = localStorage.getItem('myCat');

// Syntax for removing the localStorage item
localStorage.removeItem('myCat');

// syntax for removing all the localStorage items
localStorage.clear();
```



BONUS





# Saving text between refreshes

The following eg autosaves the contents of a text field, and if browser is refreshed, restores the text field content so that no writing is lost.

```
// Get the text field that we're going to track
let field = document.getElementById("field");

// See if we have an autosave value
// (this will only happen if the page is
// accidentally refreshed)
if (sessionStorage.getItem("autosave")) {
    // Restore the contents of the text field
    field.value = sessionStorage.getItem("autosave");
}

// Listen for changes in the text field
field.addEventListener("change", function() {
    // And save the results into the session storage
    // object
    sessionStorage.setItem("autosave", field.value);
});
```





SAVE THIS POST

TURN ON THE  
POST NOTIFICATIONS



# When to use?

## SESSION STORAGE

Use when you need to store something that changes or something temporary.



## LOCAL STORAGE

Use for long term use.

