

Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Memo No. _____

Date / /

NODE JS PACKAGES

A package is collection of Node modules along with package.json file describing the package.

NPM COMMANDS

* `npm start` - executes current Node package defined by package.json - Defaults to executing `node server.js`

* `npm init` - Initialize a fresh package.json file

* `npm init -y` - Initialize a fresh package.json file, accepting all default options.

— deepa chaurasia



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Memo No. _____

Date / /

* `npm install` - Equivalent to `npm i`
It will install all node modules


* `npm install <package>` - Install
a package from NPM registry
at www.npmjs.com.

* `npm install -D <package>`
Install a package ~~globally~~ as
a development dependency

* `npm install -g <package>`
Install package globally

* `npm update <package>`
Update already installed package

* `npm uninstall <package>`
Uninstall a package from
your node-modules



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Memo No. _____

Date / /

* npm outdated - check for outdated package dependencies

* npm audit - check for security vulnerabilities in package dependencies


* npm audit fix - try to fix security vulnerabilities by automatically updating vulnerable packages.

package.json

Most node applications we create includes a package.json file

Which means our node applications are also Node packages

- deepa Chaurasia



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Memo No. _____

Date / /

The package.json file contains


- * Name, version, description, license of current package

- * Scripts to automate tasks like start, test and install

- * List of dependencies that are required to be installed by current package

node_modules

This folder gets installed when you run `npm install`. The package listed as dependencies in your package.json are downloaded from Npm registry and put in folder node_modules



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Memo No. _____

Date / /

It contains not only direct dependencies.

The entire dependency tree lives in node-modules.

package-lock.json

The package-lock.json is automatically created by NPM to track the exact versions of packages that are installed in node-module.

Share your package-lock.json

If you want to ensure everyone is running same exact version of every package

— deepa Chaurasia