



Become Master In Next.js Routing



Ali Nexon

Next →


Why Next.js Routing Matters


- 1

File-Based Structure
Intuitive organization that mirrors your URL structure
- 2

Zero Configuration
Routes work out of the box with minimal setup
- 3

Developer Experience
Faster development with less boilerplate code





File-Based Routing Simplified

Files in your pages/ or app/ directory automatically become routes. No more complex router configuration!



Ali Nexon

Next ➡

Dynamic Routes Made Easy

```
// pages/blog/[id].jsexport default function Post({  
id }) {  return
```

Blog Post: {id}

```
}
```

Square brackets create dynamic segments that capture URL parameters automatically.

Nested Layouts for Complex UIs

Create consistent UI patterns across multiple pages while keeping code DRY and maintainable.




What Are Parallel Routes?



Simultaneous Content


Render multiple pages or UI components in the same view simultaneously.



Independent Loading

Each parallel route loads independently, improving user experience.





How Parallel Routes Work

Parallel routes use the `@slot` naming convention in folders to define independent UI sections that render simultaneously.

```
app/  layout.js  @dashboard/  page.js
@analytics/  page.js
```

Implementing Parallel Routes

In your layout.js file, import and use the slots as React components:

```
export default function Layout({ dashboard, analytics }) {  
  return (  
    <div className="grid">  
      <div>{dashboard}</div>      <div>{analytics}</div>  
    </div>  )  
}
```

What Are Intercepting Routes?



Route Overrides

Temporarily replace the UI while preserving context and navigation state.



Modal Patterns

Perfect for implementing modals, slideovers, and other overlay UIs.




Intercepting Route Conventions



(.) Current Segment

Intercepts routes at the same level.



(..) Parent Segment

Intercepts routes one level up.



(...) Root Level

Intercepts routes from the root app directory.

Intercepting Routes Example

Creating a photo modal that preserves gallery context:

```
app/  gallery/  page.js  [id]/  page.js  
(.)[id]/      page.js  // Modal view
```

The `(.)[id]` intercepts `/gallery/[id]` when navigating from `/gallery`.



Client-Side Navigation

```
import Link from 'next/link'export default function  
Nav() {  return (      Dashboard      )}
```

Fast page transitions without full page refreshes for a seamless UX.

Pro Routing Tips

- 1

 Use `getStaticPaths` for SSG
Pre-render dynamic routes at build time for lightning-fast performance
- 2

 Implement Shallow Routing
Update URL without running data fetching methods for smoother UX
- 3

 Leverage Middleware
Add custom logic that runs before a request is completed





Level Up Your Next.js Skills Today

Which Next.js routing feature will you implement in your next project? Share in the comments!

Tag a developer who needs to see this guide, and follow for more web dev tips!



Ali Nexon

Next →

Stay Connected!

Follow for more tips and tricks

Like, Share & Save!

LinkedIn: <https://www.linkedin.com/in/alinexon>

YouTube: <https://www.youtube.com/@Ali-Nexon>

Instagram: <https://www.instagram.com/alinexon>



Ali Nexon



Ali Nexon

Next →