

AI - Assignment 4

Patrick Nagel: patrick.nagel@h-brs.de

Amir H. Pakdaman: amirhossein.pakdaman@smail.inf.h-brs.de

Due Date: 24.05.2020

0.1 Programming Assignment: 8-Puzzle game

During the lecture you have discussed two heuristics for the 8-puzzle: **Manhattan distance** and **misplaced tiles** (see slides if not yet covered in class). Your tasks for this week are:

- Implement a Greedy and A* agent for the 8-puzzle. The agents should be able to switch between both heuristics. Make sure to produce proper output to “visualize” the working of your program.
- Compare the performance of the solvers and the two heuristics. Provide data in your report to support your arguments (number of visited nodes, path cost, execution time, etc). Which works better?

– Use the following initial configuration: $\begin{bmatrix} 0 & 1 & 2 \\ 3 & 4 & 5 \\ 8 & 6 & 7 \end{bmatrix}$ This configuration is close to the goal and hence, you can use it to test your program as it would not take much time to run.

– Finally test your code with $\begin{bmatrix} 1 & 5 & 7 \\ 3 & 6 & 2 \\ 0 & 4 & 8 \end{bmatrix}$

– Please note a goal configuration would mean $\begin{bmatrix} 0 & 1 & 2 \\ 3 & 4 & 5 \\ 6 & 7 & 8 \end{bmatrix}$

2. Answer the following questions regarding A* search:

- When is A* complete?
- When does A* end the search process?

0.2 Implementation Details

- The implementation of the 8-puzzle game board has already been done in the *Puzzle* class. You may use the methods of the class for developing other parts of your code.
- *get_possible_moves* is used to find new configurations of the boards by checking for possible up, down, left, right moves and adding them to the heap.
- Functions *move_up*, *move_down*, *move_left*, *move_right* are used to check if a swap is possible between the 0 tile and any tile up, down, left, right respectively. If so the swapped configuration is returned.
- *misplaced_tile_heuristic* and *get_no_of_misplaced_tiles* should be used to implement the misplaced tiles heuristic. (optional to split the implementation between these two functions or use a single function)
- *manhattan_distance_heuristic* and *get_manhattan_distance* should be used to implement the Manhattan distance heuristic. (optional to split the implementation between these two functions or use a single function)
- The search algorithms should be implemented in *Greedy_search* and *Astar_search*.

- Please note that **0 represents the empty tile**. Swapping is allowed only with the empty tile.
- For more details regarding changing the heuristics while running your code, please refer to the `travis.yml` for command line options
- Please add comments explaining your code as and when required. Also fill in the docstrings for the implemented functions.
- You may add additional functions if required and modify the parameters of the existing functions.
- Any extra functions required as per your implementation should be included in `helper.py`. Please add the necessary docstrings and keep your code as clean as possible.