

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use `gcloud config set project [PROJECT_ID]`.
You can view your projects by running `gcloud projects list`.
harirkp006@cloudshell:~$ uname
linux
harirkp006@cloudshell:~$ uptime
 07:06:34 up 1:23, 0 user, load average: 0.00, 0.05, 0.06
harirkp006@cloudshell:~$
```

Cloud Shell Editor

cloudshell x cloudshell x +

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
top - 07:07:45 up 1:24, 0 user, load average: 0.00, 0.03, 0.06
Tasks: 47 total, 1 running, 46 sleeping, 0 stopped, 0 zombie
%Cpu(s): 1.1 us, 1.0 sy, 0.0 ni, 97.7 id, 0.0 wa, 0.0 hi, 0.1 si, 0.1 st
MiB Mem : 15998.9 total, 12124.1 free, 2272.8 used, 1879.1 buff/cache
MiB Swap: 0.0 total, 0.0 free, 0.0 used. 13726.0 avail Mem
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
1	root	20	0	4324	3456	3176	S	0.0	0.0	0:00.06	bash
9	syslog	20	0	222140	3764	2404	S	0.0	0.0	0:00.04	rsyslogd
25	root	20	0	38768	28008	10900	S	0.0	0.2	0:01.05	python
26	root	20	0	6196	2672	2432	S	0.0	0.0	0:00.00	logger
67	root	10	-10	12024	3972	2860	S	0.0	0.0	0:00.05	sshd
367	root	20	0	2096096	85524	61664	S	0.0	0.5	0:00.85	dockerd
443	root	20	0	1234524	13284	8240	S	0.0	0.1	0:00.60	editor-proxy
445	root	20	0	16328	6448	5524	S	0.0	0.0	0:00.01	sudo
474	root	20	0	1226356	2784	1976	S	0.0	0.0	0:00.00	tmux-agent
486	root	20	0	1867468	45560	31684	S	0.0	0.3	0:05.25	containerd
684	root	20	0	2696	1528	1432	S	0.0	0.0	0:00.00	sleep
729	harirkp+	10	-10	7808	3368	2024	S	0.0	0.0	0:00.26	tmux
730	harirkp+	10	-10	8932	6084	4152	S	0.0	0.0	0:00.10	bash
1226	root	20	0	9196	4128	3752	S	0.0	0.0	0:00.00	runuser
1227	harirkp+	20	0	4324	3288	3020	S	0.0	0.0	0:00.00	sh
1248	harirkp+	20	0	11.3g	160560	51312	S	0.0	1.0	0:08.16	node
1675	harirkp+	20	0	1218584	74736	48392	S	0.0	0.5	0:02.42	node
1711	harirkp+	20	0	8920	6092	4096	S	0.0	0.0	0:00.04	bash
1714	harirkp+	20	0	8920	5952	3960	S	0.0	0.0	0:00.04	bash
2557	root	10	-10	13996	9696	8320	S	0.0	0.1	0:00.01	sshd
2561	harirkp+	10	-10	14256	6468	4812	S	0.0	0.0	0:00.00	sshd
2562	harirkp+	10	-10	7340	3668	3416	S	0.0	0.0	0:00.00	bash
2565	harirkp+	10	-10	7604	4296	3692	S	0.0	0.0	0:00.00	bash
2577	root	10	-10	13996	9708	8336	S	0.0	0.1	0:00.01	sshd
2579	root	10	-10	13996	9776	8396	S	0.0	0.1	0:00.02	sshd
2581	harirkp+	10	-10	14256	6500	4848	S	0.0	0.0	0:00.00	sshd
2582	harirkp+	10	-10	7340	3704	3452	S	0.0	0.0	0:00.00	bash
2583	harirkp+	10	-10	14256	6408	4752	S	0.0	0.0	0:00.05	sshd
2586	harirkp+	10	-10	7604	4408	3808	S	0.0	0.0	0:00.00	bash
2589	harirkp+	10	-10	7340	3620	3372	S	0.0	0.0	0:00.00	bash
2590	harirkp+	10	-10	7340	3636	3376	S	0.0	0.0	0:00.00	start-shell.sh
2591	harirkp+	10	-10	6880	3388	3084	S	0.0	0.0	0:00.00	tmux

Cloud Shell Editor

cloudshell x cloudshell x +

Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show again Dismiss

```
0[|
1[|
2[|
3[|
Mem[|||||]
Swp[|]
1.3% Tasks: 47, 111 thr, 0 kthr, 1 running
1.3% Load average: 0.00 0.03 0.06
1.3% Uptime: 01:24:32
0.04
1.35G/15.6G
9K/9K
```

PID	USER	PPID	NI	VIRT	RES	SHR	S	CPUS	MEM%	TIME+	Command
315	root	20	0	1923M	4556K	3165K	S	0.7	0.3	0:00.53	containerd --config /var/run/docker/containerd/containerd.toml
3909	harirkp006	10	10	4672	5212	3884	S	0.7	0.0	0:00.05	htop
1	root	20	0	4324	3456	3176	S	0.0	0.0	0:00.05	/bin/bash /google/scripts/onrun.sh sleep infinity
9	syslog	20	0	216K	3764	2404	S	0.0	0.0	0:00.00	/usr/sbin/rsyslogd
10	syslog	20	0	216K	3764	2404	S	0.0	0.0	0:00.01	/usr/sbin/rsyslogd
11	syslog	20	0	216K	3764	2404	S	0.0	0.0	0:00.00	/usr/sbin/rsyslogd
12	syslog	20	0	216K	3764	2404	S	0.0	0.0	0:00.01	/usr/sbin/rsyslogd
25	root	20	0	35768	28008	10900	S	0.0	0.2	0:01.06	/usr/bin/python /usr/bin/supervisord -n -c /google/devshell/supervisord.conf --pidfile=/var/run/supervisor.pid --logfile=/var/
26	root	20	0	6196	2672	2432	S	0.0	0.0	0:00.00	logger -t supervisord
67	root	10	10	12024	2972	2860	S	0.0	0.0	0:00.05	sshd: /usr/sbin/sshd -p 22 -o AuthorizedKeysFile=/etc/ssh/keys/authorized_keys [listener] 0 of 10-60 startups
367	root	20	0	2046M	85524	61664	S	0.0	0.5	0:00.17	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
410	root	20	0	2046M	85524	61664	S	0.0	0.5	0:00.12	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
411	root	20	0	2046M	85524	61664	S	0.0	0.5	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
412	root	20	0	2046M	85524	61664	S	0.0	0.5	0:00.01	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
413	root	20	0	2046M	85524	61664	S	0.0	0.5	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
414	root	20	0	2046M	85524	61664	S	0.0	0.5	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
434	root	20	0	2046M	85524	61664	S	0.0	0.5	0:00.14	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
443	root	20	0	1205M	13284	8240	S	0.0	0.1	0:00.19	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
445	root	20	0	16328	6448	5524	S	0.0	0.0	0:00.01	sudo /google/devshell/tmux-agent
466	root	20	0	1205M	13284	8240	S	0.0	0.1	0:00.12	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
467	root	20	0	1205M	13284	8240	S	0.0	0.1	0:00.02	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
468	root	20	0	1205M	13284	8240	S	0.0	0.1	0:00.10	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
469	root	20	0	1205M	13284	8240	S	0.0	0.1	0:00.01	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
474	root	20	0	1197M	2784	1976	S	0.0	0.0	0:00.00	/google/devshell/tmux-agent
478	root	20	0	1197M	2784	1976	S	0.0	0.0	0:00.00	/google/devshell/tmux-agent
479	root	20	0	1197M	2784	1976	S	0.0	0.0	0:00.00	/google/devshell/tmux-agent
480	root	20	0	1197M	2784	1976	S	0.0	0.0	0:00.00	/google/devshell/tmux-agent
481	root	20	0	1197M	2784	1976	S	0.0	0.0	0:00.00	/google/devshell/tmux-agent

F1 Help F2 Setup F3 Search F4 Filter F5 Focus F6 Sortby F7 Hide F8 Hide F9 All F10 Quit

Cloud Shell Editor

cloudshell x cloudshell x +

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

1	root	20	0	4324	3456	3176	S	0.0	0.0	0:00.06	bash
9	syslog	20	0	222140	3764	2404	S	0.0	0.0	0:00.04	rsyslogd
25	root	20	0	38768	28008	10900	S	0.0	0.2	0:01.05	python
26	root	20	0	6196	2672	2432	S	0.0	0.0	0:00.00	logger
67	root	10	-10	12024	3972	2860	S	0.0	0.0	0:00.05	sshd
367	root	20	0	2096096	85524	61664	S	0.0	0.5	0:00.85	dockerd
443	root	20	0	1234524	13284	8240	S	0.0	0.1	0:00.60	editor-proxy
445	root	20	0	16328	6448	5524	S	0.0	0.0	0:00.01	sudo
474	root	20	0	1226356	2784	1976	S	0.0	0.0	0:00.00	tmux-agent
486	root	20	0	1867468	45560	31684	S	0.0	0.3	0:05.25	containerd
684	root	20	0	2696	1528	1432	S	0.0	0.0	0:00.00	sleep
729	harirkp+	10	-10	7808	3368	2024	S	0.0	0.0	0:00.26	tmux
730	harirkp+	10	-10	8932	6084	4152	S	0.0	0.0	0:00.10	bash
1226	root	20	0	9196	4128	3752	S	0.0	0.0	0:00.00	runuser
1227	harirkp+	20	0	4324	3288	3020	S	0.0	0.0	0:00.00	sh
1248	harirkp+	20	0	11.3g	160560	51312	S	0.0	1.0	0:08.16	node
1675	harirkp+	20	0	1218584	74736	48392	S	0.0	0.5	0:02.42	node
1711	harirkp+	20	0	8920	6092	4096	S	0.0	0.0	0:00.04	bash
1714	harirkp+	20	0	8920	5952	3960	S	0.0	0.0	0:00.04	bash
2557	root	10	-10	13996	9696	8320	S	0.0	0.1	0:00.01	sshd
2561	harirkp+	10	-10	14256	6468	4812	S	0.0	0.0	0:00.00	sshd
2562	harirkp+	10	-10	7340	3668	3416	S	0.0	0.0	0:00.00	bash
2565	harirkp+	10	-10	7604	4296	3692	S	0.0	0.0	0:00.00	bash
2577	root	10	-10	13996	9708	8336	S	0.0	0.1	0:00.01	sshd
2579	root	10	-10	13996	9776	8396	S	0.0	0.1	0:00.02	sshd
2581	harirkp+	10	-10	14256	6500	4848	S	0.0	0.0	0:00.00	sshd
2582	harirkp+	10	-10	7340	3704	3452	S	0.0	0.0	0:00.00	bash
2583	harirkp+	10	-10	14256	6408	4752	S	0.0	0.0	0:00.05	sshd
2586	harirkp+	10	-10	7604	4408	3808	S	0.0	0.0	0:00.00	bash
2589	harirkp+	10	-10	7340	3620	3372	S	0.0	0.0	0:00.00	bash
2590	harirkp+	10	-10	7340	3636	3376	S	0.0	0.0	0:00.00	start-shell.sh
2591	harirkp+	10	-10	6880	3388	3084	S	0.0	0.0	0:00.00	tmux

```
harirkp006@cloudshell:~$  
harirkp006@cloudshell:~$ htop  
harirkp006@cloudshell:~$ lsb_release  
No LSB modules are available.  
harirkp006@cloudshell:~$ arch  
x86_64  
harirkp006@cloudshell:~$
```

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~\$ touch user.py
harirkp006@cloudshell:~\$

Cloud Shell Editor

cloudshell x cloudshell x +

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
1	root	20	0	4324	3456	3176	S	0.0	0.0	0:00.06	bash
9	syslog	20	0	222140	3764	2404	S	0.0	0.0	0:00.04	rsyslogd
25	root	20	0	38768	28008	10900	S	0.0	0.2	0:01.05	python
26	root	20	0	6196	2672	2432	S	0.0	0.0	0:00.00	logger
67	root	10	-10	12024	3972	2860	S	0.0	0.0	0:00.05	sshd
367	root	20	0	2096096	85524	61664	S	0.0	0.5	0:00.85	dockerd
443	root	20	0	1234524	13284	8240	S	0.0	0.1	0:00.60	editor-proxy
445	root	20	0	16328	6448	5524	S	0.0	0.0	0:00.01	sudo
474	root	20	0	1226356	2784	1976	S	0.0	0.0	0:00.00	tmux-agent
486	root	20	0	1867468	45560	31684	S	0.0	0.3	0:05.25	containerd
684	root	20	0	2696	1528	1432	S	0.0	0.0	0:00.00	sleep
729	harirkp+	10	-10	7808	3368	2024	S	0.0	0.0	0:00.26	tmux
730	harirkp+	10	-10	8932	6084	4152	S	0.0	0.0	0:00.10	bash
1226	root	20	0	9196	4128	3752	S	0.0	0.0	0:00.00	runuser
1227	harirkp+	20	0	4324	3288	3020	S	0.0	0.0	0:00.00	sh
1248	harirkp+	20	0	11.3g	160560	51312	S	0.0	1.0	0:08.16	node
1675	harirkp+	20	0	1218584	74736	48392	S	0.0	0.5	0:02.42	node
1711	harirkp+	20	0	8920	6092	4096	S	0.0	0.0	0:00.04	bash
1714	harirkp+	20	0	8920	5952	3960	S	0.0	0.0	0:00.04	bash
2557	root	10	-10	13996	9696	8320	S	0.0	0.1	0:00.01	sshd
2561	harirkp+	10	-10	14256	6468	4812	S	0.0	0.0	0:00.00	sshd
2562	harirkp+	10	-10	7340	3668	3416	S	0.0	0.0	0:00.00	bash
2565	harirkp+	10	-10	7604	4296	3692	S	0.0	0.0	0:00.00	bash
2577	root	10	-10	13996	9708	8336	S	0.0	0.1	0:00.01	sshd
2579	root	10	-10	13996	9776	8396	S	0.0	0.1	0:00.02	sshd
2581	harirkp+	10	-10	14256	6500	4848	S	0.0	0.0	0:00.00	sshd
2582	harirkp+	10	-10	7340	3704	3452	S	0.0	0.0	0:00.00	bash
2583	harirkp+	10	-10	14256	6408	4752	S	0.0	0.0	0:00.05	sshd
2586	harirkp+	10	-10	7604	4408	3808	S	0.0	0.0	0:00.00	bash
2589	harirkp+	10	-10	7340	3620	3372	S	0.0	0.0	0:00.00	bash
2590	harirkp+	10	-10	7340	3636	3376	S	0.0	0.0	0:00.00	start-shell.sh
2591	harirkp+	10	-10	6880	3388	3084	S	0.0	0.0	0:00.00	tmux

```
harirkp006@cloudshell:~$  
harirkp006@cloudshell:~$ htop  
harirkp006@cloudshell:~$ lsb_release  
No LSB modules are available.  
harirkp006@cloudshell:~$
```

GNU nano 7.2 user.py
HELLO WELCOME TO LINUX COMMENTINGS

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ touch user.py
harirkp006@cloudshell:~$ echo "HELLO WELCOME TO LINUX COMMENTINGS" > user.py
harirkp006@cloudshell:~$
```



```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.  
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.  
You can view your projects by running 'gcloud projects list'.  
harirkp006@cloudshell:~$ touch user.py  
harirkp006@cloudshell:~$ echo "HELLO WELCOME TO LINUX COMMENTINGS" > user.py  
harirkp006@cloudshell:~$ nano user.py  
harirkp006@cloudshell:~$
```

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ touch user.py
harirkp006@cloudshell:~$ echo "HELLO WELCOME TO LINUX COMMENTINGS" > user.py
harirkp006@cloudshell:~$ nano user.py
harirkp006@cloudshell:~$ nano user.py
harirkp006@cloudshell:~$ cat user.py
```

```
HELLO WELCOME TO LINUX COMMENTINGS
print("THANKYOU")
harirkp006@cloudshell:~$
```

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ touch user.py
harirkp006@cloudshell:~$ echo "HELLO WELCOME TO LINUX COMMENTINGS" > user.py
harirkp006@cloudshell:~$ nano user.py
harirkp006@cloudshell:~$ nano user.py
harirkp006@cloudshell:~$ cat user.py
```

```
HELLO WELCOME TO LINUX COMMENTINGS
print("THANKYOU")
harirkp006@cloudshell:~$ pwd user.py
/home/harirkp006
harirkp006@cloudshell:~$
```

Cloud Shell Editor

cloudshell x cloudshell x +

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.  
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.  
You can view your projects by running 'gcloud projects list'.  
harirkp006@cloudshell:~$ pwd  
/home/harirkp006  
harirkp006@cloudshell:~$ mkdir linuxdemo  
harirkp006@cloudshell:~$
```


Cloud Shell Editor

cloudshell x cloudshell x +

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ pwd
/home/harirkp006
harirkp006@cloudshell:~$ mkdir linuxdemo
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:32 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006 21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006 27 May 14 07:27 notes.txt
-rwxr-xr-x 1 harirkp006 harirkp006 913 May 14 10:32 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006 54 May 14 10:24 user.py
harirkp006@cloudshell:~$ cd linuxdemo
harirkp006@cloudshell:~/linuxdemo$
```

Cloud Shell Editor

cloudshell x cloudshell x +

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ pwd
/home/harirkp006
harirkp006@cloudshell:~$ mkdir linuxdemo
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:32 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006 21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006 27 May 14 07:27 notes.txt
-rwxr-xr-x 1 harirkp006 harirkp006 913 May 14 10:32 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006 54 May 14 10:24 user.py
harirkp006@cloudshell:~$
```

Cloud Shell Editor

cloudshell x cloudshell x +

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ pwd
/home/harirkp006
harirkp006@cloudshell:~$ mkdir linuxdemo
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:32 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006 21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006 27 May 14 07:27 notes.txt
-rwxr-xr-x 1 harirkp006 harirkp006 913 May 14 10:32 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006 54 May 14 10:24 user.py
harirkp006@cloudshell:~$
```

Cloud Shell Editor

cloudshell x cloudshell x +

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ pwd
/home/harirkp006
harirkp006@cloudshell:~$ mkdir linuxdemo
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:32 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006 21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006 27 May 14 07:27 notes.txt
-rwxr-xr-x 1 harirkp006 harirkp006 913 May 14 10:32 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006 54 May 14 10:24 user.py
harirkp006@cloudshell:~$ cd linuxdemo
harirkp006@cloudshell:~/linuxdemo$ pwd
/home/harirkp006/linuxdemo
harirkp006@cloudshell:~/linuxdemo$
```

Cloud Shell Editor

cloudshell x cloudshell x +

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ pwd
/home/harirkp006
harirkp006@cloudshell:~$ mkdir linuxdemo
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:32 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006 21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006 27 May 14 07:27 notes.txt
-rwxr-xr-x 1 harirkp006 harirkp006 913 May 14 10:32 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006 54 May 14 10:24 user.py
harirkp006@cloudshell:~$ cd linuxdemo
harirkp006@cloudshell:~/linuxdemo$ pwd
/home/harirkp006/linuxdemo
harirkp006@cloudshell:~/linuxdemo$ touch sample.txt
harirkp006@cloudshell:~/linuxdemo$ ls
sample.txt
harirkp006@cloudshell:~/linuxdemo$
```


Cloud Shell Editor

cloudshell x cloudshell x +

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.

```
harirkp006@cloudshell:~$ pwd
/home/harirkp006
harirkp006@cloudshell:~$ mkdir linuxdemo
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:32 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006  21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006  27 May 14 07:27 notes.txt
-rwxr-xr-x 1 harirkp006 harirkp006  913 May 14 10:32 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006  54 May 14 10:24 user.py
harirkp006@cloudshell:~$ cd linuxdemo
harirkp006@cloudshell:~/linuxdemo$ pwd
/home/harirkp006/linuxdemo
harirkp006@cloudshell:~/linuxdemo$ touch sample.txt
harirkp006@cloudshell:~/linuxdemo$ ls
sample.txt
harirkp006@cloudshell:~/linuxdemo$ rm cloud_demo
rm: cannot remove 'cloud_demo': No such file or directory
harirkp006@cloudshell:~/linuxdemo$ rm linuxdemo
rm: cannot remove 'linuxdemo': No such file or directory
harirkp006@cloudshell:~/linuxdemo$ touch plain.txt
harirkp006@cloudshell:~/linuxdemo$ ls
plain.txt  sample.txt
harirkp006@cloudshell:~/linuxdemo$ rm sample.txt
harirkp006@cloudshell:~/linuxdemo$ ls
plain.txt
harirkp006@cloudshell:~/linuxdemo$
```

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ vim user.py
harirkp006@cloudshell:~$ awk '{print $1}' user.txt
awk: cannot open "user.txt" (No such file or directory)
harirkp006@cloudshell:~$ ls
cloud_demo  linuxdemo  notes.py  notes.txt  plain.txt  README-cloudshell.txt  user.py
harirkp006@cloudshell:~$ awk '{print $1}' user.py
hello

harirkp006@cloudshell:~$ sed 's/old/new' user.py
sed: -e expression #1, char 9: unterminated 's' command
harirkp006@cloudshell:~$
```

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
harirkp006@cloudshell:~$ more sample.txt
more: cannot open sample.txt: No such file or directory
harirkp006@cloudshell:~$ ls
cloud demo linuxdemo notes.py notes.txt plain.txt README-cloudshell.txt user.py
harirkp006@cloudshell:~$ more user.py
harirkp006@cloudshell:~$ less user.py
harirkp006@cloudshell:~$ tail user.py
harirkp006@cloudshell:~$
```

Cloud Shell Editor

cloudshell x cloudshell x +

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.

```
harirkp006@cloudshell:~$ ls
cloud_demo  linuxdemo  notes.py  notes.txt  README-cloudshell.txt  user.py
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:41 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006  21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006  27 May 14 07:27 notes.txt
-rwxr-xr-x 1 harirkp006 harirkp006  913 May 14 10:41 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006  54 May 14 10:24 user.py
harirkp006@cloudshell:~$ touch sample.txt
harirkp006@cloudshell:~$ touch plain.txt
harirkp006@cloudshell:~$ ls -l
total 24
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:41 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006  21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006  27 May 14 07:27 notes.txt
-rw-rw-r-- 1 harirkp006 harirkp006    0 May 14 10:41 plain.txt
-rwxr-xr-x 1 harirkp006 harirkp006  913 May 14 10:41 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006    0 May 14 10:41 sample.txt
-rw-rw-r-- 1 harirkp006 harirkp006  54 May 14 10:24 user.py
harirkp006@cloudshell:~$ mv sample.txt user.py
harirkp006@cloudshell:~$ ls
cloud_demo  linuxdemo  notes.py  notes.txt  plain.txt  README-cloudshell.txt  user.py
harirkp006@cloudshell:~$ ls -l
total 20
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:31 cloud_demo
drwxrwxr-x 2 harirkp006 harirkp006 4096 May 14 10:41 linuxdemo
-rw-rw-r-- 1 harirkp006 harirkp006  21 May 14 07:30 notes.py
-rw-rw-r-- 1 harirkp006 harirkp006  27 May 14 07:27 notes.txt
-rw-rw-r-- 1 harirkp006 harirkp006    0 May 14 10:41 plain.txt
-rwxr-xr-x 1 harirkp006 harirkp006  913 May 14 10:41 README-cloudshell.txt
-rw-rw-r-- 1 harirkp006 harirkp006    0 May 14 10:41 user.py
harirkp006@cloudshell:~$
```

 Cloud Shell Editor

cloudshell x cloudshell +

 Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show again [Dismiss](#)

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use `gcloud config set project [PROJECT_ID]`.
You can view your projects by running `gcloud projects list`.
harirkp006@cloudshell:~$ uname
linux
harirkp006@cloudshell:~$ uptime
 07:06:34 up 1:23, 0 user, load average: 0.00, 0.05, 0.06
harirkp006@cloudshell:~$ hostname
cs-179370637375-default
harirkp006@cloudshell:~$
```


📘 Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#) Don't show again Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use ``gcloud config set project [PROJECT_ID]``.
You can view your projects by running ``gcloud projects list``.

harirkp006@cloudshell:~\$ `uname`

linux

harirkp006@cloudshell:~\$ `uptime`

07:06:34 up 1:23, 0 user, load average: 0.00, 0.05, 0.06

harirkp006@cloudshell:~\$ `hostname`

cs-179370637375-default

harirkp006@cloudshell:~\$ `dmesg`

dmesg: read kernel buffer failed: Operation not permitted

harirkp006@cloudshell:~\$ `free`

	total	used	free	shared	buff/cache	available
Mem:	16382836	2324872	12417636	1148	1924180	14057964
Swap:	0	0	0			

harirkp006@cloudshell:~\$

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use `gcloud config set project [PROJECT_ID]`.
You can view your projects by running `gcloud projects list`.
harirkp006@cloudshell:~$ uname
linux
harirkp006@cloudshell:~$ uptime
 07:06:34 up 1:23,  0 user,  load average: 0.00, 0.05, 0.06
harirkp006@cloudshell:~$ hostname
cs-179370637375-default
harirkp006@cloudshell:~$ dmesg
dmesg: read kernel buffer failed: Operation not permitted
harirkp006@cloudshell:~$
```

Don't show again [Dismiss](#)

```
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use `gcloud config set project [PROJECT_ID]`.
You can view your projects by running `gcloud projects list`.
harirkp006@cloudshell:~$ uname
Linux
harirkp006@cloudshell:~$
```