

# GE23131-Programming Using C-2024

Quiz navigation

1

2

3

Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Thursday, 5 December 2024, 9:12 AM
Duration	18 days 8 hours

Question **1**

Correct

Marked out of 3.00

 [Flag question](#)

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.  
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size \* size. Print a Print W for white spaces and B for black spaces.

Input:

- 2
- 3

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

**Answer:** (penalty regime: 0 %)

```
1  #include<stdio.h>
2  void printchessboard(int size)
3  {
4      for(int i=0;i<size;i++)
5      {
6          for(int j=0;j<size;j++)
7              if((i+j)%2==0)
8              {
9                  printf("W");
10             }
11             else
12             {
13                 printf("B");
14             } printf("\n");
15         }
16     }
17 }
18 int main()
19 {
20     int T;
21     scanf("%d",&T);
```

```
24 {  
25     scanf("%d",&sizes[i]);  
26 }  
27 for(int i=0;i<T;i++)  
28 {  
29     printchessboard(sizes[i]);  
30 }  
31 return 0;  
32 }  
33
```


	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

Question **2**

Correct

Marked out of 5.00

 Flag question

Let’s print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

## Output Format

Print the chessboard as per the given examples

## Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

**Answer:** (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int T,a;
5     char b,CB;
6     scanf("%d",&T);
```

```
9      scanf("%d %c",&a,&b);
10     for(int i=0;i<a;i++)
11     {
12         for(int j=0;j<a;j++)
13         {
14             CB=(b=='W')?'B':'W';
15             if((i+j)%2==0)
16                 printf("%c",b);
17             else
18                 printf("%c",CB);
19         }
20         printf("\n");
21     }
22     T--;
23 }
24 return 0;
25 }
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question 3

Correct

Marked out of 7.00

Decode the logic and print the Pattern that corresponds to given input.

If N= 3

10203010011012

\*\*4050809

\*\*\*\*607

If N= 4, then pattern will be:

1020304017018019020

\*\*50607014015016

\*\*\*\*809012013

\*\*\*\*\*10011

Constraints

$2 \leq N \leq 100$

Input Format

First line contains T, the number of test cases

Each test case contains a single integer N

Output

First line print Case #i where i is the test case number

Test Case 1

3

3

4

5

Output

Case #1

10203010011012

\*\*4050809

\*\*\*\*607

Case #2

1020304017018019020

\*\*50607014015016

\*\*\*\*809012013

\*\*\*\*\*10011

Case #3

102030405026027028029030

\*\*6070809022023024025

\*\*\*\*10011012019020021

\*\*\*\*\*13014017018

\*\*\*\*\*15016

**Answer:** (penalty regime: 0 %)

```

1  #include<stdio.h>
2  int main()
3  {
4      int i,n,p3,v,c,in,i1,i2,t,ti;
5      scanf("%d",&t);
6      for(ti=0;ti<t;ti++)
7      {
8          v=0;
9          scanf("%d",&n);
10         printf("Case #%d\n",ti+1);
11         for(i=0;i<n;i++)
12         {
13             c=0;
14             if(i>0)
15             {
16                 for(i1=0;i1<i;i1++)
17                     printf("**");
18             }
19             for(i1=i;i1<n;i1++)
20             {
21                 if(i>0)
22                     c++;
23                 printf("%d0",++v);
24             }
25             if(i==0)
26             {
27                 p3=v+(v*(v-1))+1;
28                 in=p3;
29             }
30             in=in-c;
31             p3=in;
32             for(i2=i;i2<n;i2++)
33             {
34                 printf("%d",p3++);
35                 if(i2!=n-1)
36                     printf("0");
37             }
38             printf("\n");
39         }
40     }

```



	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		****809012013	****809012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	
		****10011012019020021	****10011012019020021	
		*****13014017018	*****13014017018	
		*****15016	*****15016	

Passed all tests! ✓

Finish review