



Date	19/Apr/2026 06:32PM	Report Date	19/Apr/2026 09:42PM
Name	Miss. PRIYANSHI TREHAN	Age/Sex	20 YRS/FEMALE
Lab No.	212604190029 (JANAK PURI)	Reg. No.	9587310
Panel Name	A-STANDARD(CICL)	Slide No.	
Ref. Dr.	Dr. SELF	Sample Collection Date	19-Apr-2026 08:00PM
Report Status	Final Report	Barcode No.	21058855 {CurrentBalance}

CLINICAL BIOCHEMISTRY

Test Name	Value	Unit	Bio. Reference Interval
LIVER FUNCTION TEST(LFT),Serum			
TOTAL PROTEIN Biuret	7.30	gm/dL	5.7-8.2
ALBUMIN,SERUM Bromocresol Green	4.00	gm/dL	3.5 - 5.0
GLOBULIN Calculated	3.30	gm/dL	2.3-3.5
A/G Ratio Calculated	1.21		1.1-2.5
SGOT (AST) IFCC with pyridoxyl phosphate	2,246.00	U/L	14 - 36
SGPT (ALT) IFCC Method	2,128.00	U/L	< 35.0
ALKALINE PHOSPHATASE IFCC using p-NPP	275.00	U/L	38 - 126
GAMMA G.T. Multiple-point rate	85.00	U/L	12 - 43
TOTAL BILIRUBIN Colorimetric	7.60	mg/dL	0.2 - 1.3
CONJUGATED BILIRUBIN (DIRECT) Calculated	3.10	mg/dL	0 - 0.3
UNCONJUGATED BILIRUBIN(INDIRECT) End-point colorimetric	4.50	mg/dL	0 - 1.1

Advice: Clinical correlation. Note: Result Rechecked.

Interpretation:

It is a group of tests that are performed together to detect, evaluate, and monitor liver disease or damage. The panel usually consists of several tests that are run at the same time on a blood sample. These typically include:

Alanine Aminotransferase (ALT)

An enzyme found mainly in liver tissue and to a lesser extent in the heart, kidney and skeletal muscle. It's measurement is clinically useful in the diagnosis of liver and biliary disease.

Aspartate aminotransferase (AST)

An enzyme found in several parts of the body, including the heart, liver, and muscles. Since AST levels aren't as specific for liver damage as ALT, it's usually measured together with ALT to check for liver problems. When the liver is damaged, AST can be released into the bloodstream. A high result


Dr. Sunita Kapoor
DNB (Path) MNAMS
M.S. (Bio Med. Sc.), D.G.O
Sr. Consultant Pathologist
DMC Reg No.: 6273

Dr Lalit Kumar
MD (Pathology)
DipRCPath (UK)
Consultant Pathologist



Date	19/Apr/2026 06:32PM	Report Date	19/Apr/2026 09:42PM
Name	Miss. PRIYANSHI TREHAN	Age/Sex	20 YRS/FEMALE
Lab No.	212604190029 (JANAK PURI)	Reg. No.	9587310
Panel Name	A-STANDARD(CICL)	Slide No.	
Ref. Dr.	Dr. SELF	Sample Collection Date	19-Apr-2026 08:00PM
Report Status	Final Report	Barcode No.	21058855 {CurrentBalance}

on an AST test might indicate a problem with the liver or muscles.

Gamma Glutamyl Transpeptidase (GGTP)

An enzyme that is found in many organs throughout the body, with the highest concentrations found in the liver. GGT is elevated in the blood in most diseases that cause damage to the liver or bile ducts.

Bilirubin, Total

It is used to detect an increased level of bilirubin in the blood. It helps to determine the cause of jaundice and diagnose conditions such as liver disease, hemolytic anemia, and blockage of the bile ducts.

Bilirubin, Direct

It measures a form of bilirubin that is conjugated (combined with another compound) in the liver; It is only increased in the case of liver disease.

Alkaline Phosphatase (ALP)

An enzyme related to the bile ducts but also produced by the bones, intestines, and during pregnancy by the placenta (afterbirth).

High levels of ALP may indicate liver inflammation, blockage of the bile ducts, or bone disease.

Albumin

Albumin is the main protein made by the liver. This test measures the level of albumin in the blood. A low result indicates that the liver isn't functioning properly.

Total Protein

The total protein test measures the total amount of protein in the blood and specifically looks for the amount of albumin and globulin. It also measures the ratio of albumin to globulin in the blood known as the A/G ratio.

Total Protein is useful in evaluating patients for nutritional status, liver disease, protein losing renal and gastrointestinal diseases.

*** End Of Report ***


Dr. Sunita Kapoor
DNB (Path) MNAMS
M.S. (Bio Med. Sc.), D.G.O
Sr. Consultant Pathologist
DMC Reg No.: 6273

Dr Lalit Kumar
MD (Pathology)
DipRCPath (UK)
Consultant Pathologist