


Azure Data Factory – Get Metadata, ForEach & If Condition


Step 1: Review the Input Container

- Opened the input container, which holds three files: temp_1.csv, temp_2.csv and weather_data.csv — the files this pipeline will inspect and branch on.




Step 2: Add a Get Metadata Activity

- Added a Get Metadata activity (Get Metadata1) against the DelimitedText1 dataset to list the contents of the input container.




Step 3: Iterate Over Each File

- Added a ForEach activity (ForEach1) with Items set to `@activity('Get Metadata1').output.childItems`, so every file returned by Get Metadata is processed in turn.




Step 4: Branch on the File Name

- Inside the ForEach loop, added an If Condition activity (If Condition1) with the expression `@contains(item().name,'temp')` — routing each file down a True or False path depending on whether "temp" appears in its name.




Step 5: Set a Variable in the True Branch

- In the True branch, added Set variable1 to set the pipeline variable temp to "True" whenever a file name matches.




Step 6: Set a Variable in the False Branch

- In the False branch, added Set variable2 to set the pipeline variable weather to "False" for any file that doesn't match — completing the conditional logic for both outcomes.




Step 7: Build a Data Flow on the Weather Data

- Created a new pipeline (pipeline1) with a Mapping Data Flow (dataflow1), sourcing weather_data.csv with columns date (date), temperature_c (integer), humidity_pct (integer), city (string) and condition (string).



Step 8: Standardize the Columns

- Added a Derived Column transformation (derivedColumn1) creating/updating date, city, temperature_c, humidity_pct and condition, previewing 5 inserted rows across New York, London and Tokyo.



Step 9: Add a Fahrenheit Conversion and Sink

- Extended the derived columns to add Temp_F (converting temperature_c to Fahrenheit) and configured the sink (sink1) with 6 total columns — the preview shows each city's temperature in both Celsius and Fahrenheit (e.g. New York: 22°C / 71.6°F).

date	city	temperature_c	humidity_pct	condition	Temp_F
2026-08-19	New York	22	60	Sunny	71.6
2026-08-20	London	18	75	Cloudy	64.4
2026-08-21	Tokyo	25	68	Rainy	77.0
2026-08-22	Sydney	19	55	Clear	66.2

Step 10: Add the Data Flow to the Pipeline

- Added the Data flow activity (dataflow1) to pipeline1, keeping its default activity state and timeout.

Properties

General Related

Name *
pipeline1

Description

Annotations
[+ New](#)

General Settings Parameters User properties

Name *
dataflow1 [Learn more](#)

Description

Activity state ☒ Activated ☐ Deactivated

Timeout

Step 11: Run and Verify the Weather Pipeline

- Ran Debug — the pipeline succeeded in 1 minute 53 seconds.

Microsoft Azure | Data Factory | datafactory2457

Explore upgrade options to Microsoft Fabric Data Factory. Get started with guided support. [Learn more](#)

Factory Resources

- Pipelines: 2
 - ifcondition
 - pipeline1
- Change Data Capture (preview): 0
- Datasets: 3
 - DelimitedText1
 - DelimitedText2
 - DelimitedText3
- Data flows: 1
 - dataflow1
- Power Query: 0

Properties

General

Name: pipeline1

Description:

Annotations

+ New

Cancel

Parameters Variables Settings Output

Pipeline run ID: 2af7b8fe-1edb-4467-8ba1-79b97d67e24c

Pipeline status: Succeeded

View debug run consumption

All status

Showing 1 - 1 of 1 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration ru
dataflow1	Succeeded	Data flow	8/27/2026, 1:26:14 PM	1m 53s	debugpool-8C...

Step 12: Verify the Final Output

- Checked the output container: a `_SUCCESS` marker and the resulting part file confirm the transformed weather data — with the added `Temp_F` column — was written successfully.

Microsoft Azure | Upgrade

Search resources, services, and docs (G+/)

Copilot

Home > storage16756456 | Containers

output

Container

Search

+ Add Directory Upload Change access level Refresh Delete Copy Paste Rename Acquire lease Break lease Edit columns

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 2 items


Name	Last modified	Access tier	Blob type	Size	Lease state
<code>_SUCCESS</code>	8/27/2026, 1:27:11 PM	Hot (Inferred)	Block blob	0	Available
<code>part-00000-c71c2dd3-882a-4532-9c54-f1f6a46823c5-c000.csv</code>	8/27/2026, 1:27:11 PM	Hot (Inferred)	Block blob	231 B	Available

Add or remove favorites by pressing Ctrl+Shift+F

Azure Data Factory – Conditional File Routing


Step 1: Review the Input Container

- Opened the input container, which holds three files: temp_1.csv, temp_2.csv and weather_data.csv — the files this pipeline will inspect and route.




Step 2: Add a Get Metadata Activity

- Created a pipeline named ifcondition and added a Get Metadata activity (Get Metadata1) against the DelimitedText1 dataset to list the contents of the input container.




Step 3: Iterate Over Each File

- Added a ForEach activity (ForEach1) connected to Get Metadata1, with Items set to `@activity('Get Metadata1').output.childItems`, so every file returned by Get Metadata is processed in turn.



Step 4: Copy Files in the True Branch

- Inside the ForEach loop, an If Condition (If Condition1) decides which branch each file takes. In its True branch, added a Copy data activity (Copy data1) with source dataset DelimitedText4 and File path type set to "File path in dataset", so matching files are copied onward.



Step 5: Run Debug and Verify the Activities

- Ran Debug — Get Metadata1, ForEach1 and the activities inside it all show green checkmarks. The Output tab lists 8 activity runs, including Copy data1 (twice), Copy data2 and If Condition1, all Succeeded.

The screenshot shows the 'Output' tab of a pipeline execution in Microsoft Azure Data Factory. The pipeline is named 'pipeline1' and is in the 'DelimitedText1' state. The output table shows the following activities:

Activity name	Activity status	Activity type	Run start	Duration	Integration runtime	User properties	Activity run ID
Copy data2	Succeeded	Copy data	8/27/2026, 1:45:51 PM	22s	AutoResolveIntegrationRuntime (East US)		bf0c4de6-bd98-429f-823a-e6d3bd375683
Copy data1	Succeeded	Copy data	8/27/2026, 1:45:50 PM	20s	AutoResolveIntegrationRuntime (East US)		617f2958-0a77-42ff-bd34-f251ce7d08dc
Copy data1	Succeeded	Copy data	8/27/2026, 1:45:50 PM	23s	AutoResolveIntegrationRuntime (East US)		0c44121e-54f6-4aa1-ba59-7220984f2784
If Condition1	Succeeded	If Condition	8/27/2026, 1:45:50 PM	25s			71457d28-f65c-4e93-a65b-f870ef9df53d

Step 6: Confirm the Matching Files Landed in Output

- Checked the output container: temp_1.csv and temp_2.csv were copied there — the two files with "temp" in their names — confirming the True branch worked as intended.

The screenshot shows the 'output' container in Microsoft Azure Storage Explorer. The container is located at 'storage16756456 | Containers'. The container contains two files:

Name	Last modified	Access tier	Blob type	Size	Lease state
temp_1.csv	8/27/2026, 1:46:07 PM	Hot (Inferred)	Block blob	86 B	Available
temp_2.csv	8/27/2026, 1:46:07 PM	Hot (Inferred)	Block blob	86 B	Available

Step 7: Confirm the Remaining File Landed in Output1

- Checked the output1 container: weather_data.csv was copied there instead, confirming the False branch (Copy data2) routed the non-matching file separately.

Home > storage16756456 | Containers

output1

Container

Search

«

+ Add Directory

Upload

Change access level

Refresh

Delete

Copy

Paste

Rename

Acquire lease

Break lease

Edit columns

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings

output1

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	weather_data.csv	8/27/2026, 1:46:04 PM	Hot (Inferred)	Block blob	209 B	Available