Task 7: Interactive Web Form with Events & Functions

An interactive web form uses **JavaScript events** to:

- Validate input
- Improve user experience
- Provide instant feedback

Features Required

✔ Validate inputs on keypress
✔ Highlight fields on mouse hover
✔ Show confirmation on double-click submit
✔ Use reusable JavaScript functions

Code

HTML + JavaScript

```
<!DOCTYPE html>
<html>
<head>
    <title>Expense Feedback Form</title>
    <style>
        body {
            font-family: Arial;
            padding: 20px;
        }

        input, textarea, select {
            padding: 8px;
            margin: 8px 0;
            width: 250px;
        }

        .highlight {
            border: 2px solid blue;
        }

        .error {
            border: 2px solid red;
        }
    </style>

    <script>
        // Validate Name (letters only)
```

```
        function validateName(event) {
            let char = event.key;
            if (!/^[a-zA-Z ]$/.test(char)) {
                event.preventDefault();
            }
        }

        // Validate Amount (numbers only)
        function validateAmount(event) {
            let char = event.key;
            if (!/^[0-9]$/.test(char)) {
                event.preventDefault();
            }
        }

        // Highlight field
        function highlightField(element) {
            element.classList.add("highlight");
        }

        function removeHighlight(element) {
            element.classList.remove("highlight");
        }

        // Double click submit
        function submitForm() {
            let name = document.getElementById("name").value;
            let amount = document.getElementById("amount").value;

            if (name === "" || amount === "") {
                alert("Please fill all required fields!");
                return;
            }

            alert("Expense feedback submitted successfully!");
        }
    </script>
</head>

<body>

    <h2> 💰 Expense Feedback Form</h2>

    <form>
        Name: <br>
        <input type="text" id="name"
            onkeypress="validateName(event)"
            onmouseover="highlightField(this)"
            onmouseout="removeHighlight(this)">
        <br>

        Expense Category: <br>
        <select
            onmouseover="highlightField(this)"
            onmouseout="removeHighlight(this)">
```

```
        <option>Food</option>
        <option>Transport</option>
        <option>Shopping</option>
        <option>Entertainment</option>
    </select>
    <br>

    Amount (₹): <br>
    <input type="text" id="amount"
        onkeypress="validateAmount(event)"
        onmouseover="highlightField(this)"
        onmouseout="removeHighlight(this)">
    <br>

    Feedback: <br>
    <textarea
        onmouseover="highlightField(this)"
        onmouseout="removeHighlight(this)">
    </textarea>
    <br>

    <button type="button" ondblclick="submitForm()">
        Submit (Double Click)
    </button>
  </form>

</body>
</html>
```

Explanation

Keypress Validation

onkeypress="validateInput(event)"

Allows only letters
Prevents numbers/symbols

Mouse Hover Highlight

onmouseover="highlightField(this)"
onmouseout="removeHighlight(this)"

Adds border when mouse enters
Removes when mouse leaves

Double Click Submit

ondblclick="submitForm()"

Prevents accidental submission
Shows confirmation message

Reusable Functions

Functions used:

- `validateInput()`
- `highlightField()`
- `submitForm()`

Can be reused in multiple forms

Output :