



SIMATS
ENGINEERING



SIMATS
Saveetha Institute of Medical And Technical Sciences
(Declared as Deemed to be University under Section 3 of UGC Act 1956)

SIMATS ENGINEERING

**Saveetha Institute of Medical and Technical Sciences
Chennai-602105**

September 2026

CSA0613– Design and Analysis of Algorithms

**Development of an Efficient Hybrid Algorithmic
Solution for Large-Scale Geospatial Data Processing**

Assignment Report

Submitted by

D.G.RAGHAVI (192521173)

G.KRISHITHA(192524451)

P.KRISHNAPRIYA(192511279)

A. Assignment Information

Particular	Details
Department:	Computer Science and Engineering
Programme:	B.E./B.Tech. Computer Science and Engineering
Course Code & Course Name	Design and Analysis of Algorithms
Academic Year / Batch	2026-2027 / Regular
Faculty Name	Dr. F. Mary Harin Fernandez
Assignment Title	Development of an Intelligent Algorithmic Solution for Large-Scale Logistics Resource Optimization
Date of Issue	31 Aug 2026
Date of Submission	1 September 2026
Maximum Marks	100
Course Outcome(s) – CO	CO4: Solve optimization problems using dynamic programming and greedy strategies.
Bloom's Taxonomy Level	L4 – Analyze, L5 – Evaluate, L6 – Create
SDG Mapping (SDG 1-17)	SDG 9 – Industry, Innovation and Infrastructure
Industry / Societal Relevance	Efficient logistics resource allocation with improved vehicle utilization, reduced computational cost, and scalable decision-making

B. Assignment Problem / Challenge

Modern e-commerce and logistics organizations process thousands of packages every day under limited transportation capacity. Each package may differ in **weight, volume, delivery value, priority, and deadline**, while delivery vehicles have restricted carrying capacities. Efficiently selecting packages becomes increasingly difficult as the number of packages and operational constraints increase.

Dynamic Programming can provide high-quality or optimal solutions for suitable problem sizes but may require significant computational time and memory for large instances. **Greedy techniques** can provide faster decisions but may not always produce the optimal solution. The challenge is to **design and develop an improved algorithmic solution for large-scale logistics resource allocation** using relevant concepts from **Dynamic Programming and Greedy techniques**. The developed strategy must be **formulated by the team** based on identified computational limitations and supported by theoretical analysis and experimental evidence.

C. Problem Statement

A large e-commerce logistics company processes approximately **10,000–100,000 packages per day** across multiple distribution centres. Each package is characterized by attributes such as **weight, volume, delivery value, priority, and delivery deadline**, while each delivery vehicle has limited weight and volume capacities. During peak-demand periods, the organization must select an appropriate combination of packages for transportation so that the **overall delivery benefit and vehicle utilization are maximized without violating the available capacity constraints**. Develop, implement, and evaluate an algorithmic solution for this **large-scale logistics resource-allocation problem** using concepts from **Dynamic Programming and Greedy techniques**. Implement (i) an **appropriate Dynamic Programming based solution** and (ii) an **appropriate Greedy based solution** as baseline approaches. Analyze their theoretical efficiency, solution quality, computational requirements, and limitations. Beyond the baseline implementations, **design and develop an improved algorithmic solution** suitable for large-scale package allocation. The developed solution may appropriately **adapt, integrate, modify, optimize, or selectively utilize relevant Dynamic Programming and Greedy concepts**. The algorithmic strategy, decision criteria, parameters, and optimization mechanism must be **identified and developed by the team** rather than being predefined. Experimentally evaluate the baseline and developed approaches using increasing problem sizes, for example, **100, 500, 1,000, 5,000, 10,000 packages, and higher input sizes wherever computationally feasible**, under different vehicle-capacity conditions such as **500 kg, 1,000 kg, 2,500 kg, and 5,000 kg**, or appropriately justified equivalent capacities based on the selected dataset. Evaluate the approaches using **execution time, memory utilization, total solution value, capacity utilization, solution-quality/optimal gap, and scalability**. Conduct experiments under different operational conditions such as **normal demand, high-priority demand, and capacity-constrained demand**. Based on theoretical and experimental results, identify the limitations and trade-offs of the baseline techniques, demonstrate the performance improvement achieved by the **developed solution**, and justify its suitability for large-scale real-world logistics resource optimization.

Expected Development

The work should **not merely implement or compare existing Dynamic Programming and Greedy algorithms**. The solution should demonstrate algorithmic development through:

- Identification of computational and/or solution-quality limitations of the baseline approaches.
- Formulation of an appropriate strategy to address the identified limitations.
- **Development, adaptation, integration, modification, or optimization** of relevant algorithmic techniques.
- Identification and experimental determination of appropriate **decision rules, parameters, thresholds, or optimization criteria**, wherever applicable.
- Improvement in one or more aspects such as **execution time, memory utilization, solution quality, capacity utilization, or scalability**.
- Performance comparison of the developed solution against the baseline approaches.
- Justification of algorithmic design decisions using theoretical reasoning and experimental evidence.

D. Requirements and Constraints

The following requirements and constraints shall be considered:

- Use an appropriate **publicly available real-world logistics, transportation, cargo, or package-related dataset**.

- The dataset should contain sufficient records to evaluate the algorithms at multiple input sizes.
- Identify and clearly define the **package attributes and resource constraints** used in the optimization problem.
- Implement and evaluate suitable **Dynamic Programming and Greedy baseline approaches**.
- **Develop an improved algorithmic solution** using relevant CO4 concepts rather than merely reproducing the baseline algorithms.
- The developed strategy must be **designed and justified by the team**.
- Evaluate increasing input sizes such as **100, 500, 1,000, 5,000 and 10,000 packages**, and higher wherever computationally feasible.
- Evaluate multiple capacity conditions such as **500 kg, 1,000 kg, 2,500 kg and 5,000 kg**, or justified equivalent values based on the dataset.
- Evaluate at least **three operating conditions: normal demand, high-priority demand, and capacity-constrained demand**.
- Execute all approaches using the **same computational environment and identical input instances** for fair comparison.
- Evaluate appropriate measures including **execution time, memory utilization, solution value, capacity utilization, solution-quality/optimality gap, and scalability**.
- Validate the correctness and feasibility of the generated allocation.
- Clearly document the **dataset source, experimental environment, assumptions, limitations, parameters, and implementation details**.

E. Student Work LARGE-SCALE LOGISTICS RESOURCE ALLOCATION USING DYNAMIC PROGRAMMING, GREEDY AND AN IMPROVED HYBRID OPTIMIZATION APPROACH

1. Problem Understanding and Formulation

1.1 Description of the Logistics Resource-Allocation Problem

Large e-commerce organizations process thousands of packages every day through multiple logistics and distribution facilities. Each package consumes limited transportation resources such as vehicle weight capacity and physical volume capacity. Therefore, it is necessary to determine which packages should be selected for transportation when the available vehicle capacity is limited.

In this project, the logistics resource-allocation problem is formulated as a constrained package-selection optimization problem. Each package has attributes such as weight, volume, delivery value, priority and delivery deadline. The vehicle has a maximum weight capacity and maximum volume capacity.

The objective is to select a combination of packages that maximizes the total delivery benefit while satisfying all vehicle capacity constraints.

This problem is important in real-world logistics because poor package allocation can result in:

- Under-utilization of vehicle capacity.
- Transportation of low-value packages while high-value packages are delayed.
- Increased transportation cost.
- Missed delivery deadlines.
- Inefficient use of fleet resources.
- Increased computational requirements when the number of packages becomes very large.

The problem becomes computationally challenging when the number of packages increases from hundreds to tens of thousands or more. Therefore, exact optimization techniques alone may not be suitable for large-scale real-time logistics operations.

The project therefore compares:

1. Dynamic Programming as an optimization baseline.
 2. Greedy selection as a fast baseline.
 3. A developed adaptive hybrid algorithm combining Greedy prioritization with local optimization and capacity-aware decision making.
-

1.2 Publicly Available Dataset

Selected Dataset

Brazilian E-Commerce Public Dataset by Olist

Dataset source:

Kaggle – Brazilian E-Commerce Public Dataset by Olist

The dataset contains approximately 100,000 orders from the Brazilian Olist e-commerce marketplace covering the period from 2016 to 2018. It contains information related to orders, products, customers, sellers, payments, freight and delivery performance.

Dataset Source

[Brazilian E-Commerce Public Dataset by Olist – Kaggle](#)

Dataset Characteristics

Dataset component Approximate records

Orders	99,441
Order items	112,650
Products	32,951
Customers	99,441
Sellers	3,095
Reviews	99,224
Payments	103,886

The dataset contains multiple linked CSV files. Important tables for this project are the orders, order-items and products datasets.

1.3 Dataset Attributes

Dataset Attribute	Project Attribute	Description
-------------------	-------------------	-------------

order_id	Package ID	Unique package/order identifier
product_id	Product ID	Unique product identifier
product_weight_g	Weight	Product weight
product_length_cm	Length	Product length
product_height_cm	Height	Product height
product_width_cm	Width	Product width
price	Delivery Value	Monetary value associated with package
freight_value	Freight Cost	Shipping/freight value
shipping_limit_date	Shipping Deadline	Deadline for shipment

The following attributes are selected from the Olist dataset and transformed into logistics-package attributes.

order_estimated_delivery_date	Delivery Deadline	Estimated delivery deadline
order_purchase_timestamp	Order Time	Time at which order was placed
product_category_name	Category	Product category
order_item_id	Item ID	Item number within an order

The product table provides weight and three-dimensional measurements, while the order table contains purchase, shipping, delivery and estimated delivery timestamps.

1.4 Derived Package Attributes

Some attributes required by the assignment are not directly provided as single fields. Therefore, they are derived from the available dataset.

Package Weight

The product weight is converted from grams to kilograms:

$$\text{Weight(kg)} = \text{product_weight_g} / 1000$$

Package Volume

The package volume is calculated using: Volume(cm³)

$$= \text{Length} \times \text{Width} \times \text{Height}$$

Therefore:

$$V_i = L_i \times W_i \times H_i$$

For computational convenience, volume can be converted to litres:

$$\text{Volume(L)} = \text{Volume(cm}^3) / 1000$$

Delivery Value

The product price is used as the basic delivery benefit:

$$\text{Value}_i = \text{price}_i$$

For an order containing multiple items, the order items are treated as individual package candidates.

Priority

The original dataset does not provide a direct logistics-priority attribute. Therefore, priority is derived using a deterministic rule based on delivery urgency and package value.

A three-level priority classification is used:

- High Priority = 3
- Medium Priority = 2
- Low Priority = 1

Priority is determined using deadline urgency and delivery value.

For example:

Priority Score:

$$P_i = 0.6 \times \text{Urgency}_i + 0.4 \times \text{NormalizedValue}_i \text{ where:}$$

Urgency_i represents how close the package is to its delivery/shipping deadline.

Deadline Urgency

A package with a smaller number of remaining delivery days receives a higher urgency score.

$$\text{Urgency}_i = 1 / (1 + \text{RemainingDays}_i)$$

The values are normalized before being combined with package value.

1.5 Vehicle/Resource Constraints

The transportation vehicle has two primary resource constraints:

Weight Constraint

The total weight of selected packages must not exceed vehicle weight capacity.

$$\sum w_i x_i \leq W$$

Volume Constraint

The total volume of selected packages must not exceed vehicle volume capacity.

$\sum v_i x_i \leq V$ where:

- w_i = weight of package i
- v_i = volume of package i
- W = vehicle weight capacity
- V = vehicle volume capacity
- $x_i = 1$ if package i is selected, otherwise 0

The assignment provides example weight capacities:

- 500 kg
- 1,000 kg
- 2,500 kg
- 5,000 kg

These values are used for experimental comparison.

1.6 Input

The system accepts:

1. Package dataset.
2. Number of packages.
3. Package weight.
4. Package volume.
5. Package delivery value.
6. Package priority.
7. Package deadline.
8. Vehicle weight capacity.
9. Vehicle volume capacity.
10. Operational scenario.

Example:

Number of packages = 1000

Vehicle weight capacity = 1000 kg

Vehicle volume capacity = 5000 L

Scenario = Normal Demand

1.7 Expected Output

The algorithm produces:

- Selected package IDs.
- Number of selected packages.

- Total package value.
- Total package weight.
- Total package volume.
- Weight utilization.
- Volume utilization.
- Execution time.
- Memory usage.
- Solution quality.
- Optimality gap where an exact reference solution is available.

Example output:

Selected Packages: 634
 Total Value: ₹XXXXXX
 Total Weight: XXX.XX kg
 Total Volume: XXXX.XX L
 Weight Utilization: 94.20%
 Volume Utilization: 88.70%
 Execution Time: XX.XX ms
 Memory Usage: XX MB

1.8 Optimization Objective

The primary objective is to maximize total delivery benefit.

Let: $x_i \in$

$\{0,1\}$ Then:

Maximize

$Z = \sum B_i x_i$ where B_i represents the benefit of selecting package i .

For the basic problem:

$B_i = \text{Value}_i$

Therefore:

Maximize

$Z = \sum \text{Value}_i x_i$

subject to:

$\sum \text{Weight}_i x_i \leq W$

$\sum \text{Volume}_i x_i \leq V$

$x_i \in \{0,1\}$

This is a two-dimensional 0/1 knapsack-type optimization problem.

1.9 Developed Objective Function

For the improved solution, package priority and deadline urgency are also considered.

The developed benefit is defined as: B_i

$= \text{Value}_i \times (1 + \alpha P_i + \beta U_i)$ where:

- Value_i = package delivery value
- P_i = normalized priority score
- U_i = normalized urgency score
- α = priority weight
- β = deadline urgency weight

The parameters used in the experiment can initially be:

$\alpha = 0.30$

$\beta = 0.20$

These parameters can later be tuned experimentally.

The developed algorithm therefore does not simply select the highest-value packages. It selects packages according to their economic value, priority, deadline urgency and resource consumption.

1.10 Computational Challenges

As the number of packages increases, the problem becomes significantly more difficult.

For n packages, the number of possible subsets is:

2^n

example:

$n = 10$

Possible combinations = $2^{10} = 1,024$

$n = 100$

Possible combinations = 2^{100}

Therefore, exhaustive enumeration is impossible for large datasets.

The major computational challenges are:

1. Large search space.

2. Two simultaneous resource constraints.
 3. Large memory requirements for exact DP.
 4. Increasing execution time.
 5. Need for fast decision making.
 6. Maintaining solution quality.
 7. Handling high-priority packages.
 8. Balancing value and capacity utilization.
-

1.11 Assumptions

The following assumptions are made:

1. Each order item is treated as one package candidate.
 2. Package weight is obtained from the product dataset.
 3. Package volume is calculated from product dimensions.
 4. Product price is used as the base delivery value.
 5. Vehicle capacity is fixed during one optimization run.
 6. Packages are either selected or rejected.
 7. Splitting a package is not permitted.
 8. All selected packages must satisfy both weight and volume constraints.
 9. Priority is derived because the original dataset does not contain a direct priority field.
 10. The vehicle is assumed to be available throughout the allocation process.
 11. Routing distance is not optimized in this version.
 12. Fuel consumption and driver availability are not explicitly modeled.
 13. Multiple vehicles can be studied in future versions.
 14. Product dimensions are used as an approximation for package dimensions.
-

1.12 Limitations of Dataset

The selected public dataset was originally designed for e-commerce analysis rather than vehicle-loading optimization. Therefore, some logistics attributes required by the assignment must be derived.

In particular:

- Vehicle capacity is not directly provided.
- Vehicle volume capacity is not directly provided.
- Priority is not directly provided.
- Packaging overhead is not directly provided.
- Exact vehicle routing information is not provided.

These limitations are handled through clearly documented assumptions and derived variables.

2. Application of Course Knowledge

2.2 Dynamic Programming Formulation

The logistics problem is formulated as a two-dimensional 0/1 knapsack problem.

Each package has:

- Weight w_i • Volume v_i
- Value B_i

The vehicle has:

- Maximum weight W
- Maximum volume V

The DP state is:

$DP[i][w][v]$ where:

$DP[i][w][v]$ represents the maximum value obtainable using the first i packages with maximum weight w and maximum volume v .

2.3 DP Recurrence Relation

For package i , there are two choices.

Case 1: Do not select package i

$$DP[i][w][v] = DP[i-1][w][v]$$

Case 2: Select package i

If:

$$w_i \leq w$$

and v_i

$$\leq v$$

then:

$$DP[i][w][v] = \max($$

$$DP[i-1][w][v],$$

$$DP[i-1][w-w_i][v-v_i] + B_i$$

)

Therefore:

$$DP[i][w][v] =$$

max(

$$DP[i-1][w][v],$$

$$DP[i-1][w-w_i][v-v_i] + B_i$$

)

2.4 Base Condition

When there are no packages:

$$DP[0][w][v] = 0$$

When either capacity is zero:

$$DP[i][0][v] = 0$$

$$DP[i][w][0] = 0$$

2.5 DP Solution Construction

After filling the DP table, the selected packages can be reconstructed by moving backward from:

$$DP[n][W][V]$$

If:

$$DP[i][w][v] \neq DP[i-1][w][v] \text{ then}$$

package i was selected.

Otherwise, package i was not selected.

2.6 DP Pseudocode

Algorithm DynamicProgrammingAllocation(packages, W, V)

Input:

 packages = list of n packages

 W = vehicle weight capacity

 V = vehicle volume capacity

Output:

 Selected package set and maximum value

Create DP table

for i = 0 to n: for

 w = 0 to W:

 for v = 0 to V:

$$DP[i][w][v] = 0$$

for i = 1 to n:

 weight = packages[i].weight

 volume = packages[i].volume

```

value = packages[i].value

for w = 0 to W:
for v = 0 to V:

    DP[i][w][v] = DP[i-1][w][v]

    if weight <= w and volume <= v:

        include =
            DP[i-1][w-weight][v-volume] + value

        DP[i][w][v] =
            max(DP[i][w][v], include)

Backtrack from DP[n][W][V]

Return selected packages

```

2.7 DP Complexity Analysis

For n packages, weight capacity W and volume capacity V :

Time Complexity

$O(nWV)$

Memory Complexity

$O(nWV)$

This is pseudo-polynomial rather than polynomial in the numeric input size.

For large capacities such as 5,000 kg and fine-grained volume discretization, the DP state space becomes extremely large.

Therefore, the exact DP method is useful as a baseline for small and medium instances but becomes impractical for very large logistics datasets.

2.8 Greedy Technique

The Greedy algorithm selects packages one by one according to a priority score.

A simple value-only strategy may select packages with the highest delivery value first. However, this may result in poor capacity utilization.

Therefore, a better Greedy baseline uses a value-density measure.

For package i :

$$\text{Density}_i = \text{Value}_i / \text{ResourceCost}_i$$

Because both weight and volume are constraints, the resource cost is calculated using normalized resource consumption.

$$\text{ResourceCost}_i = \lambda(W_i/W) + (1-\lambda)(V_i/V)$$

where λ controls the importance of weight. The

Greedy score becomes:

$$\text{GreedyScore}_i = \text{Value}_i / \text{ResourceCost}_i$$

2.9 Greedy Selection Criterion

For the baseline:

Greedy Score =

Value /

$(0.5 \times \text{Weight Utilization} + 0.5 \times \text{Volume Utilization})$

Packages are sorted in descending order of this score.

The algorithm selects a package if it satisfies both remaining capacities.

2.10 Greedy Pseudocode

Algorithm GreedyAllocation(packages, W, V)

for each package i:

 weight_ratio = package.weight / W

 volume_ratio = package.volume / V

 resource_cost =
 0.5 * weight_ratio +
 0.5 * volume_ratio

 score = package.value /
 resource_cost

Sort packages in descending order of score

selected = empty list

remaining_weight = W
 remaining_volume = V

for package in sorted packages:

```
if package.weight <= remaining_weight  
and package.volume <= remaining_volume:
```

```
    select package
```

```
    remaining_weight -= package.weight  
    remaining_volume -= package.volume
```

```
return selected_packages
```

2.11 Greedy Complexity

Sorting requires:

$O(n \log n)$

The selection process requires:

$O(n)$

Therefore:

Time Complexity

$O(n \log n)$

Memory Complexity

$O(n)$

Greedy is significantly faster than the exact DP approach for large datasets.

However, Greedy does not guarantee the optimal solution.

2.12 Limitations of Baseline Approaches

Dynamic Programming Limitations

1. High memory consumption.
2. High computational cost.
3. Sensitive to capacity discretization.
4. Difficult to scale to 100,000 packages.
5. Two-dimensional state space becomes very large.

Greedy Limitations

1. Does not guarantee optimality.
2. Early decisions may prevent better combinations later.
3. A package with high density may consume resources needed by several packages.
4. Deadline urgency is not naturally handled.


5. Priority may be ignored unless explicitly included in the score.

These limitations motivate the development of an improved solution.

3. Solution / Design / Methodology

3.1 Overall Methodology

The proposed project follows the required methodology:



3.2 Developed Algorithm

Priority-Aware Adaptive Greedy with Local Swap Optimization (PAAG-LSO)

The proposed method combines:

1. Greedy selection.
2. Priority awareness.
3. Deadline awareness.
4. Weight-volume resource density.
5. Capacity-aware selection.

6. Local swap optimization.

The objective is to obtain a solution that is much faster than exact DP while improving the solution quality of a simple Greedy algorithm.

3.3 Motivation for the Developed Algorithm

The baseline analysis shows:

- DP provides high-quality solutions but becomes computationally expensive.
- Greedy is fast but can make locally optimal decisions.
- A large-scale logistics system requires a balance between execution time and solution quality.

Therefore, the proposed method first uses a fast Greedy ranking to construct an initial feasible solution and then improves the solution through local search.

This allows the algorithm to avoid examining the complete exponential search space.

3.4 Developed Package Score

The proposed score combines:

- Delivery value.
- Priority.
- Deadline urgency.
- Weight consumption.
- Volume consumption.

The score is:

Score_i =

B_i / ResourceCost_i where:

B_i = Value_i × (1 + αP_i + βU_i) and:

ResourceCost_i = λ(W_i/W)

+ (1-λ)(V_i/V)

Therefore:

Score_i =

Value_i(1 + αP_i + βU_i) λ(W_i/W)

+ (1-λ)(V_i/V)

Initial parameters:

$$\alpha = 0.30 \beta$$

$$= 0.20 \lambda$$

$$= 0.50$$

These parameters can be experimentally tuned.

3.5 Local Swap Optimization: The algorithm checks whether replacing A with B satisfies:
 $\text{NewWeight} \leq W$

and

$$\text{NewVolume} \leq V$$

If the replacement increases total benefit, the swap is accepted.

This process is repeated for a limited number of iterations.

3.6 Optional Two-for-One Improvement

A further improvement can be performed by testing:

1 selected package $\leftrightarrow$ 1 unselected package and, for

manageable input sizes:

1 selected package $\leftrightarrow$ 2 unselected packages.

The second type of move can discover combinations that basic Greedy misses.

Because checking every possible combination would be expensive, the algorithm limits the candidates to the top-ranked unselected packages.

3.7 Adaptive Strategy

The algorithm changes its optimization effort according to the input size.

Small Input

For:

$n \leq 1,000$ more local-swap iterations can be performed.

Medium Input

For:

$1,000 < n \leq 10,000$ a moderate number of candidate

swaps is evaluated.

Large Input

For:

$n > 10,000$ only the highest-potential candidate packages are considered for local

improvement.

This prevents the optimization stage from becoming computationally expensive.

3.8 Developed Algorithm Pseudocode

Algorithm PAAG_LSO(packages, W, V)

Input:

packages

W = weight capacity

V = volume capacity

Output:

Optimized package allocation

Step 1: Preprocess packages

Remove records with missing or invalid weight,
volume or value.

Calculate:

volume priority
urgency
normalized weight
normalized volume

Step 2: Calculate package benefit

For each package:

benefit =
value $\times$
 $(1 + \alpha \times \text{priority} + \beta \times \text{urgency})$

Step 3: Calculate resource cost

```
resource_cost =  
     $\lambda \times (\text{weight} / W)$   
    +  
     $(1-\lambda) \times (\text{volume} / V)$ 
```

Step 4: Calculate score

```
score = benefit / resource_cost
```

Step 5: Sort packages by descending score

Step 6: Construct initial solution

```
selected = empty
```

for each package in sorted list:

```
    if package fits remaining  
    weight and volume:
```

```
        select package
```

Step 7: Local improvement

repeat until maximum iterations:

```
    identify selected package with  
    low contribution
```

```
    identify high-score unselected package
```

```
    test replacement
```

```
    if replacement is feasible  
    and improves total benefit:
```

```
        perform replacement
```

Step 8: Check feasibility

Ensure:

```
total_weight <= W
```

```
total_volume <= V
```

Step 9: Calculate final metrics

total value
selected count
weight utilization
volume utilization

Return final solution

3.9 Architecture

3.10 Parameter Selection The important parameters are:

Parameter	Meaning	Initial Value
α	Priority importance	0.30
β	Deadline urgency importance	0.20
λ	Weight vs volume importance	0.50
Swap iterations	Local search iterations	50–200
Candidate pool	Top unselected candidates	100–500

The values are not treated as fixed universal values. They are initial experimental values and can be tuned using validation experiments.

3.11 Complexity of Developed Algorithm

Data preprocessing:

$O(n)$

Score calculation:

$O(n)$

Sorting:

$O(n \log n)$

Greedy construction:

$O(n)$

Local improvement:

$O(km)$ where:

- k = number of iterations
- m = candidate packages evaluated per iteration

Therefore:

$$T(n) = O(n \log n + km)$$

Since k and m are bounded parameters, the practical behavior is close to:

$O(n \log n)$ for large datasets.

Memory requirement:

$O(n)$

This makes the proposed algorithm more suitable for large-scale datasets than the exact two-dimensional DP formulation.

3.12 Design Justification

The proposed algorithm was selected because it addresses the major weaknesses of the baseline methods.

Problem	DP	Greedy	Proposed
High execution time	Poor	Good	Good
High memory	Poor	Good	Good
Optimality	Excellent for modeled DP	Not guaranteed	Improved
Priority handling	Requires modification	Requires modification	Built-in
Deadline awareness	Requires modification	Requires modification	Built-in
Scalability	Limited	Excellent	Excellent
Local improvement	No	No	Yes

The proposed method therefore attempts to achieve a better time-quality trade-off.

4. Use of Modern Tools

4.1 Programming Language

The algorithms were implemented using **C programming language**. C was selected because it provides efficient memory management, fast execution, and direct control over data structures, making it suitable for implementing and evaluating Dynamic Programming and Greedy algorithms for large-scale resource-allocation problems.

The following algorithms were implemented in C:

1. Dynamic Programming based package allocation.
2. Greedy based package allocation.

3. Priority-Aware Adaptive Greedy with Local Swap Optimization (PAAG-LSO).

4.2 Development Environment

The implementation was developed and executed using a **C programming environment/compiler**.

The program was compiled and executed to evaluate:

- Execution time.
 - Memory utilization.
 - Total selected package value.
 - Number of selected packages.
 - Weight utilization.
 - Volume utilization.
 - Solution quality.
 - Scalability.
 -
-

5. Results and Validation

5.1 Evaluation Metrics

The algorithms are evaluated using:

1. Execution Time

Time required to produce the solution.

Measured using:

`time.perf_counter()`

2. Memory Utilization

Peak memory required during execution.

Measured using:

`tracemalloc`

3. Total Solution Value

Total value of selected packages:

Total Value = $\sum \text{Value}_i$

4. Capacity Utilization

Weight utilization:

Weight Utilization (%)

= Total Selected Weight / Vehicle Capacity $\times$ 100

Volume utilization:

Volume Utilization (%)

= Total Selected Volume / Vehicle Volume Capacity $\times$ 100

5. Number of Selected Packages

The total number of packages included in the final solution.

6. Feasibility

A solution is feasible if:

Total Weight $\leq$ Weight Capacity and

Total Volume $\leq$ Volume Capacity

7. Optimality Gap

For instances where exact DP can be executed:

Optimality Gap (%) =


$$\frac{(\text{Optimal Value} - \text{Algorithm Value})}{\text{Optimal Value}} \times 100$$

For large instances where exact DP cannot be executed, the best feasible solution obtained from the strongest available reference method can be used as a practical reference, but this must be clearly identified as a reference gap rather than a proven optimality gap.

5. Architecture diagram

ARCHITECTURE DIAGRAM

Large-Scale Package Allocation Optimization System



5.Source code

```
Project Classes Debug Untitled1.cpp

49 {
50     print("Pkg Weight=5d kg Volume=5d L Value=8s.5d Priority=",
51           p[i].id,
52           p[i].weight,
53           p[i].volume,
54           p[i].value);
55
56     printPriority(p[i].priority);
57
58     print("\n");
59
60     totalWeight += p[i].weight;
61     totalVolume += p[i].volume;
62     totalValue += p[i].value;
63     count++;
64 }
65
66
67 print("\nTotal Packages : %d", count);
68 print("\nTotal Weight : %d kg", totalWeight);
69 print("\nTotal Volume : %d L", totalVolume);
70 print("\nTotal Value : %s.5d", totalValue);
71
72 print("\nWeight Utilization : %.2f%%",
73       (totalWeight * 100.0) / weightCap);
74
75 print("\nVolume Utilization : %.2f%%",
76       (totalVolume * 100.0) / volumeCap);
77
78 print("\n");
79
80
81 /* =====
82  DYNAMIC PROGRAMMING
83  ===== */
84
85 void dynamicProgramming(Package p[], int n,
86                         int capacity, int selected[])
87 {
88     int dp[MAX_PACKAGES + 1][MAX_CAPACITY + 1];
89     int i, w;
90
91     for (i = 0; i <= n; i++)
92     {
93         for (w = 0; w <= capacity; w++)
94         {
95             dp[i][w] = 0;
96         }
97     }
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
26
```

6. Output

NAVIGATION

Dashboard

Packages

Vehicles

Optimization

ANALYSIS

Performance

Reports

Optimization Engine
DP • Greedy • Hybrid

Logistics Resource Allocation

Intelligent package selection and vehicle optimization

System Ready

Total Packages
11

Best Delivery Value
₹1550

Weight Used
243 kg

Capacity Utilization
97.2%

Vehicle Configuration

Define transportation constraints

Vehicle Weight Capacity

500 kg

Operational Condition

Capacity Constrained

Package Management

Add packages to the optimization dataset

Package Weight (kg)

Example: 25

Delivery Value (₹)

Example: 500

NAVIGATION

Dashboard

Packages

Vehicles

Optimization

ANALYSIS

Performance

Reports

Optimization Engine
DP • Greedy • Hybrid

Package Management

Add packages to the optimization dataset

Package Weight (kg)

Example: 25

Delivery Value (₹)

Example: 500

Priority

Medium Priority

+ Add Package

Load Sample Dataset

Clear Dataset

Package added successfully.

Optimization Algorithms

Select an algorithm to allocate packages

Dynamic Programming
Optimal solution using 0/1 Knapsack

Greedy Algorithm
Fast selection using value efficiency

Hybrid Algorithm
Greedy selection with local improvement

Compare All Algorithms

NAVIGATION

Dashboard

Packages

Vehicles

Optimization

ANALYSIS

Performance

Reports

Optimization Engine
DP • Greedy • Hybrid

Optimization Result

Hybrid optimization completed

Algorithm
Hybrid

Packages Selected
7

Total Weight
245 kg

Total Value
₹2000


Execution Time
0.1000 ms

Vehicle Capacity Utilization
98.0%

Selected Packages

Packages chosen for transportation

PACKAGE	WEIGHT	VALUE	PRIORITY
P9	15 kg	₹120	High
P12	90 kg	₹1000	Medium
P7	25 kg	₹180	High
P4	50 kg	₹300	High
P5	10 kg	₹80	Medium
P8	35 kg	₹220	Medium



7. Advantages of the Proposed Solution

The developed PAAG-LSO method provides several advantages:

1. Considers both weight and volume.
2. Includes package value.
3. Considers delivery priority.
4. Considers deadline urgency.
5. Uses resource-aware density.
6. Produces a feasible solution.
7. Uses local search to correct poor Greedy decisions.
8. Requires substantially less memory than multidimensional DP.
9. Can process large datasets.
10. Provides a practical balance between speed and solution quality.

8. Limitations of Proposed Solution

The proposed method does not guarantee global optimality.

Other limitations include:

1. Performance depends on parameter selection.
2. Local search may reach a local optimum.
3. Priority is derived rather than directly supplied.
4. Package volume is estimated from product dimensions.
5. Vehicle routing is not included.
6. Multiple vehicle interactions are not modeled.

7. Traffic and real-time delivery conditions are not considered.
 8. Exact optimality cannot be guaranteed for very large instances.
-

9. Relationship to SDG 9

The developed solution is related to:

SDG 9 – Industry, Innovation and Infrastructure

SDG 9 promotes resilient infrastructure, sustainable industrialization and innovation.

The proposed algorithm contributes to SDG 9 by:

1. Improving logistics infrastructure utilization.
2. Supporting intelligent transportation planning.
3. Reducing computational resource wastage.
4. Encouraging algorithm-based operational decision making.
5. Improving scalability of logistics systems.
6. Supporting digital transformation of transportation operations.
7. Enabling data-driven resource optimization.

By combining optimization algorithms with real-world logistics data, the project demonstrates how computational intelligence can improve infrastructure efficiency.

10. Conclusion

This project addressed the large-scale logistics resource-allocation problem in which a transportation vehicle has limited weight and volume capacities and must select packages that maximize delivery benefit.

The Brazilian E-Commerce Public Dataset by Olist was selected because it provides approximately 100,000 real commercial orders and contains product dimensions, weights, prices and delivery-related timestamps suitable for deriving logistics attributes.

Two baseline algorithms were developed.

The first baseline was Dynamic Programming, formulated as a two-dimensional 0/1 knapsack problem. It provides high-quality solutions for manageable instances but requires substantial computational resources as capacity and problem size increase.

The second baseline was a Greedy algorithm based on value-resource density. It provides very fast solutions and requires low memory but does not guarantee optimality.

To overcome the limitations of the baselines, a Priority-Aware Adaptive Greedy with Local Swap Optimization (PAAG-LSO) algorithm was developed.

The developed algorithm combines:

- Delivery value.
- Package priority.
- Deadline urgency.
- Weight consumption.
- Volume consumption.
- Greedy construction.
- Local swap optimization.

The expected experimental analysis demonstrates that DP is more suitable for small and medium instances where high solution quality is important, while Greedy is suitable for very large instances where rapid decisions are required.

The developed algorithm is intended to provide a practical middle ground by maintaining scalability while improving solution quality over simple Greedy selection.

The final engineering decision should be based on the actual measured execution time, memory usage, total value, capacity utilization and optimality gap obtained from the experiments.

Future improvements can include:

- Multi-vehicle optimization.
 - Vehicle routing.
 - Real-time traffic information.
 - Fuel-cost optimization.
 - Machine-learning-based demand prediction.
 - More sophisticated metaheuristic optimization.
 - Parallel and GPU-based optimization. • Dynamic online package allocation.
-

10. Student Reflection

Question 1: What did you learn from developing an improved solution beyond implementing the standard Dynamic Programming and Greedy algorithms?

I learned that implementing a standard algorithm is only the first step in solving a real-world optimization problem. Dynamic Programming can provide high-quality solutions, but its computational requirements can become very large when the input size and capacity dimensions increase. Greedy algorithms are much faster, but they can make locally optimal decisions that may not produce the best overall solution.

By developing the PAAG-LSO algorithm, I learned how existing algorithmic concepts can be combined and modified according to the characteristics of a practical problem. I learned how to design a scoring function using package value, priority, deadline urgency and resource consumption. I also learned how local search can improve an initial Greedy solution without exploring the complete solution space.

Question 2: What computational or solution-quality limitations did you identify, and how did your developed approach address them?

The main limitation identified in Dynamic Programming was its large time and memory requirement for a multidimensional capacity problem. The main limitation of Greedy was that it does not guarantee an optimal solution because it does not reconsider previous decisions.

The developed solution addresses these limitations by using Greedy selection to quickly construct a feasible solution and then applying bounded local-swap optimization to improve the result. This reduces computational requirements compared with complete DP while improving the solution quality compared with basic Greedy selection.

Question 3: If additional computational resources or time were available, how would you further improve your solution and why?

If additional computational resources were available, I would investigate more advanced metaheuristic and hybrid optimization techniques such as Genetic Algorithms, Simulated Annealing and Large Neighborhood Search.

I would also extend the model from single-vehicle package selection to multi-vehicle routing and scheduling. Real-time traffic information and fuel consumption could also be incorporated.

Parallel processing could be used to evaluate multiple candidate solutions simultaneously. These improvements could produce better solutions for highly complex logistics environments.

Question 4: How can the developed solution contribute to SDG 9 – Industry, Innovation and Infrastructure?

The developed solution contributes to SDG 9 by improving the efficiency of transportation and logistics infrastructure through algorithmic resource optimization.

By selecting packages according to value, priority, urgency, weight and volume, the system can improve vehicle utilization and reduce computational and transportation resource wastage.

The project demonstrates how data-driven algorithms and computational optimization can support intelligent infrastructure management and digital innovation in logistics.

F. Assessment Rubric

Criteria	Max Marks	Excellent	Good	Satisfactory	Needs Improvement
Problem Understanding & Algorithmic Formulation	10	Clearly identifies the problem, requirements, inputs, outputs, constraints and computational challenges and formulates them appropriately for solution development.	Problem and major requirements are correctly formulated with minor gaps.	Basic formulation is provided, but requirements or constraints are partially identified.	Problem is poorly understood or inadequately formulated.
Algorithmic Solution Design	15	Designs a clear, logical and feasible solution strategy with appropriate algorithmic techniques, pseudocode/flowchart and well-justified design decisions.	Appropriate solution design with minor gaps in logic, representation or justification.	Basic solution design is presented but lacks completeness or clear justification.	Solution design is inappropriate, incomplete or unclear.
Development / Adaptation / Optimization of Algorithmic Solution	20	Develops a meaningful algorithmic solution through integration, adaptation, modification, hybridization or optimization of suitable techniques; demonstrates clear improvement or suitability for the identified problem.	Develops an appropriate solution with meaningful adaptation or improvement, with minor limitations.	Solution demonstrates limited adaptation or development beyond standard implementation.	Merely reproduces an existing algorithm with little or no meaningful development or adaptation.
Implementation & Modern Tool Usage	15	Developed solution is correctly and efficiently implemented using appropriate programming/computational tools and handles relevant input conditions reliably.	Implementation is functional with minor logical or efficiency issues.	Core implementation works but contains limitations or incomplete functionality.	Implementation is incomplete, unreliable or non-functional.
Efficiency, Testing & Validation	15	Performs appropriate complexity evaluation and systematic testing	Complexity evaluation and testing	Basic testing and efficiency evaluation are	Testing, complexity evaluation or
		using suitable data/input sizes; validates correctness, efficiency and scalability with clear evidence.	are mostly appropriate with minor gaps.	provided but lack sufficient validation.	validation is inadequate or substantially incorrect.

Performance Improvement, Comparison & Final Decision	15	Demonstrates the effectiveness of the developed solution through appropriate comparison; critically evaluates performance, limitations and trade-offs and justifies the final algorithmic decision with evidence.	Good performance comparison and justification with minor limitations.	Basic comparison is provided, but improvement or final justification lacks depth.	Improvement is not demonstrated or the final algorithmic decision is unsupported.
Reflection: Algorithmic Design Decisions, SDG Relevance & Learning Outcomes	10	Thoughtful justification of algorithmic design and development decisions; clear connection to relevant SDG(s); specific reflection on computational challenges, performance improvements, trade-offs, and learning gained.	Appropriate justification of algorithmic decisions; SDG relevance, challenges, improvements, and learning are discussed but lack depth.	Reflection is present but generic; limited justification of algorithmic decisions, improvements, SDG relevance, or learning outcomes.	No genuine reflection is provided, or the reflection lacks meaningful connection to algorithm development, SDG relevance, challenges, or learning outcomes.
Total	100				

G. CO–PO–Assessment Mapping

Assessment Component	CO	PO(s)	Bloom's Level	Marks
Problem Understanding & Algorithmic Formulation	CO4	PO1, PO2	L4	10
Algorithmic Solution Design	CO4	PO2, PO3	L4, L6	15
Development / Adaptation / Optimization of Algorithmic Solution	CO4	PO2, PO3	L5, L6	20
Implementation & Modern Tool Usage	CO4	PO3, PO5	L4, L6	15
Efficiency, Testing & Validation	CO4	PO2, PO4	L4, L5	15
Performance Improvement, Comparison & Final Decision	CO4	PO2, PO4	L4, L5	15
Reflection: Algorithmic Design Decisions, SDG Relevance & Learning Outcomes	CO4	PO7, PO10, PO12	L4, L5	10

H. Faculty Evaluation & Continuous Improvement CO Attainment

Performance Level	Criterion
Level 3	$\geq 70\%$
Level 2	60–69%
Level 1	50–59%
Level 0	$< 50\%$

Target CO Attainment: _____

Actual CO Attainment: _____

Faculty Analysis

Areas in which students performed well:

Areas requiring improvement:

Corrective / Improvement Action: