



```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>SkyBook - Flight Reservation System</title>

<style>
*{box-sizing:border-box;margin:0;padding:0;font-family:Arial,sans-serif}
body{background:#f1f5f9;color:#1e293b}
header{background:#102e59;color:white;padding:20px 6%;display:flex;
justify-content:space-between;align-items:center;flex-wrap:wrap;gap:10px}
header h1{font-size:26px}
nav{display:flex;justify-content:center;flex-wrap:wrap;gap:7px;
background:white;padding:12px;box-shadow:0 2px 5px #ddd}
button{background:#1769aa;color:white;border:0;padding:10px 15px;
border-radius:5px;cursor:pointer;margin:3px}
```

```
button:hover{background:#104b7b}
nav button{background:#e7eef7;color:#123b68}
.container{width:94%;max-width:1100px;margin:25px auto}
.hero{background:linear-gradient(120deg,#102e59,#168aad);
color:white;padding:35px 25px;border-radius:12px;margin-bottom:20px}
.panel{background:white;padding:22px;border-radius:10px;
margin-bottom:20px;box-shadow:0 2px 8px #dbe3ed}
h2{margin-bottom:18px;color:#123b68}
h3{margin:12px 0}
label{display:block;font-weight:bold;font-size:14px;margin-bottom:6px}
input,select,textarea{width:100%;padding:11px;margin-bottom:14px;
border:1px solid #cbd5e1;border-radius:5px;background:white}
textarea{min-height:90px;resize:vertical}
.grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(200px,1fr));gap:12px}
.hidden{display:none!important}
.card{border:1px solid #d6e0eb;padding:17px;border-radius:8px;margin:12px 0}
.card h3{color:#1769aa}
.info{background:#e0f2fe;color:#075985;padding:12px;
border-radius:5px;margin:12px 0;line-height:1.8}
.green{background:#218838}
.red{background:#c62828}
table{width:100%;border-collapse:collapse;margin-top:12px}
th,td{padding:10px;border:1px solid #ddd;text-align:left}
th{background:#eaf1f8}
.table-wrap{overflow-x:auto}
.seats{display:grid;grid-template-columns:repeat(4,45px);
gap:10px;margin:15px 0}
.seat{padding:10px 0;text-align:center;background:#d1fae5;
color:#065f46;border-radius:5px;cursor:pointer}
.seat.taken{background:#fecaca;color:#991b1b;cursor:not-allowed}
.seat.selected{background:#1769aa;color:white}
```

```
footer{text-align:center;background:#102e59;color:white;padding:18px}
@media(max-width:600px){
 header{justify-content:center;text-align:center}
 .panel{padding:15px}
 .hero{padding:25px 18px}
}
@media print{
 header,nav,footer,.no-print{display:none!important}
 body{background:white}
 .container{width:100%;margin:0}
 .panel{box-shadow:none}
}
</style>
</head>

<body>

<header>
<h1>✈ SkyBook</h1>
<span id="welcome">Welcome, Guest</span>
</header>

<nav>
<button onclick="show('home')">Home</button>
<button onclick="show('register')">Register</button>
<button onclick="show('login')">User Login</button>
<button onclick="show('forgot')">Forgot Password</button>
<button onclick="show('search')">Search Flights</button>
<button onclick="show('tickets')">My Tickets</button>
<button onclick="show('status')">Booking Status</button>
<button onclick="show('cancel')">Cancel Ticket</button>
```

<button onclick="show('feedback')">Feedback</button>

<button onclick="show('adminLogin')">Admin</button>

</nav>

<!-- HOME -->

<section id="home">

<h2 style="color:white">Explore the World with SkyBook</h2>

Search flights, choose your seats and manage your journeys easily.

<button onclick="show('search')">Search Flights</button>

<h2>Our Services</h2>

<h3>✈ Flight Search</h3> Find flights by destination and date.

<h3> 💺 Seat Selection</h3> Choose your preferred available seat.

<h3> 🎫 E-Ticket</h3> View and print your ticket.

<h3> 💳 Easy Payment</h3> Complete a simulated payment.

</section>

<!-- REGISTER -->

<section id="register" class="panel hidden">

<h2>Customer Registration</h2>

<form onsubmit="register(event)">

<label>Full Name</label><input id="regName" required>

```
<label>Email</label><input id="regEmail" type="email" required>
<label>Password</label><input id="regPass" type="password" minlength="4" required>
<label>Phone Number</label><input id="regPhone" type="tel" required>
<button type="submit">Create Account</button>
</form>
<div id="regMsg"></div>
</section>

<!-- USER LOGIN -->
<section id="login" class="panel hidden">
<h2>User Login</h2>
<form onsubmit="login(event)">
<label>Email</label><input id="loginEmail" type="email" required>
<label>Password</label><input id="loginPass" type="password" required>
<button type="submit">Login</button>
</form>
<div id="loginMsg"></div>
</section>

<!-- FORGOT PASSWORD -->
<section id="forgot" class="panel hidden">
<h2>Forgot Password</h2>
<p class="info">Enter your registered email and create a new demo password.</p>
<form onsubmit="resetPassword(event)">
<label>Registered Email</label><input id="forgotEmail" type="email" required>
<label>New Password</label><input id="newPass" type="password" minlength="4" required>
<button type="submit">Reset Password</button>
</form>
<div id="forgotMsg"></div>
</section>
```

```
<!-- SEARCH FLIGHTS -->
<section id="search" class="panel hidden">
<h2>Search Flights</h2>
<form onsubmit="searchFlights(event)">
<div class="grid">
<div><label>From</label>
<select id="from" required>
<option value="">Select origin</option>
<option>Chennai</option><option>Bengaluru</option>
<option>Delhi</option><option>Mumbai</option>
<option>Hyderabad</option><option>Kochi</option>
</select></div>
<div><label>To</label>
<select id="to" required>
<option value="">Select destination</option>
<option>Chennai</option><option>Bengaluru</option>
<option>Delhi</option><option>Mumbai</option>
<option>Hyderabad</option><option>Kochi</option>
</select></div>
<div><label>Travel Date</label><input id="date" type="date" required></div>
<div><label>Class</label>
<select id="travelClass">
<option>Economy</option><option>Business</option><option>First Class</option>
</select></div>
<div><label>Passengers</label>
<input id="passengers" type="number" min="1" max="6" value="1" required></div>
</div>
<button type="submit">Find Flights</button>
</form>
<div id="flightResults"></div>
</section>
```

```
<!-- BOOKING -->
<section id="booking" class="panel hidden">
<h2>Book Your Flight</h2>
<div id="flightInfo" class="info"></div>
<h3>Select Seats</h3>
<p>Green = Available | Blue = Selected | Red = Occupied</p>
<div id="seatMap" class="seats"></div>
<p id="seatInfo" class="info"></p>
<form onsubmit="goPayment(event)">
<div class="grid">
<div><label>Passenger Name</label><input id="pName" required></div>
<div><label>Age</label><input id="pAge" type="number" min="1" max="120" required></div>
<div><label>Gender</label>
<select id="pGender" required><option value="">Select</option>
<option>Male</option><option>Female</option><option>Other</option></select></div>
<div><label>Contact Email</label><input id="pEmail" type="email" required></div>
</div>
<button type="submit">Continue to Payment</button>
</form>
</section>

<!-- PAYMENT -->
<section id="payment" class="panel hidden">
<h2>Ticket Payment</h2>
<div id="paymentInfo" class="info"></div>
<form onsubmit="pay(event)">
<label>Payment Method</label>
<select id="payMethod">
<option>UPI Demo</option><option>Credit/Debit Card Demo</option>
<option>Net Banking Demo</option>
```

```
</select>
<label>Demo Transaction Reference</label>
<input id="transaction" placeholder="Enter demo reference" required>
<p class="info">Demo only. No real payment will be charged.</p>
<button type="submit">Pay and Confirm Booking</button>
</form>
</section>

<!-- TICKET -->
<section id="ticket" class="panel hidden">
<div id="ticketDetails"></div>
<br>
<button class="no-print" onclick="window.print()">Print E-Ticket</button>
<button class="no-print" onclick="show('tickets')">My Tickets</button>
</section>

<!-- MY TICKETS -->
<section id="tickets" class="panel hidden">
<h2>My Tickets / Booking History</h2>
<div id="myTickets"></div>
</section>

<!-- BOOKING STATUS -->
<section id="status" class="panel hidden">
<h2>View Booking Status</h2>
<label>Booking Reference (PNR)</label>
<input id="statusPNR" placeholder="Enter PNR">
<button onclick="checkStatus()">Check Status</button>
<div id="statusResult"></div>
</section>
```

```
<!-- CANCEL -->
<section id="cancel" class="panel hidden">
<h2>Cancel Ticket</h2>
<label>Enter PNR</label>
<input id="cancelPNR" placeholder="Enter booking reference">
<button class="red" onclick="cancelBooking()">Cancel Booking</button>
<div id="cancelResult"></div>
</section>

<!-- FEEDBACK -->
<section id="feedback" class="panel hidden">
<h2>Customer Feedback</h2>
<form onsubmit="submitFeedback(event)">
<label>Name</label><input id="fbName" required>
<label>Email</label><input id="fbEmail" type="email" required>
<label>Rating</label>
<select id="rating"><option>5 - Excellent</option><option>4 - Very Good</option>
<option>3 - Good</option><option>2 - Average</option><option>1 - Poor</option></select>
<label>Comments</label><textarea id="comments" required></textarea>
<button type="submit">Submit Feedback</button>
</form>
<div id="fbMsg"></div>
</section>

<!-- ADMIN LOGIN -->
<section id="adminLogin" class="panel hidden">
<h2>Administrator Login</h2>
<p class="info">Demo credentials: admin@skybook.com / admin123</p>
<form onsubmit="adminLogin(event)">
<label>Admin Email</label><input id="adminEmail" type="email" required>
<label>Password</label><input id="adminPass" type="password" required>
```

<button type="submit">Login as Admin</button>

</form>

</section>

<!-- ADMIN DASHBOARD -->

<section id="admin" class="panel hidden">

<h2>Admin Dashboard and Reports</h2>

<h3>Add New Flight</h3>

<form onsubmit="addFlight(event)">

<label>Flight Number</label><input id="fNumber" required>

<label>Airline</label><input id="fAirline" required>

<label>Origin</label><input id="fFrom" required>

<label>Destination</label><input id="fTo" required>

<label>Departure</label><input id="fDeparture" type="time" required>

<label>Arrival</label><input id="fArrival" type="time" required>

<label>Fare (₹)</label><input id="fFare" type="number" min="1" required>

<label>Available Seats</label><input id="fSeats" type="number" min="1" max="60" required>

<button type="submit">Add Flight</button>

</form>

<h3>Flight Inventory</h3>

<h3>Booking Report</h3>

<h3>Customer Feedback Report</h3>

<button onclick="logoutAdmin()">Admin Logout</button>

</section>

```
</div>

<footer>
<p>© 2026 SkyBook | Online Flight Reservation System</p>
<p style="margin-top:6px">Internet Programming Lab Experiment</p>
</footer>

<script>
const initialFlights=[
{id:1,number:"SB101",airline:"Sky Airways",from:"Chennai",to:"Delhi",departure:"06:00",arrival:"09:00",fare:4500,seats:40},
{id:2,number:"SB202",airline:"Air Connect",from:"Chennai",to:"Mumbai",departure:"10:00",arrival:"12:00",fare:3500,seats:35},
{id:3,number:"SB303",airline:"Sky Airways",from:"Bengaluru",to:"Chennai",departure:"14:00",arrival:"15:00",fare:2200,seats:30},
{id:4,number:"SB404",airline:"Air Connect",from:"Delhi",to:"Mumbai",departure:"17:00",arrival:"19:00",fare:4000,seats:32},
{id:5,number:"SB505",airline:"Sky Airways",from:"Chennai",to:"Hyderabad",departure:"08:00",arrival:"09:15",fare:2500,seats:25},
{id:6,number:"SB606",airline:"Air Connect",from:"Chennai",to:"Kochi",departure:"11:00",arrival:"12:15",fare:2800,seats:28}
];

function load(key,fallback){
 try{return JSON.parse(localStorage.getItem(key)) ?? fallback}
 catch{return fallback}
}
let flights=load("skyFlights",initialFlights);
let users=load("skyUsers",[]);
let bookings=load("skyBookings",[]);
let feedback=load("skyFeedback",[]);
let currentUser=null;
```

```
let admin=false;
let chosenFlight=null;
let chosenDate="";
let chosenClass="Economy";
let chosenSeats=[];
let passengerCount=1;

function save(){
 localStorage.setItem("skyFlights",JSON.stringify(flights));
 localStorage.setItem("skyUsers",JSON.stringify(users));
 localStorage.setItem("skyBookings",JSON.stringify(bookings));
 localStorage.setItem("skyFeedback",JSON.stringify(feedback));
}
function esc(v){
 return
String(v??"").replace(/[&<>"']/g,c=>({"&":"&amp;","<":"&lt;",">":"&gt;","'":"&quot;","'":"&#39;"}[c]));
}
function today(){
 let d=new Date();d.setMinutes(d.getMinutes()-d.getTimezoneOffset());
 return d.toISOString().slice(0,10);
}
document.getElementById("date").min=today();
document.getElementById("date").value=today();

function show(id){
 document.querySelectorAll(".container>section").forEach(s=>s.classList.add("hidden"));
 document.getElementById(id).classList.remove("hidden");
 if(id==="tickets")renderTickets();
 if(id==="admin"&&admin)renderAdmin();
}
function register(e){
```

```
 e.preventDefault();
 let email=document.getElementById("regEmail").value.trim().toLowerCase();
 if(users.some(u=>u.email===email)){
  document.getElementById("regMsg").innerHTML='<p class="info">Email already registered.</p>';return;
 }
 users.push({
 name:document.getElementById("regName").value.trim(),
 email,password:document.getElementById("regPass").value,
 phone:document.getElementById("regPhone").value
 });
 save();e.target.reset();
 document.getElementById("regMsg").innerHTML='<p class="info">Registration successful. Please log in.</p>';
}
function login(e){
 e.preventDefault();
 let email=document.getElementById("loginEmail").value.trim().toLowerCase();
 let password=document.getElementById("loginPass").value;
 let u=users.find(x=>x.email===email&&x.password===password);
 if(!u){document.getElementById("loginMsg").innerHTML='<p class="info">Invalid login details.</p>';return;}
 currentUser=u;
 document.getElementById("welcome").textContent="Welcome, "+u.name;
 document.getElementById("loginMsg").innerHTML='<p class="info">Login successful.</p>';
}
function resetPassword(e){
 e.preventDefault();
 let email=document.getElementById("forgotEmail").value.trim().toLowerCase();
 let u=users.find(x=>x.email===email);
 if(!u){document.getElementById("forgotMsg").innerHTML='<p class="info">Email not registered.</p>';return;}
```

```
 u.password=document.getElementById("newPass").value;
 save();
 document.getElementById("forgotMsg").innerHTML='<p class="info">Demo password updated. Please log in.</p>';
 e.target.reset();
}
function fareFor(f){
 let m={"Economy":1,"Business":2.5,"First Class":4};
 return Math.round(f.fare*m[chosenClass]);
}
function searchFlights(e){
 e.preventDefault();
 if(!currentUser){alert("Please register and log in first.");show("login");return;}
 let from=document.getElementById("from").value;
 let to=document.getElementById("to").value;
 chosenDate=document.getElementById("date").value;
 chosenClass=document.getElementById("travelClass").value;
 passengerCount=Number(document.getElementById("passengers").value);
 if(from===to){alert("Origin and destination must differ.");return;}
 if(chosenDate<today()){alert("Select a future date.");return;}
 let found=flights.filter(f=>f.from.toLowerCase()===from.toLowerCase()&&
 f.to.toLowerCase()===to.toLowerCase()&&f.seats>=passengerCount);
 let box=document.getElementById("flightResults");
 if(!found.length){box.innerHTML='<p class="info">No matching flights with sufficient seats in this demo.</p>';return;}
 box.innerHTML=found.map(f=>`
 <div class="card">
 <h3>${esc(f.airline)} — ${esc(f.number)}</h3>
 <p>${esc(f.from)} (${esc(f.departure)}) → ${esc(f.to)} (${esc(f.arrival)})</p>
 <p>Class: ${esc(chosenClass)} | Available seats: ${f.seats}</p>
 <p>Fare per passenger: ₹${fareFor(f)}</p>
 <button onclick="selectFlight(${f.id})">Select Flight</button>
```

```
</div>`).join("");
}
function selectFlight(id){
 chosenFlight=flights.find(f=>f.id===id);
 chosenSeats=[];
 document.getElementById("flightInfo").innerHTML=
 `<b>${esc(chosenFlight.airline)} (${esc(chosenFlight.number)})</b><br>
 ${esc(chosenFlight.from)} → ${esc(chosenFlight.to)}<br>
 Date: ${esc(chosenDate)} | Class: ${esc(chosenClass)}<br>
 Passengers: ${passengerCount} | Total: ₹${fareFor(chosenFlight)*passengerCount}`;
 renderSeats();
 document.getElementById("pEmail").value=currentUser.email;
 show("booking");
}
function renderSeats(){
 let occupied=bookings.filter(b=>b.flightId===chosenFlight.id&&
 b.date===chosenDate&&b.status==="CONFIRMED").flatMap(b=>b.seats);
 let box=document.getElementById("seatMap");
 box.innerHTML="";
 for(let i=1;i<=40;i++){
  let seat="S"+i;
  let taken=occupied.includes(seat);
  let div=document.createElement("div");
  div.className="seat"+(taken?" taken":"")+(chosenSeats.includes(seat)?" selected":"");
  div.textContent=seat;
  if(!taken)div.onclick=()=>{
   if(chosenSeats.includes(seat))chosenSeats=chosenSeats.filter(s=>s!==seat);
   else if(chosenSeats.length<passengerCount)chosenSeats.push(seat);
   else alert("You can select only "+passengerCount+" seats.");
   renderSeats();
  };
```

```
 box.appendChild(div);
 }
 document.getElementById("seatInfo").textContent=
 "Selected seats: "+(chosenSeats.join(", ")||"None")+
 " | Select "+passengerCount+" seat(s).";
}
function goPayment(e){
 e.preventDefault();
 if(!currentUser||!chosenFlight){alert("Please select a flight.");return;}
 if(chosenSeats.length!==passengerCount){alert("Please select all required seats.");return;}
 if(!document.getElementById("pEmail").value.trim()){
  alert("Enter contact email.");return;
 }
 document.getElementById("paymentInfo").textContent=
 "Flight: "+chosenFlight.number+" | Seats: "+chosenSeats.join(", ")+
 " | Total fare: ₹"+fareFor(chosenFlight)*passengerCount;
 show("payment");
}
function pay(e){
 e.preventDefault();
 if(!currentUser||!chosenFlight)return;
 let flight=flights.find(f=>f.id===chosenFlight.id);
 let occupied=bookings.filter(b=>b.flightId===flight.id&&
 b.date===chosenDate&&b.status==="CONFIRMED").flatMap(b=>b.seats);
 if(!flight||flight.seats<passengerCount||
 chosenSeats.some(s=>occupied.includes(s))){
  alert("Seats have changed. Please search again.");show("search");return;
 }
 let booking={
 pnr:"SKY"+Date.now().toString().slice(-8),
 userEmail:currentUser.email,
```

```
passenger:document.getElementById("pName").value.trim(),
age:document.getElementById("pAge").value,
gender:document.getElementById("pGender").value,
contactEmail:document.getElementById("pEmail").value.trim(),
flightId:flight.id,number:flight.number,airline:flight.airline,
from:flight.from,to:flight.to,date:chosenDate,class:chosenClass,
seats:[...chosenSeats],count:passengerCount,
fare:fareFor(flight)*passengerCount,
paymentMethod:document.getElementById("payMethod").value,
transaction:document.getElementById("transaction").value.trim(),
paymentStatus:"Demo Payment Successful",status:"CONFIRMED"
};
flight.seats-=passengerCount;
bookings.push(booking);save();
showTicket(booking);show("ticket");
}
function showTicket(b){
document.getElementById("ticketDetails").innerHTML=`
<h2>✈ SkyBook E-Ticket</h2>
<p class="info">Booking confirmed! Save your PNR for future reference.</p>
<div class="card">
<h3>PNR: ${esc(b.pnr)}</h3>
<p><b>Passenger:</b> ${esc(b.passenger)}</p>
<p><b>Flight:</b> ${esc(b.airline)} (${esc(b.number)})</p>
<p><b>From:</b> ${esc(b.from)} → <b>To:</b> ${esc(b.to)}</p>
<p><b>Date:</b> ${esc(b.date)}</p>
<p><b>Class:</b> ${esc(b.class)}</p>
<p><b>Seats:</b> ${b.seats.map(esc).join(", ")}</p>
<p><b>Passengers:</b> ${b.count}</p>
<p><b>Total Fare:</b> ₹${b.fare}</p>
<p><b>Payment:</b> ${esc(b.paymentStatus)}</p>
```

```
 <p><b>Status:</b> ${esc(b.status)}</p>
 </div>`;
}
function renderTickets(){
 let box=document.getElementById("myTickets");
 if(!currentUser){box.innerHTML='<p class="info">Please log in to view tickets.</p>';return;}
 let list=bookings.filter(b=>b.userEmail===currentUser.email);
 if(!list.length){box.innerHTML="<p>No bookings found.</p>";return;}
 box.innerHTML=`<div class="table-wrap"><table>

<tr><th>PNR</th><th>Flight</th><th>Date</th><th>Fare</th><th>Status</th><th>Action</th>
</tr>
 ${list.map(b=>`<tr><td>${esc(b.pnr)}</td><td>${esc(b.number)}</td>
 <td>${esc(b.date)}</td><td>₹${b.fare}</td><td>${esc(b.status)}</td>
 <td><button onclick="printBooking('${b.pnr}')">View/Print</button></td></tr>`).join("")}
 </table></div>`;
}
function printBooking(pnr){
 let b=bookings.find(x=>x.pnr===pnr);
 if(!b||(!admin&&(!currentUser||b.userEmail!==currentUser.email))){
  alert("Booking not found or access denied.");return;
 }
 showTicket(b);show("ticket");
}
function checkStatus(){
 let pnr=document.getElementById("statusPNR").value.trim();
 let b=bookings.find(x=>x.pnr===pnr);
 let box=document.getElementById("statusResult");
 if(!b){box.innerHTML='<p class="info">Booking reference not found.</p>';return;}
 if(!admin&&(!currentUser||b.userEmail!==currentUser.email)){
  box.innerHTML='<p class="info">Log in to view your own booking status.</p>';return;
 }
```

```
 box.innerHTML=`<div class="info">PNR: ${esc(b.pnr)}<br>
 Flight: ${esc(b.number)}<br>Date: ${esc(b.date)}<br>
 Seat(s): ${b.seats.map(esc).join(", ")}<br>
 Booking Status: <b>${esc(b.status)}</b><br>
 Payment: ${esc(b.paymentStatus)}</div>`;
}
function cancelBooking(){
 let pnr=document.getElementById("cancelPNR").value.trim();
 let b=bookings.find(x=>x.pnr===pnr);
 let box=document.getElementById("cancelResult");
 if(!currentUser&&!admin){box.innerHTML='<p class="info">Please log in first.</p>';return;}
 if(!b||(!admin&&b.userEmail!==currentUser.email)){
  box.innerHTML='<p class="info">Booking not found or access denied.</p>';return;
 }
 if(b.status!=="CONFIRMED"){
  box.innerHTML='<p class="info">This booking is already cancelled or inactive.</p>';return;
 }
 if(!confirm("Cancel this booking?"))return;
 b.status="CANCELLED";
 b.refund=Math.round(b.fare*0.8);
 b.refundStatus="Pending admin processing";
 let flight=flights.find(f=>f.id===b.flightId);
 if(flight)flight.seats+=b.count;
 save();
 box.innerHTML=`<div class="info">Ticket cancelled successfully.<br>
 PNR: ${esc(b.pnr)}<br>Demo refund estimate: ₹${b.refund}<br>
 Refund status: Pending admin processing.</div>`;
}
function submitFeedback(e){
 e.preventDefault();
 feedback.push({
```

```
 name:document.getElementById("fbName").value.trim(),
 email:document.getElementById("fbEmail").value.trim(),
 rating:document.getElementById("rating").value,
 comments:document.getElementById("comments").value.trim()
 });
 save();e.target.reset();
 document.getElementById("fbMsg").innerHTML='<p class="info">Thank you for your feedback!</p>';
}
function adminLogin(e){
 e.preventDefault();
 if(document.getElementById("adminEmail").value==="admin@skybook.com"&&
 document.getElementById("adminPass").value==="admin123"){
  admin=true;renderAdmin();show("admin");
 }else{
  document.getElementById("adminMsg").innerHTML='<p class="info">Invalid admin credentials.</p>';
 }
}
function addFlight(e){
 e.preventDefault();if(!admin)return;
 flights.push({
 id:Date.now(),
 number:document.getElementById("fNumber").value.trim(),
 airline:document.getElementById("fAirline").value.trim(),
 from:document.getElementById("fFrom").value.trim(),
 to:document.getElementById("fTo").value.trim(),
 departure:document.getElementById("fDeparture").value,
 arrival:document.getElementById("fArrival").value,
 fare:Number(document.getElementById("fFare").value),
 seats:Number(document.getElementById("fSeats").value)
 });
```

```
 save();e.target.reset();renderAdmin();alert("Flight added.");
}
function deleteFlight(id){
 if(!admin)return;
 if(bookings.some(b=>b.flightId===id&&b.status==="CONFIRMED")){
  alert("Cannot delete a flight with active bookings.");return;
 }
 if(!confirm("Delete this flight?"))return;
 flights=flights.filter(f=>f.id!==id);save();renderAdmin();
}
function renderAdmin(){
 if(!admin)return;
 document.getElementById("reportCards").innerHTML=`
 <div class="card"><h3>Total Flights</h3><p>${flights.length}</p></div>
 <div class="card"><h3>Total Bookings</h3><p>${bookings.length}</p></div>
 <div class="card"><h3>Confirmed
Bookings</h3><p>${bookings.filter(b=>b.status==="CONFIRMED").length}</p></div>
 <div class="card"><h3>Feedback Entries</h3><p>${feedback.length}</p></div>`;
 document.getElementById("adminFlights").innerHTML=`<table>
 <tr><th>Flight</th><th>Route</th><th>Fare</th><th>Seats</th><th>Action</th></tr>
 ${flights.map(f=>`<tr><td>${esc(f.number)} - ${esc(f.airline)}</td>
 <td>${esc(f.from)} → ${esc(f.to)}</td><td>₹${f.fare}</td><td>${f.seats}</td>
 <td><button class="red" onclick="deleteFlight(${f.id})">Delete</button></td></tr>`).join("")}
 </table>`;
 document.getElementById("adminBookings").innerHTML=`<table>

<tr><th>PNR</th><th>Customer</th><th>Flight</th><th>Date</th><th>Fare</th><th>Status</
th><th>Refund</th></tr>
 ${bookings.map(b=>`<tr><td>${esc(b.pnr)}</td><td>${esc(b.passenger)}</td>
 <td>${esc(b.number)}</td><td>${esc(b.date)}</td><td>₹${b.fare}</td>
 <td>${esc(b.status)}</td><td>${b.refund===undefined?"-":"₹"+b.refund+"
("+esc(b.refundStatus)+")"}
```

```
${b.refund!==undefined&&b.refundStatus!=="Processed"?
`<button onclick="processRefund('${b.pnr}')">Process</button>`:""}</td></tr>`).join("")}
</table>`;
document.getElementById("adminFeedback").innerHTML=`<table>
<tr><th>Name</th><th>Email</th><th>Rating</th><th>Comments</th></tr>
${feedback.map(f=>`<tr><td>${esc(f.name)}</td><td>${esc(f.email)}</td>
<td>${esc(f.rating)}</td><td>${esc(f.comments)}</td></tr>`).join("")}
</table>`;
}
function processRefund(pnr){
if(!admin)return;
let b=bookings.find(x=>x.pnr===pnr);
if(!b||b.status!=="CANCELLED"||b.refundStatus==="Processed")return;
b.refundStatus="Processed";save();renderAdmin();
alert("Refund marked as processed in this demo. No money was transferred.");
}
function logoutAdmin(){
admin=false;show("home");
}
show("home");
</script>
</body>
</html>
```