

{NOTE: I have arranged screenshots separately according to the registered user, but you can see the numbers here which represents the sequence}

SWAGGER UI

Doctor API

2.0.0

OAS 3.1

/openapi.json

Production-style FastAPI backend for doctor and patient management with appointments and prescriptions

Authorize

Root

GET

/

Root

GET

/favicon.ico

Favicon

Health

GET

/health

Health Check

Authentication

POST

/auth/register

Register User

POST

/auth/login

Login User

Doctors

POST

/doctors/

Create Doctor Endpoint

GET

/doctors/

Read Doctors

GET

/doctors/{doctor_id}

Read Doctor

PUT

/doctors/{doctor_id}

Update Doctor Endpoint

DELETE

/doctors/{doctor_id}

Delete Doctor Endpoint

POST

/doctors/{doctor_id}/patients/{patient_id}

Assign Patient

GET

/doctors/{doctor_id}/patients

Read Doctor Patients

Patients

POST

/patients/

Create Patient Endpoint

GET

/patients/

Read Patients

GET

/patients/{patient_id}

Read Patient

Appointments

POST

/appointments/

Create NewAppointment

GET

/appointments/

Read Appointments

GET

/appointments/{appointment_id}

Read Appointment

PUT

/appointments/{appointment_id}

Update Existing Appointment

DELETE

/appointments/{appointment_id}

Cancel Appointment

Prescriptions



POST	/prescriptions/	Create New Prescription	🔒	▼
GET	/prescriptions/	Read Prescriptions	🔒	▼
GET	/prescriptions/{prescription_id}	Read Prescription	🔒	▼
PUT	/prescriptions/{prescription_id}	Update Existing Prescription	🔒	▼
DELETE	/prescriptions/{prescription_id}	Delete Existing Prescription	🔒	▼

Schemas



AppointmentCreate	>	Expand all	object
AppointmentResponse	>	Expand all	object
AppointmentStatus	>	Expand all	string
AppointmentUpdate	>	Expand all	object
Body_login_user_auth_login_post	>	Expand all	object
DoctorCreate	>	Expand all	object
DoctorResponse	>	Expand all	object
DoctorUpdate	>	Expand all	object
HTTPValidationError	>	Expand all	object
PatientCreate	>	Expand all	object
PatientResponse	>	Expand all	object
PrescriptionCreate	>	Expand all	object
PrescriptionResponse	>	Expand all	object
PrescriptionUpdate	>	Expand all	object
Token	>	Expand all	object
UserRegister	>	Expand all	object
ValidationError	>	Expand all	object

Parameters

Try it out

Reset

Name Description

appointment_id * required
integer
(path)

1

Request body required

application/json

Example Value Schema

```
{
  "appointment_date": "2026-05-15",
  "appointment_time": "10:30:00",
  "reason": "Chest pain consultation",
  "status": "completed",
  "notes": "Consultation completed successfully"
}
```

Responses

Curl

```
curl -X 'PUT' \
  'http://127.0.0.1:8080/appointments/appointments/1' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IWR5b250IiwiaWF0Ijoi16111711:37:46' \
  -H 'Content-Type: application/json' \
  -d '{
    "appointment_date": "2026-05-15",
    "appointment_time": "10:30:00",
    "reason": "Chest pain consultation",
    "status": "completed",
    "notes": "Consultation completed successfully"
  }'
```

Request URL

http://127.0.0.1:8080/appointments/appointments/1

Server response

Code Details

200

Response body

```
{
  "patient_id": 35,
  "doctor_id": 35,
  "appointment_date": "2026-05-15",
  "appointment_time": "10:30:00",
  "reason": "Chest pain consultation",
  "status": "completed",
  "notes": "Consultation completed successfully",
  "id": 1,
  "created_at": "2026-05-11T11:37:46"
}
```



Download

10. Login as Doctor

Available authorizations

Scopes are used to grant an application different levels of access to data on behalf of the end user. Each API may declare one or more scopes.

API requires the following scopes. Select which ones you want to grant to Swagger UI.

OAuth2PasswordBearer (OAuth2, password)

Authorized

Token URL: /auth/login

Flow: password

username: Krishna.Raju_Doctor@example.com

password: *****

Client credentials location: basic

client_secret: *****

Logout

Close

11. Doctor Views Own Appointments (Get/appointments)

skip *Default value : 0*

integer
(query)

minimum 0

limit *Default value : 100*

integer
(query)

maximum 1000
minimum 1

doctor_id

integer | (integer | null)
(query)

minimum 1

patient_id

integer | (integer | null)
(query)

minimum 1

status *Available values : scheduled, completed, cancelled*

string | (string | null)
(query)

appointment_date

string | (string | null)(date)
(query)

Responses

Curl

```
curl -X GET \
  "http://127.0.0.1:8000/appointments/appointments/?skip=0&limit=100&doctor_id=35&patient_id=26&status=scheduled&appointment_date=2026-05-15" \
  -H "accept: application/json" \
  -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpNC3R5cyJadml0IiwiaWF0IjpmNUU1OjVkb2MwYmZlLCJ1eHA0IjE3ZWggOTkxLzB9.Fd3Q6Ge3CvKEwHcAlasFexB-JSIBHMkw75t8SSzls-w"
```

Request URL

```
http://127.0.0.1:8000/appointments/appointments/?skip=0&limit=100&doctor_id=35&patient_id=26&status=scheduled&appointment_date=2026-05-15
```

Server response

Code	Details
200	Response body <pre>{ { "patient_id": 26, "doctor_id": 35, "appointment_date": "2026-05-15", "appointment_time": "10:30 AM", "reason": "Chest pain consultation", "status": "scheduled", "notes": "First visit appointment", "id": 1, "created_at": "2026-05-11T11:37:46" } }</pre>

Presentation

13. Create Prescription as Doctor (id:1)

POST /prescriptions/prescriptions/ Create New Prescription

Create a new prescription. Only doctors can create prescriptions.

Parameters

Try it out

Reset

No parameters

Request body required

application/json

Example Value | Schema

```
{  "appointment_id": 1,  "doctor_id": 35,  "patient_id": 26,  "diagnosis": "Mild chest discomfort",  "medicines": "Paracetamol 500mg",  "dosage_instructions": "Take one tablet after food twice daily for 3 days",  "remarks": "Follow up if symptoms continue"}
```

Responses

Curl

```
curl -X 'POST' \  "http://127.0.0.1:8000/prescriptions/prescriptions/" \  -H 'accept: application/json' \  -H 'authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXNCJ9.eyJzdWIiOiIwOCIsInR5cCI6IkpXNCJ9.e3Nreng1MDA2NTF9.TBghMB4tpJCq4KcfY0oY-1Hev7dcmVzILR3H40o' \  -H 'Content-Type: application/json' \  -d '{  "appointment_id": 1,  "doctor_id": 35,  "patient_id": 26,  "diagnosis": "Mild chest discomfort",  "medicines": "Paracetamol 500mg",  "dosage_instructions": "Take one tablet after food twice daily for 3 days",  "remarks": "Follow up if symptoms continue"  }'
```

Request URL

http://127.0.0.1:8000/prescriptions/prescriptions/

Server response

Code **Details**

200

Response body

```
{  "appointment_id": 1,  "doctor_id": 35,  "patient_id": 26,  "diagnosis": "Mild chest discomfort",  "medicines": "Paracetamol 500mg",  "dosage_instructions": "Take one tablet after food twice daily for 3 days",  "remarks": "Follow up if symptoms continue",  "id": 1,  "created_at": "2026-05-11T16:31:24"}
```

Download

14. List Prescriptions as Doctor

Name	Description
skip	0 integer (query) minimum: 0
limit	100 integer (query) maximum: 1000 minimum: 2
doctor_id	35 integer integer null (query) minimum: 2
patient_id	26 integer integer null (query) minimum: 2
appointment_id	1 integer integer null (query) minimum: 2

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  "http://127.0.0.1:8000/prescriptions/prescriptions/?skip=0&limit=100&doctor_id=35&patient_id=26&appointment_id=1" \  -H 'accept: application/json' \  -H 'authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXNCJ9.eyJzdWIiOiIwOCIsInR5cCI6IkpXNCJ9.e3Nreng1MDA2NTF9.TBghMB4tpJCq4KcfY0oY-1Hev7dcmVzILR3H40o'
```

Request URL

http://127.0.0.1:8000/prescriptions/prescriptions/?skip=0&limit=100&doctor_id=35&patient_id=26&appointment_id=1

Server response

Code **Details**

200


Response body

```
{  "appointment_id": 1,  "doctor_id": 35,  "patient_id": 26,  "diagnosis": "Mild chest discomfort",  "medicines": "Paracetamol 500mg",  "dosage_instructions": "Take one tablet after food twice daily for 3 days",  "remarks": "Follow up if symptoms continue",  "id": 1,  "created_at": "2026-05-11T16:31:24"}
```

Download

MYSQL SCREENSHOTS

TABLES



Admin/Users

[illegible]

Doctors

[illegible]

Patients

Query 1

```
4 FROM users;
5 SELECT *
6 FROM doctors;
7 SELECT *
8 FROM patients;
```

Result Grid

	id	name	age	phone	doctor_id	created_at
	21	Test Patient	40	555-1234567890	27	2026-05-06 14:18:36
	23	Rahul Sharma	25	9876543211	NULL	2026-05-06 15:48:00
	24	Rahul Ram	27	9876542211	33	2026-05-07 01:15:31
	25	Test Patient	40	555-1234567890	27	2026-05-07 13:20:07
	26	Raja Ram	33	9866543211	35	2026-05-11 09:09:12
*	NULL	NULL	NULL	NULL	NULL	NULL

Appointments

Query 1

```
6 FROM doctors;
7 SELECT *
8 FROM patients;
9 SELECT *
10 FROM appointments;
```

Result Grid

	id	patient_id	doctor_id	appointment_date	appointment_time	reason	status	notes	created_at
▶	1	26	35	2026-05-15	10:30:00	Chest pain consultation	completed	Consultation completed successfully	2026-05-11 11:37:46
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Prescriptions

Query 1

```
8 FROM patients;
9 SELECT *
10 FROM appointments;
11 SELECT *
12 FROM Prescriptions;
```

Result Grid

	appointment_id	doctor_id	patient_id	diagnosis	medicines	dosage_instructions	remarks	created_at
▶	1	35	26	Mild chest discomfort	Paracetamol 500mg	Take one tablet after food twice daily for 3 days	Follow up if symptoms continue	2026-05-11 16:31:24
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

final workflow

Query 1

```
21 pr.medicines
22 FROM appointments a
23 JOIN patients p ON a.patient_id = p.id
24 JOIN doctors d ON a.doctor_id = d.id
25 LEFT JOIN prescriptions pr ON pr.appointment_id = a.id;
```

Result Grid

	appointment_id	patient_name	doctor_name	appointment_date	appointment_time	status	diagnosis	medicines
▶	1	Raja Ram	Dr Krishna Raju	2026-05-15	10:30:00	completed	Mild chest discomfort	Paracetamol 500mg