

GIT COMMANDS:

git init: Initializes a new Git repository in the current directory

git clone <repository-url>: Clones (copies) an existing Git repository from a remote server to your local machine.

git status: Displays the current status of the working directory, including tracked, untracked, modified, and staged files.

git add . : Stages all new and modified files in the current directory for the next commit.

git commit -m "message": Saves the staged changes to the local repository with a descriptive commit message.

git log: Displays the complete commit history of the repository.

git log --oneline: Displays the commit history in a compact, one-line format.

git pull: Fetches the latest changes from the remote repository and merges them into the current branch.

git push: Uploads your local commits to the remote repository.

git push origin main: Uploads the commits from your local main branch to the main branch of the remote repository named origin.

git branch: Lists all local branches or creates a new branch.

git checkout <branch-name>: Switches to an existing branch or restores files from a previous commit.

git switch <branch-name>: Switches to another branch. (Recommended over git checkout for changing branches.)

git stash: Temporarily saves uncommitted changes without committing them.

git stash list: Displays the list of all stashed changes.

git stash pop: Restores the most recently stashed changes and removes them from the stash list.

git remote -v: Displays the remote repositories configured for the project.

git branch -a: Lists both local and remote branches.

git fetch: Downloads the latest changes from the remote repository without merging them.

git merge <branch-name>: Merges the specified branch into the current branch.

git diff: Shows the differences between modified files and the last committed version.

git rm <file-name>: Removes a file from both the working directory and Git tracking.

git mv <old-name> <new-name>: Renames or moves a file while preserving Git history.

