

LINUX COMMANDS

pwd: Shows the current directory (where you are).

Ls: Lists the files and folders in the current directory.

ls -l: Shows files with detailed information (permissions, owner, size, date).

ls -a: Shows all files, including hidden files.

cd <directory>: Changes from one directory to another.

cd ..: Moves one directory back.

cd ~: Goes to the user's home directory.

mkdir <folder>: Creates a new directory (folder).

rmdir <folder>: Removes an empty directory.

rm <file>: Deletes a file.

rm -r <folder>: Deletes a directory and everything inside it.

cp <source> <destination>: Copies a file or directory.

mv <source> <destination>: Moves or renames a file or directory.

touch <file>: Creates a new empty file.

cat <file>: Displays the contents of a file.

nano <file>: Opens a file in the Nano text editor.

vi <file> or vim <file>: Opens a file in the Vim editor.

head <file>: Shows the first 10 lines of a file.

tail <file>: Shows the last 10 lines of a file.

echo "text": Prints text to the terminal or writes text into a file.

clear: Clears the terminal screen.

history: Displays previously executed commands.

whoami: Shows the currently logged-in user.

hostname: Displays the system's hostname.

date: Shows the current date and time.

cal: Displays the calendar.

df -h: shows disk space usage in a human-readable format.

grep "text" file: Searches for specific text inside a file.

chmod 400 <file>: Changes file permissions.

sudo <command>: Runs a command with administrator (root) privileges.

apt update: Updates the package list from repositories.

apt upgrade -y: Upgrades installed packages to the latest version.

apt install <package>: Installs a software package.

apt remove <package>: Removes an installed package.

systemctl status <service>: Checks whether a service is running.

systemctl start <service>: Starts a service.

systemctl stop <service>: Stops a service.

systemctl restart <service>: Restarts a service.

systemctl enable <service>: Starts a service automatically at boot.

systemctl disable <service>: Prevents a service from starting automatically.

ping <host>: Checks network connectivity to another system.

ip addr: Displays the IP addresses of the system.

curl <URL>: Retrieves data from a URL or tests an API.

wget <URL>: Downloads a file from the internet.

ssh user@ip: Connects to a remote Linux server securely.