Cucumber Report

| Start : Dec 04, 10:55:03.403 AM	End : Dec 04, 10:55:12.552 AM	Duration : 9.149 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	Data Structure page validation dsalgo	1	0	1	0	9.149 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Data Structure page validation dsalgo	User clicks on datastructure page and checks with invalid python code	16	13	1	2	9.144 s

(F)- Data Structure page validation dsalgo

FAILED	DURATION - 9.149 s	Scenarios		Steps	
/ 10:55:03.403 AM // 10:55:12.552 AM /		Total - 1		Total - 16	
		Pass - 0		Pass - 13	
		Fail - 1	1	Fail - 1	16
		Skip - 0		Skip - 2	

(S)- User clicks on datastructure page and checks with invalid python code

FAILED	DURATION - 9.144 s		Steps	
/ 10:55:03.408 AM // 10:55:12.552 AM /			Total - 16	
Data Structure page validation dsalgo			Pass - 13	
@dataStructurePage			Fail - 1	16
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given The User opens DS Algo portal Page	PASSED	0.656 s
2	When User click on Get Started button	PASSED	0.456 s
3	And user clicks on SignIn button he is directed to login page	PASSED	0.292 s
4	When User enters valid username "queen" and password "ninjaqueen"	PASSED	0.921 s
5	Then It should navigate to the home page with a message "You are logged in"	PASSED	0.057 s
6	Given user is on Home Page	PASSED	0.023 s
7	When user clicks on datastructure getstarted	PASSED	0.335 s
8	Then user redirected to page with title "Data Structures-Introduction"	PASSED	0.030 s
9	When user click on Time Complexity	PASSED	0.412 s
10	Then It should navigate to corresponding page with title "Time Complexity"	PASSED	0.001 s
11	When user click on Try here	PASSED	1.004 s
12	Then It should navigate to corresponding page with Title "Assessment"	PASSED	0.000 s
13	When user enter the invalid Python code	PASSED	0.091 s
	printlnn"DataStructure Introduction"		
14	And user clicks run button	FAILED	0.158 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=119.0.6045.200) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [81ff75a80fabda67ebaf105d92a0675a, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\krish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58984}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58984/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 81ff75a80fabda67ebaf105d92a0675a
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.alert(RemoteWebDriver.java:1107)
	  at com.pages.DataStructuresPage.click_Run_Button_with_inavalid(Unknown Source)
	  at stepDefintions.DataStructuresSteps.user_clicks_run_button(Unknown Source)
	  at ?.user clicks run button(file:///C:/Users/krish/eclipse-workspace/Ds_Algo_Project/src/test/resources/DsFeatures/DataStructures.feature:38)
	* Not displayable characters are replaced by '?'.		

15	Then user should get the alert message with text "SyntaxError: bad input on line 1"	SKIPPED	0.001 s
16	And user accepts the error	SKIPPED	0.001 s
	AFTER - Hooks.HooksDS.tearDown(io.cucumber.java.Scenario) _U_s_e_r__c_l_i_c_k_s__o_n__d_a_t_a_s_t_r_u_c_t_u_r_e__p_a_g_e__a_n_d__c_h_e_c_k_s__w_i_t_h__i_n_v_a_l_i_d__p_y_t_h_o_n__c_o_d_e_ +	PASSED	0.130 s

(Step) AFTER - Hooks.HooksDS. tearDown(io.cucumber.java.Scenario)	1
(S) User clicks on datastructure page and checks with invalid python code	Run
(F) Data Structure page validation dsalgo	