```
<!DOCTYPE html>
<html>
<head>
   <title>Online Shopping - Order Viewer</title>

   <script>
      function loadOrders() {

         var xhttp = new XMLHttpRequest();

         xhttp.onreadystatechange = function () {

            if (this.readyState == 4 && this.status == 200) {

               var xml = this.responseXML;

               var orders = xml.getElementsByTagName("order");

               var output = "<h2>Order Details</h2>";

               output += "<table border='1' cellpadding='10'>";

               output += "<tr>";
               output += "<th>ID</th>";
               output += "<th>Customer</th>";
               output += "<th>Product</th>";
               output += "<th>Quantity</th>";
               output += "<th>Price</th>";
               output += "</tr>";

               for (var i = 0; i < orders.length; i++) {

                  var id =
                     orders[i].getElementsByTagName("id")[0]
                     .childNodes[0].nodeValue;

                  var customer =
                     orders[i].getElementsByTagName("customer")[0]
                     .childNodes[0].nodeValue;

                  var product =
                     orders[i].getElementsByTagName("product")[0]
                     .childNodes[0].nodeValue;

                  var quantity =
                     orders[i].getElementsByTagName("quantity")[0]
                     .childNodes[0].nodeValue;

                  var price =
                     orders[i].getElementsByTagName("price")[0]
                     .childNodes[0].nodeValue;
```

```
            output += "<tr>";

            output += "<td>" + id + "</td>";
            output += "<td>" + customer + "</td>";
            output += "<td>" + product + "</td>";
            output += "<td>" + quantity + "</td>";
            output += "<td>" + price + "</td>";

            output += "</tr>";
          }

          output += "</table>";

          document.getElementById("orderData").innerHTML = output;
        }
      };

      xhttp.open("GET", "orders.xml", true);

      xhttp.send();
    }
  </script>

</head>

<body>

  <h1>Online Shopping - Order Viewer</h1>

  <button onclick="loadOrders()">
    Load Orders
  </button>

  <br><br>

  <div id="orderData"></div>

</body>
</html>



<?xml version="1.0" encoding="UTF-8"?>

<orders>

  <order>
    <id>101</id>
    <customer>John Doe</customer>
    <product>Wireless Mouse</product>
```

```
    <quantity>2</quantity>
    <price>25.99</price>
  </order>

  <order>
    <id>102</id>
    <customer>Jane Smith</customer>
    <product>Keyboard</product>
    <quantity>1</quantity>
    <price>45.50</price>
  </order>

  <order>
    <id>103</id>
    <customer>David Kumar</customer>
    <product>USB Cable</product>
    <quantity>3</quantity>
    <price>10.99</price>
  </order>

</orders>
```

Online Shopping - Order Viewer

Load Orders

Order Details

ID	Customer	Product	Quantity	Price
101	John Doe	Wireless Mouse	2	25.99
102	Jane Smith	Keyboard	1	45.50
103	David Kumar	USB Cable	3	10.99