

Session & Visitor Tracking Servlets

index.html → SessionServlet → VisitorServlet

Source Code and Output Pages

1. Source Code — index.html

```
<!DOCTYPE html>
<!--
To change this license header, choose License Headers in Project Properties.
To change this template file, choose Tools | Templates
and open the template in the editor.
-->
<html>
  <head>
    <title>Session Tracking</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <form action="SessionServlet" method="post">
      ENTER NAME:
      <br>
      <input type="text" name="name" required>
      <br><br>
      ENTER COURSE:
      <input type="text" name="course">
      <input type="submit" value="Submit">
    </form>
  </body>
</html>
```

2. Source Code — SessionServlet.java

```
/*
 * To change this license header, choose License Headers in Project Properties.
 * To change this template file, choose Tools | Templates
 * and open the template in the editor.
 */
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
public class SessionServlet extends HttpServlet {
    @Override
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
        response.setContentType("text/html;charset=UTF-8");
        PrintWriter out = response.getWriter();
        String name = request.getParameter("name");
        String course = request.getParameter("course");
        out.println("<!DOCTYPE html>");
        out.println("<html>");
        out.println("<head>");
        out.println("<title>Session Servlet</title>");
        out.println("</head>");
        out.println("<body>");
        out.println("<p>Name: " + name + "</p>");
        out.println("<p>Course: " + course + "</p>");
        out.println("<a href=\"\"VisitorServlet?name=" + name + "&course=" + course + "\">CLICK HERE</a>");
        out.println("<br>");
        out.println("</body>");
        out.println("</html>");
    }
}
```

3. Source Code — VisitorServlet.java

```
/*
 * To change this license header, choose License Headers in Project Properties.
 * To change this template file, choose Tools | Templates
 * and open the template in the editor.
 */

import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

/**
 *
 * @author 24uad057
 */
public class VisitorServlet extends HttpServlet {

    // Variable to store total unique visitors
    private static int visitorCount = 0;

    /**
     * Handles the HTTP <code>GET</code> method.
     *
     * @param request servlet request
     * @param response servlet response
     * @throws ServletException if a servlet-specific error occurs
     * @throws IOException if an I/O error occurs
     */
    @Override
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
        response.setContentType("text/html;charset=UTF-8");
        PrintWriter out = response.getWriter();
        String name = request.getParameter("name");
        String course = request.getParameter("course");
        HttpSession session = request.getSession();
        out.println("<!DOCTYPE html>");
        out.println("<html>");
        out.println("<head>");
        out.println("<title>Visitor Servlet</title>");
        out.println("</head>");
        out.println("<body>");
        out.println("<p><b>Name:</b> " + name + "</p>");
        out.println("<p><b>Course:</b> " + course + "</p>");
        out.println("</body>");
        out.println("</html>");
    }

    /**
     * Handles the HTTP <code>POST</code> method.
     *
     * @param request servlet request
     * @param response servlet response
     * @throws ServletException if a servlet-specific error occurs
     * @throws IOException if an I/O error occurs
     */
    @Override
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {

        doGet(request, response);
    }

    @Override
    public String getServletInfo() {
        return "Visitor Servlet";
    }
}
```

4. Output — index.html (Entry Form)

Rendered in browser: <http://localhost:8080/SessionApp/index.html>

A screenshot of a web browser window. The address bar shows 'localhost:8080/SessionApp/index.html'. The page content includes two text input fields. The first is labeled 'ENTER NAME:' and contains the text 'Praveen'. The second is labeled 'ENTER COURSE:' and contains the text 'B.Tech AI & DS'. Below these fields is a dark blue button with the text 'Submit' in white.

localhost:8080/SessionApp/index.html


ENTER NAME:

ENTER COURSE:

Submit

5. Output — SessionServlet (After Submit)

Rendered in browser: <http://localhost:8080/SessionApp/SessionServlet>



6. Output — VisitorServlet (After Clicking Link)

Rendered in browser: <http://localhost:8080/SessionApp/VisitorServlet?name=Praveen&course=B.Tech+AI+%26+DS>

localhost:8080/SessionApp/VisitorServlet

Name: Praveen

Course: B.Tech AI & DS