

Summer Internship - I


Prepared by
Mr. Krish Ujeniya
(216120316028)

Under the supervision of

Mr. Dharmesh Dhangar

A Report submitted to
Information Technology Department
for Partial Fulfillment of the Requirements for the
Diploma Engineering
in Information Technology, Semester-III

Submitted at



INFORMATION TECHNOLOGY DEPARTMENT
Dr. S. & S. S. Ghandhy College of Engineering & Technology

Surat – 395 001, Gujarat.

January 2023

ABSTRACT

An attendance system project is a computer-based system that tracks and records attendance for students or employees. The system can be used to record attendance in real-time or retrospectively, and can generate reports or alerts for absentees. The system can also be used to track attendance for specific events or classes, and can be integrated with other systems such as payroll or student management systems. The abstract for such a project would provide a brief overview of the system's capabilities and the benefits it provides.

TABLE OF CONTENTS

CHAPTER-1 Introduction of Xampp	1
1.1 What is Xampp	1
1.2 Installation of Xampp	1
1.3 PhpMyAdmin	4
CHAPTER-2 Php	5
2.1 About Php	5
2.2 Php Codes Used in System	5
CHAPTER-3 My Sql	6
3.1 About Mysql	6
3.2 MySql queries used in system	6
CHAPTER-4 HTML5/CSS	8
4.1 About of HTML5	8
4.2 About of CSS#	8
4.3 CSS3 used in system	9

CHAPTER 1

Introduction of Xampp

1.1 What is XAMPP?

XAMPP is an abbreviation where *X* stands for *Cross-Platform*, *A* stands for *Apache*, *M* stands for *MySQL*, and the *Ps* stand for *PHP* and *Perl*, respectively. It is an open-source package of web solutions that includes Apache distribution for many servers and command-line executables along with modules such as Apache server, MariaDB, PHP, and Perl..

XAMPP helps a local host or server to test its website and clients via computers and laptops before releasing it to the main server. It is a platform that furnishes a suitable environment to test and verify the working of projects based on Apache, Perl, MySQL database, and PHP through the system of the host itself. Among these technologies, Perl is a programming language used for web development, PHP is a backend scripting language, and MariaDB is the most vividly used database developed by MySQL. The detailed description of these components is given below.

1.2 Installation of XAMPP

Step 1: Download


XAMPP is a release made available by the non-profit project Apache Friends. Versions with PHP 5.5, 5.6, or 7 are available for download on the Apache Friends website.

Step 2: Run .exe file

Once the software bundle has been downloaded, you can start the installation by double clicking on the file with the ending .exe.


Step 3: Deactivate any antivirus software

Since an active antivirus program can negatively affect the installation process, it's recommended to temporarily pause any antivirus software until all XAMPP components have successfully been installed.



Step 4: Deactivate UAC

User Account Control (UAC) can interfere with the XAMPP installation because it limits writing access to the C: drive, so we recommend you deactivate this too for the duration of the installation process. To find out how to turn off your UAC, head to the Microsoft Windows support pages.




Step 5: Start the setup wizard

After you've opened the .exe file (after deactivating your antivirus program(s) and taken note of the User Account Control, the start screen of the XAMPP setup wizard should appear automatically. Click on 'Next' to configure the installation settings.




Step 6: Choose software components

Under 'Select Components', you have the option to exclude individual components of the XAMPP software bundle from the installation. But for a full local test server, we recommend you install using the standard setup and all available components. After making your choice, click 'Next'.




Step 7: Choose the installation directory

In this next step, you have the chance to choose where you'd like the XAMPP software packet to be installed. If you opt for the standard setup, then a folder with the name XAMPP will be created under C:\ for you. After you've chosen a location, click 'Next'.




Step 8: Start the installation process

Once all the aforementioned preferences have been decided, click to start the installation. The setup wizard will unpack and install the selected components and save them to the designated directory. This process can take several minutes in total. You can follow the progress of this installation by keeping an eye on the green loading bar in the middle of the screen.




Step 10: Complete installation

Once all the components are unpacked and installed, you can close the setup wizard by clicking on 'Finish'. Click to tick the corresponding check box and open the XAMPP Control Panel once the installation process is finished.



1.3 PhpMyAdmin

phpMyAdmin is a free software tool written in PHP that is intended to handle the administration of a MySQL or MariaDB database server. You can use phpMyAdmin to perform most administration tasks, including creating a database, running queries, and adding user accounts.



• Features of phpMyAdmin

- phpMyAdmin can create, alter, browse, and drop databases, views, tables, columns, and indexes.
- It can display multiple results sets through queries and stored procedures.
- phpMyAdmin use stored procedure and queries to display multiple results sets.
- It supports foreign keys and InnoDB tables.
- phpMyAdmin can track the changes done on databases, views, and tables.
- We can also create PDF graphics of our database layout.
- phpMyAdmin can be exported into various formats such as XML, CSV, PDF, ISO/IEC 26300 - OpenDocument Text and Spreadsheet.
- It supports mysqli, which is the improved MySQL extension.
- phpMyAdmin can interact with 80 different languages.
- phpMyAdmin can edit, execute, and bookmark any SQL-statements and even batch-queries.
- By using a set of pre-defined functions, it can transform stored data into any format. For example - BLOB-data as image or download-link.

CHAPTER 2

Introduction of PHP

2.1 About Php

PHP (Hypertext Preprocessor) is a server-side programming language primarily used for web development. It can be embedded in HTML code and is used to create dynamic web pages. PHP is open-source software and can be run on various operating systems, including Windows, macOS, and Linux. It is often used in combination with a web server, such as Apache or Nginx, and a database management system, such as MySQL or PostgreSQL. Some popular content management systems, such as WordPress and Drupal, are also built with PHP.

2.2 Php Codes Used in System

- Function for logout the logged user.

```
function check_user(){
    if( ! isset($_SESSION['loggedin_name'])){
        header("Location: index.php?message=logged out");
    }
}
```

- Used for taking attendance between time duration of 1 hour.

```
function in_time($current_time,$start,$end){
    $time = strtotime($current_time);
    if($time > strtotime($start) && $time < strtotime($end)){
        return true;
    }else{
        return false;
    }
}
```

- Used to print attendance hour wise for particular user .

```
function print_attance(){
    global $conn;
    if( ! isset($_SESSION['loggedin_e_n'])){
        $en_no = $_SESSION['loggedin_e_n'];
        $date = date('Y-m-d');
        $sql7 = "select * from `attendance` where en_no='".$en_no."' and date='".$date."'";
        $result7 = $conn->query($sql7);
        $rows = $result7->fetch_all(MYSQLI_ASSOC);
        $colors = array("date", "Time");
        echo "<table border='1' cellpadding='2' class='footable mdl-data-table mdl-js-data-table mdl-data-table--selectable mdl-shadow--4dp full-width'>";
        echo "<tr> <th>Date</th> <th>Time</th> </tr>";
        for ($row = 0; $row < count($rows); $row++) {
            echo "<tr>";
            foreach ($colors as $value) {
                echo "<td>". $rows[$row][$value]. "<br></td>";
            }
            echo "</tr>";
        }
        echo "</table>";
    }
}
```

CHAPTER 3

My Sql

3.1 About MySql

MySQL is a popular open-source relational database management system (RDBMS). It is used to manage and organize data in a structured manner, allowing for efficient storage and retrieval of information. MySQL is often used in combination with server-side scripting languages, such as PHP, to create dynamic websites and web applications. It can run on various operating systems, including Windows, macOS, and Linux. MySQL supports a wide range of programming languages, including C, C++, Java, and Python. It also offers robust security features, such as encryption, authentication, and access control. MySQL is a part of the LAMP stack, which stands for Linux, Apache, MySQL, and PHP, and is a widely used web development

3.2 MySql queries used in system

→ In our system we used to table :- 1) Attendance 2) Students

1) attendance :- in attendance database table students data are stored whose attendance is taken .

Attributes :- id, en_no, date, status, time

```
DROP TABLE IF EXISTS `attendance`;  
CREATE TABLE IF NOT EXISTS `attendance` (  
  `id` int(255) NOT NULL AUTO_INCREMENT,  
  `en_no` bigint(255) NOT NULL,  
  `date` date NOT NULL,  
  `status` text NOT NULL,  
  `time` time NOT NULL,  
  PRIMARY KEY (`id`)  
) ENGINE=MyISAM AUTO_INCREMENT=2 DEFAULT CHARSET=latin1;
```

2) Students:- all the registered students are stored in this database table.

Attributes :-name, en_no , sem , password

```
DROP TABLE IF EXISTS `student`;  
CREATE TABLE IF NOT EXISTS `student` (  
  `name` varchar(255) NOT NULL,  
  `en_no` bigint(255) NOT NULL,  
  `sem` int(255) NOT NULL,  
  `password` varchar(255) NOT NULL,  
  PRIMARY KEY (`en_no`),  
  UNIQUE KEY `en_no` (`en_no`)  
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
```

CHAPTER-4

HTML5/CSS3

4.1 About Html5

HTML5 is the latest version of the Hypertext Markup Language (HTML), the standard language used to create web pages. It is a markup language, which means it is used to create the structure and layout of a web page, rather than its visual design or behavior. HTML5 is designed to be more versatile and flexible than previous versions of HTML, and it introduces new elements and attributes for creating multimedia content, such as videos, music, and animations.

4.2 About CSS3

CSS (Cascading Style Sheets) is a stylesheet language used to describe the presentation of a document written in a markup language. It is used to control the layout, colors, fonts, and other visual elements of a web page, separate from the structure and content of the page, which is defined by HTML or other markup languages.

CSS allows web developers to separate the presentation of a website from its structure and content, making it easier to maintain and update the design of the site. This means that the same HTML code can be used with different CSS stylesheets to create different visual designs for a website.

In summary, CSS is a stylesheet language used to describe the presentation of a document written in a markup language, it allows web developers to separate the presentation of a website from its structure and content, it provides a wide range of design possibilities and the latest version (CSS3) introduces new features such as animations, transforms, and transitions, and new layout modules such as flexbox and grid, which make it easy to create responsive designs and handle complex layout.

5.3 CSS3 used in system

→ This css code is used for making designing , interaction , responsiveness of our system .

```
<style>
input::-webkit-outer-spin-button,
input::-webkit-inner-spin-button {
    -webkit-appearance: none;
    margin: 0;
}
input[type=number] {
    -moz-appearance: textfield;
}
* {
    box-sizing: border-box;
}
label {
    padding: 12px 12px 12px 0;
    display: inline-block;
}
input[type=submit] {
    background-color: #04AA6D;
    color: white;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    float: right;
}
input[type=submit]:hover {
    background-color: #45a049;
}
```

```
.container {
    border-radius: 5px;
    background-color: #f2f2f2;
    padding: 20px;
}
.col-25 {
    float: left;
    width: 25%;
    margin-top: 6px;
}
.col-75 {
    float: left;
    width: 75%;
    margin-top: 6px;
}
.row:after {
    content: "";
    display: table;
    clear: both;
}
@media screen and (max-width: 300px) {
    .col-25,
    .col-75,
    input[type=submit] {
        width: 100%;
        margin-top: 0;
    }
}
</style>
```

Working of System

Step 1- Registering new user

Register Page

Name:

Jiganesh

Enrollment no:

216120316001

Semester:

3

Password:

.....

Register

Already have a account? [Login](#)

step 2- Registration completed go to login page

Name :- Jiganesh

Enrollment No :- 216120316001

Sem :- 3

Your Sgin In completed | [Login Now](#)

[Go to Login Page](#)

Step 3- Login for attendance

Login Page

Enrollment no:

213120316001

Password:

.....

Login

Create New Record? [Register](#)

Step 4- Click present and see your attendance

Name :- Jiganesh

Enrollment No :- 216120316001

Sem :- 3

Date :- January 20 2023

Time :- 09:01:42 am

[Logout](#)

[present](#)

Date	Time
2023-01-20	09:01:42

Conclusion

In the student attendance management system, the outcome of all the hard work done for the attendance management system is here. It is software that helps the user to work with the attendance, fees update, course update, and messages, etc. This software reduces the amount of manual data entry and gives greater efficiency.