

GRAPHICS PROGRAMMING – Mid-term Assignment

Source code

```
////////// SOLAR SYSTEM //////////
// sketch.js

var speed;

var sun_spin;

var earth_orbit_speed;
var earth_spin_speed;

var moon1_orbit_speed;
var moon2_orbit_speed;

var asteroid_orbit_speed;
// var moon1_spin_speed  -- always show same face to earth

function setup() {
  createCanvas(900, 900);
}

function draw() {
  get_speeds_and_background ()

  /// SOLAR SYSTEM ///
  sun_influence_area(sun_spin)
}

function sun_influence_area(rot_speed)
{
  push(); //1

  translate(width / 2, height / 2); // Initial translation to center of canvas
  sunRotation(rot_speed); // Sun spin speed

  // EARTH INFLUENCE AREA
  earth_influence_area(earth_spin_speed, earth_orbit_speed);

  pop() //1
}

function earth_influence_area(e_spin, e_orb) {
  push()

  // EARTH
  rotate(radians(e_orb)); // Earth orbit speed
  translate(0, 300);      // Earth Orbit radius

  earth(e_spin); // EARTH creation and spin speed
  shadow(80, 100) // EARTH shadow

  // MOONS INFLUENCE AREAS
  moon1_influence_area(e_spin, e_orb, moon1_orbit_speed)
  moon2_influence_area(e_spin, e_orb, moon2_orbit_speed)

  pop()
}

function moon1_influence_area(e_spin, e_orbit, orbit_speed) {
  push()
  // MOON 1

  spin_orbit_totals = orbit_speed-(e_spin + e_orbit)

  rotate(radians(spin_orbit_totals)); // Moon1 orbit speed
```

```

        translate(0, 100);                // Moon1 orbit radius

        moon1(0) // Moon1 creation and adding spin speed
        moon_shadow_rotation(-spin_orbit_totals) // Moon1 shadow

        // ASTEROID
        asteroid_influence_area(spin_orbit_totals)
    pop()
}

function moon2_influence_area(e_spin, e_orbit, orbit_speed) {

    push()
    // MOON
    rotate(radians(orbit_speed-e_spin- e_orbit)); // Orbit
    translate(0, 50);
    moon2(0)
    moon_shadow_rotation(-orbit_speed+e_orbit+e_spin)

    pop()
}

function asteroid_influence_area(spin_orbit_totals)
{
    push()
    spin_orbit_totals = -spin_orbit_totals+asteroid_orbit_speed
    rotate(radians(spin_orbit_totals)); // Orbit
    translate(0, 30); // Orbit radius
    celestialObj(color(255, 255, 0), 20); // ASTEROID

    asteroid_shadow(-asteroid_orbit_speed)
    pop()
}

////////// HELPER FUNCTIONS //////////
function shadow(size, opacity)
{
    push()
    fill(0, 0, 0, opacity)
    arc(0, 0, size, size, 0, PI)
    stroke(200);
    // line(0, 0, 00, -50)
    pop()
}

function asteroid_shadow(totals)
{
    push()
    push()
    rotate(radians(0))
    marker_line() // Line pointing to moon
    pop()

    rotate(radians(totals)); // Orbit
    shadow(30, 255)
    pop()
}

function moon_shadow_rotation(rot_speed)
{
    push()
    rotate(radians(rot_speed))
    shadow(30, 240)
    pop()
}

function moon1(rot_speed)
{
    push()
    rotate(radians(rot_speed)); // Spin

```

```

        marker_line() // Line pointing to earth

        celestialObj(color("white"), 30);
    pop()
}

function moon2(rot_speed)
{
    push()
    rotate(radians(rot_speed)); // Spin
    marker_line() // Line pointing to earth

    celestialObj(color("white"), 30);
    pop()
}

function marker_line()
{
    push()
    stroke("red")
    strokeWeight(2)
    line(0,0,0,-30)
    pop()
}

function earth(rot_speed){
    push()
    rotate(radians(rot_speed)); // Spin
    celestialObj(color("blue"), 80);
    pop()
}

function sunRotation(rot_speed) {
    push() //2
    rotate(radians(rot_speed)); // Spin
    celestialObj(color(255, 150, 0), 200); // SUN
    pop() //2
}

function celestialObj(c, size) {
    push()

    strokeWeight(5);
    fill(c);
    stroke(0);
    ellipse(0, 0, size, size);
    line(0, 0, size / 2, 0);
    pop();
}

function get_speeds_and_background()
{
    background(0);

    speed = frameCount;

    sun_spin = speed/3

    earth_orbit_speed = speed
    earth_spin_speed = speed

    moon1_orbit_speed = -2*speed
    moon2_orbit_speed = 4.2*speed

    asteroid_orbit_speed = speed*2
}

```



```

    sky();

    spaceship.run();
    asteroids.run();

    drawEarth();

    checkCollisions(spaceship, asteroids); // function that checks collision between various
elements
}

////////////////////////////////////
//draws earth and atmosphere
function drawEarth(){
    noStroke();

    //draw atmosphere
    fill(0,0,255, 50);
    ellipse(atmosphereLoc.x, atmosphereLoc.y, atmosphereSize.x, atmosphereSize.y);

    fill(0,0,255, 35);
    ellipse(atmosphereLoc.x, atmosphereLoc.y, atmosphereSize.x*stratosphere,
atmosphereSize.y*stratosphere);

    //draw earth
    fill(100,255);
    ellipse(earthLoc.x, earthLoc.y, earthSize.x, earthSize.y);
}

////////////////////////////////////
//checks collisions between all types of bodies
function checkCollisions(spaceship, asteroids){

    //space ship-2-asteroid collisions
    for(var i=0;i<asteroids.locations.length;i++){
        if (isInside(spaceship.location,
            spaceship.collisionRadius,
            asteroids.locations[i],
            asteroids.diams[i])){
            gameOver()
        }
    }

    //asteroid-2-earth collisions
    for(var i=0;i<asteroids.locations.length;i++){
        if (isInside(earthLoc,
            earthSize.x,
            asteroids.locations[i],
            asteroids.diams[i])) {
            gameOver()
        }
    }

    //spaceship-2-earth
    if (isInside(earthLoc,
        earthSize.x,
        spaceship.location,
        spaceship.collisionRadius)){
        gameOver()
    }

    //spaceship-2-atmosphere
    if (isInside(atmosphereLoc,
        atmosphereSize.x,
        spaceship.location,
        spaceship.collisionRadius)){
        spaceship.setNearEarth(earthLoc)
    }

    // asteroid-2-atmosphere

```

```

for (var i=0; i<asteroids.diams.length;i++){
  if (isInside(asteroids.locations[i],
    asteroids.diams[i],
    atmosphereLoc,
    atmosphereSize.x*stratosphere,))
    ){
    asteroids.burn(i)
  }
}
//bullet collisions
bulletNum = spaceship.bulletSys.getBulletsNum()
for (var i=0; i<asteroids.diams.length;i++){
  for (var j=0; j<bulletNum;j++){
    if (asteroids.diams.length>0){ // Calls isInside function only when any asteroid exists
      if (isInside(asteroids.locations[i],asteroids.diams[i],
spaceship.bulletSys.bullets[j], spaceship.bulletSys.diam) ){

        asteroids.destroy(i,j,spaceship.bulletSys)

        i=0 // Restarts the the asteroids loop - asteroid was removed so the indices became
incorrect
      }
    }
  }
}

}

////////////////////////
//helper function checking if there's collision between object A and object B
function isInside(locA, sizeA, locB, sizeB){

  if (dist(locA.x,locA.y, locB.x,locB.y) <sizeA/2+sizeB/2){ // IS INSIDE
    return true
  }
  else{ //IS OUTSIDE
    return false
  }
}

}

////////////////////////
// function that ends the game by stopping the loops and displaying "Game Over"
function gameOver(){
  fill(255);
  textSize(80);
  textAlign(CENTER);
  text("GAME OVER\n press ENTER to restart", width/2, height/2)
  running = false

  noLoop();

}

// Resets spaceship, bullets and asteroids. Reinitiates the draw function loop
function restartGame(){
  console.log("RESTARTING")
  running = true
  spaceship.reset()
  asteroids.reset()
  loop()
}

}

////////////////////////
// function that creates a star lit sky
function sky(){
  push();
  while (starLocs.length<300){

```

```

        starLocs.push(new createVector(random(width), random(height)));
    }
    fill(255);
    for (var i=0; i<starLocs.length; i++){
        rect(starLocs[i].x, starLocs[i].y,2,2);
    }

    if (random(1)<0.3) starLocs.splice(int(random(starLocs.length)),1);
    pop();
}

////////////////////////////////////
////////////////////////////////////
function keyPressed(){
    // THRUSER ON
    spaceship.keyPressed()

    if (keyIsPressed && keyCode === 32){ // if spacebar is pressed, fire!
        spaceship.fire();
    }
}

function keyReleased(){
    // THRUSTER OFF
    spaceship.keyReleased()

    // FIRE BULLET

    // RESET GAME WHEN GAME OVER
    if (keyCode == ENTER){
        // Restarts game when gameOver was called earlier
        if (running== false){
            restartGame()
        }
    }
}

//// asteroidSystem.js////////
class AsteroidSystem {

    //creates arrays to store each asteroid's data
    constructor(){

        this.reset()
    }
    reset(){
        this.locations = [];
        this.velocities = [];
        this.accelerations = [];
        this.diams = [];
        this.explosions =[]
        this.runingExplosions = []
        this.burinigEmitter = []
        this.colours =[]
        this.score = 0

        this.numBurnParcicles = 0
        this.numExplosionParticles = 0

        this.isBurning = []
    }
    run(){
        this.spawn();
        this.move();
        this.draw();
    }
}

```

```

// spawns asteroid at random intervals
spawn(){
  if (random(1)<(0.005+0.0003*this.score)){
    this.accelerations.push(new createVector(0,random(0.1,1)));
    this.velocities.push(new createVector(0, 0));
    this.locations.push(new createVector(random(width), 0));
    this.diams.push(random(45,80));

    let astColor = [random(255),random(255),random(255)]
    this.colours.push(astColor)

    this.explosions.push(new EmitterExplosion())
    this.burinigEmitter.push(new EmitterBurn)

    this.isBurning.push(false)
  }
}

//moves all asteroids
move(){
  for (var i=0; i<this.locations.length; i++){
    this.velocities[i].add(this.accelerations[i]);
    this.locations[i].add(this.velocities[i]);
    this.accelerations[i].mult(0);
  }
}

applyForce(f){
  for (var i=0; i<this.locations.length; i++){
    this.accelerations[i].add(f);
  }
}

//draws all asteroids
draw(){
  noStroke();
  fill(200);
  for (var i=0; i<this.locations.length; i++){
    push()
    fill(this.colours[i][0]/2,this.colours[i][1]/2,this.colours[i][2]/2)
    ellipse(this.locations[i].x, this.locations[i].y, this.diams[i], this.diams[i]);
    pop()
  }

  for (var i = 0; i<this.runingExplosions.length; i++)
  {
    this.runingExplosions[i].run()
  }

  for (var i=0; i<this.burinigEmitter.length; i++)
  {
    this.burinigEmitter[i].run()
  }

  // this.countBurningParicles()
  this.countExplosionParticles()
  this.coutnScore()
}

//function that calculates effect of gravity on each asteroid and accelerates it
calcGravity(centerOfMass){
  for (var i=0; i<this.locations.length; i++){
    var gravity = p5.Vector.sub(centerOfMass, this.locations[i]);
    gravity.normalize();
    gravity.mult(.001);
    this.applyForce(gravity);
  }
}

```



```

//destroys all data associated with each asteroid
destroy(index, bulletIndex, bulletSys){
  this.explosions[index].explode(
    this.locations[index].x,
    this.locations[index].y,
    this.velocities[index].x,
    this.velocities[index].y,
    this.colours[index],
    bulletIndex,
    bulletSys,
    this.isBurning[index],
    this.numExplosionParticles)
  this.runingExplosions.push(this.explosions[index])
  this.explosions.splice(index,1)

  this.locations.splice(index,1);
  this.velocities.splice(index,1);
  this.accelerations.splice(index,1);
  this.diams.splice(index,1);
  this.colours.splice(index,1);
  this.burinigEmitter.splice(index,1)
  this.isBurning.splice(index,1)

  this.score += 1
}

burn(index){
  this.isBurning[index] = true
  this.colours[index] = [255,50,50]

  if (frameCount%(2+int(this.numBurnParcicles/60))==0){ //reduce number of particles if there
are too many asteroids burning for performance
    this.burinigEmitter[index].addParticle(this.locations[index].x+random(-
this.diams[index]/2,
                                     this.diams[index]/2),
                                     this.locations[index].y,
                                     random(-2,2),0)}
}
countExplosionParticles(){ //counts number of explosion particles
  if (frameCount%5==0){
    let particles = 0
    this.runingExplosions.forEach(function(EmitterExplosion){
      particles += EmitterExplosion.particles.length
    })
    this.numExplosionParticles= particles
  }
}

countBurningParcicles(){ //counts number of burning particles
  if (frameCount%5==0){
    let particles = 0
    this.burinigEmitter.forEach(function(EmitterBurn){
      particles += EmitterBurn.particles.length
    })
    this.numBurnParcicles= particles
  }
}

countnScore(){
  fill("orange")
  textSize(40)
  // change font to boxy one
  textFont ("Consolas")

```

```

    text("Score: "+this.score, 50, 50)
  }
}

```

```

//////////bulletSystem.js//////////

```

```

class BulletSystem {

  constructor(){
    this.bullets = [];
    this.velocity = new createVector(0, -5);
    this.diam = 10;
  }

  run(){
    this.move();
    this.draw();
    this.edges();
  }

  fire(x, y){
    if (this.bullets.length < 5) // limit the number of bullets
    {
      this.bullets.push(createVector(x,y));
    }
  }

  //draws all bullets
  draw(){
    fill(255);
    for (var i=0; i<this.bullets.length; i++){
      ellipse(this.bullets[i].x, this.bullets[i].y, this.diam, this.diam);
    }
  }

  //updates the location of all bullets
  move(){
    for (var i=0; i<this.bullets.length; i++){
      this.bullets[i].y += this.velocity.y;
    }
  }

  //check if bullets leave the screen and remove them from the array
  edges(){
    for (var i = this.bullets.length-1;i>=0;i--){
      let bullet = this.bullets[i];
      if (bullet.y <0) {
        this.bullets = this.bullets.slice(1);
      }
    }
  }

  getBulletsNum(){
    return this.bullets.length
  }
}

```

```

//////////emitter.js//////////

```

```

class Emitter{
  // Class based on the particle system introduced in the WEEK 3 lecture

  constructor(){
    this.particles = []
  }
}

```

```

    }
    run(){
        this.draw()
    }
    draw(){
        for (var i=0; i< this.particles.length;i++){
            var paritcle = this.particles[i]

            this.particleGravity(paritcle)
            this.particleFriction(paritcle)

            // RUN PARTICLES
            paritcle.run();

            paritcle.age -=1
            this.removeOldParticle(paritcle)
        }
    }

    addParticle(locX,locY){
        this.particles.push(new Particle(locX,locY))
    }

    clearParticles(){
        this.particles =[]
    }

    removeOldParticle(particle){
        if ( this.particles.length>0 && particle.age <0){
            this.particles.shift()
        }
    }

    particleGravity(particle){
        // GRAVITY
        var gravity = createVector(0,0.0);
        particle.applyForce(gravity);
    }

    particleFriction(particle){
        // FIRCTION
        var friction = particle.velocity.copy()
        friction.mult(-1)
        friction.normalize();
        friction.mult(particle.friction_skalar + map(particle.age,300,0, 0,0.15));

        particle.applyForce(friction);
    }

    reset(){
        this.clearParticles()
    }

}

```

```

////////// emitterBurn.js //////////

```

```

class EmitterBurn extends Emitter{
    constructor(){
        super()
    }
}

```

```

    }

    addParticle(locX,locY,velocityX,velocityY){ //OVERRIDE
        // Adds multiple particles
        for (var i=0; i< 2;i++){
            // Adds randomness to the location and velocity
            locX += random(-1,1)
            locY += 5
            velocityX += 0
            velocityY += 0

            this.particles.push(new ParticleBurn(locX,locY,velocityX,velocityY))
        }
    }

    burn(index){
        this.colours[index] = [255,50,50]
        this.burnigEmitter[index].addParticle(this.locations[index].x+random(-
this.diams[index]/2, this.diams[index]/2),this.locations[index].y)
    }

    stylePartcle(){ //OVERRIDE
        noStroke()

        var alpha = map(this.age, this.maxAge,0,125,0);

        fill(this.r,this.g,this.b,alpha);

    }

}////////// emitterExplosion.js //////////

class EmitterExplosion extends Emitter{
    constructor(astColor){
        super()
        this.bulletVelocity= createVector(0,0)
        this.offset= createVector(0,0)
        this.astVelocity= createVector(0,0)
        this.explosionParitcles = []
    }
    run(){
        this.draw()
    }

    explode(locX,locY, velocityX,velocityY, astColor,
j,bulletSys,burning,numExplodingParticles){ //OVERRIDE

        /// NEW VECTORS
        this.bulletVelocity = createVector(bulletSys.velocity.x, bulletSys.velocity.y) // bullet
velocity
        this.offset = createVector(bulletSys.bullets[j].x-locX, bulletSys.bullets[j].y-locY) //
offset vector from bullet to asteroid
        this.astVelocity = createVector(velocityX, velocityY) // asteroid velocity

        // Add all vectors together
        let newParticleVelocit = p5.Vector.add(this.bulletVelocity, this.offset)
        newParticleVelocit = p5.Vector.add(newParticleVelocit , this.astVelocity)

        let randomMagn = random(1,5)
        let randomNum = random(100,300)
        let burnFactor = 1
        if (burning){
            burnFactor = 2
        }
    }
}

```



```

    }

}

///// particle.js ///////////

class Particle {

  constructor(locX,locY){
    this.location = new createVector(locX, locY);
    this.maxAge= 300
    this.age = 300

    this.size = random(10,25);

    this.velocity = new createVector(random(-3,3), random(-3,3));
    this.acceleration = new createVector(0, 0);

    this.friction_skalar = random(0.0015,0.035) // Adds randomness to the friction
  }

  run(){
    this.draw();
    this.move();
  }

  ////////////////////////////////////////
  draw(){
    push()
    this.size = map(this.age,this.maxAge,0, 10,random(20,65));
    this.stylePartcle()
    ellipse(this.location.x, this.location.y, this.size, this.size);
    pop()
  }

  move(){
    this.velocity.add(this.acceleration);
    this.location.add(this.velocity);
    this.acceleration.mult(0); // Clears the acceleration to be ready for next frame
    this.velocity.limit(7)
  }

  applyForce(force){
    this.acceleration.add(force);
  }

  stylePartcle(){
    noStroke()
    var r = map(this.age, this.maxAge,0,255,0 );
    var g = map(this.age, this.maxAge,0,200,0);
    var b = map(this.age, this.maxAge,0,255,100);
    var alpha = map(this.age, this.maxAge,0,125,0);

    fill(r,g,b,alpha);

  }

}

```

```

//////// /particleBurn.js////////

class ParticleBurn extends Particle{
  // Modifies the base class for the smoke particles

  constructor(locX,locY,velocityX,velocityY){
    super(locX,locY)
    this.velocity = createVector(velocityX,velocityY)

    this.maxAge = 90
    this.age = 90
    this.size = random(1,3);

  }
  draw(){
    push()
    this.size = map(this.age,this.maxAge,0, 10,random(10,20));
    this.styleParticle()
    ellipse(this.location.x, this.location.y, this.size, this.size);
    pop()
  }

  styleParticle(){
    noStroke()
    var r = map(this.age, this.maxAge,0,255,200);
    var g = map(this.age, this.maxAge,0,125,0);
    var b = map(this.age, this.maxAge,0,0,100);
    var alpha = map(this.age, this.maxAge,0,125,50);

    fill(r,g,b,alpha);

  }

}

```

```

///// particleExplosion.js /////

class ParticleExplosion extends Particle{
  constructor(locX,locY,velocityX,velocityY, astColor){
    super(locX,locY,velocityX,velocityY)
    this.velocity.x = velocityX
    this.velocity.y = velocityY
    this.maxAge = 60
    this.age = 60
    this.size = random(20,40);
    this.astColor = astColor
    this.r = map(this.age, this.maxAge,0,this.astColor[0],0 );
    this.g = map(this.age, this.maxAge,0,this.astColor[1],0);
    this.b = map(this.age, this.maxAge,0,this.astColor[2],0);
  }

  styleParticle(){ //OVERRIDE
    noStroke()

    var alpha = map(this.age, this.maxAge,0,125,0);

    fill(this.r,this.g,this.b,alpha);
  }
}

```

```

    }

}

```

```

///// particleSmoke.js
class ParticleSmoke extends Particle{
    // Modifies the base class for the smoke particles

    constructor(locX,locY,velocityX,velocityY){
        super(locX,locY)
        this.velocity = createVector(velocityX,velocityY)

        this.maxAge = 50
        this.age = 50
        this.size = random(3,6);
    }

}

```

```

////////// spaceship.js //////////

class Spaceship {

    constructor(){
        this.emitterSmoke = new EmitterSmoke(); // EmitterSmoke is a subclass of Emitter - it is
        responsible for drawing the particles from the thrusters
        this.reset() // Sets the spaceship to its initial state
    }

    reset(){
        // This function resets the spaceship to its initial state

        this.velocity = new createVector(0, 0);
        this.location = new createVector(width/2, height/2);
        this.acceleration = new createVector(0, 0);
        this.maxVelocity = 5;
        this.bulletSys = new BulletSystem();
        this.size = 50;
        this.collisionRadius = this.size/2

        this.thrusterRight = false;
        this.thrusterLeft = false;
        this.thrusterUp = false;
        this.thrusterDown = false;

        this.emitterSmoke.reset()
    }

    run(){
        // Runs the spaceship
        this.bulletSys.run();
        this.draw();
        this.move();
        this.edges();
        this.interaction();
        this.drawThrusters();
    }
}

```



```

    this.emitterSmoke.run()
}

draw(){
    fill(125);
    triangle(this.location.x - this.size/2, this.location.y + this.size/2,
        this.location.x + this.size/2, this.location.y + this.size/2,
        this.location.x, this.location.y - this.size/2);

    /// FOR TESTING ONLY !!
    this.shipCollisionCircle()
}

move(){
    this.velocity.add(this.acceleration);
    this.velocity.limit(this.maxVelocity);
    this.location.add(this.velocity);

    this.acceleration.mult(0);
}

applyForce(f){
    this.acceleration.add(f);
}

interaction(){
    if (keyIsDown(LEFT_ARROW)){
        this.applyForce(createVector(-0.1, 0));
    }
    if (keyIsDown(RIGHT_ARROW)){
        this.applyForce(createVector(0.1, 0));
    }
    if (keyIsDown(UP_ARROW)){
        this.applyForce(createVector(0, -0.1));
    }
    if (keyIsDown(DOWN_ARROW)){
        this.applyForce(createVector(0, 0.1));
    }
}

fire(){
    this.bulletSys.fire(this.location.x, this.location.y);
}

edges(){
    if (this.location.x<0) {
        this.velocity.x *= random(-0.8,-1);
        this.location.x = 3;
        this.velocity.y += random(-2,3);
    }
    else if (this.location.x>width) {
        this.location.x = width-3;
        this.velocity.x *= random(-0.8,-1);
        this.velocity.y += random(-2,3);
    }
    else if (this.location.y<0) this.location.y = height;
    else if (this.location.y>height) this.location.y = 0;
    // if (this.location.x<0) this.location.x=width;
    // else if (this.location.x>width) this.location.x = 0;
    // else if (this.location.y<0) this.location.y = height;
    // else if (this.location.y>height) this.location.y = 0;
}

setNearEarth(earthLoc){
    // var gravity= createVector(0,0.05)
    var gravity = p5.Vector.sub(earthLoc, this.location).normalize().mult(0.05)
    var dir = gravity.copy().mult(20) // dir is used to draw gravity vector

    var airResistance = this.velocity.copy().mult(-1/30)

```

```

    this.applyForce(gravity)
    this.applyForce(airResistance)

    // DRAW FORCE VECTORS
    this.drawGravityVector(dir)
    this.drawAirResistanceVector(airResistance)
}

drawThrusters(){
    // This function draws the thrusters - it uses the particle system to draw it
    if (this.thrusterRight==true){
        this.emitterSmoke.addParticle(this.location.x,this.location.y, this.velocity.x-10,0);
    }
    if (this.thrusterLeft==true){
        this.emitterSmoke.addParticle(this.location.x,this.location.y, this.velocity.x+10,0);
    }
    if (this.thrusterUp==true){
        this.emitterSmoke.addParticle(this.location.x,this.location.y, 0,this.velocity.y+10);
    }
    if (this.thrusterDown==true){
        this.emitterSmoke.addParticle(this.location.x,this.location.y, 0,this.velocity.y-10);
    }
}

keyPressed(){
    if (keyCode === RIGHT_ARROW){
        this.thrusterRight = true;
    }
    if (keyCode === LEFT_ARROW){
        this.thrusterLeft = true;
    }
    if (keyCode === UP_ARROW){
        this.thrusterUp = true;
    }
    if (keyCode === DOWN_ARROW){
        this.thrusterDown = true;
    }
}

keyReleased(){
    if (keyCode === RIGHT_ARROW){
        this.thrusterRight = false;
    }
    if (keyCode === LEFT_ARROW){
        this.thrusterLeft = false;
    }
    if (keyCode === UP_ARROW){
        this.thrusterUp = false;
    }
    if (keyCode === DOWN_ARROW){
        this.thrusterDown = false;
    }
}

///// MY FUNCITONS FOR DRAWING VECTORS /////
drawGravityVector(dir){
    push()
    stroke("yellow")
    strokeWeight(4)
    translate(this.location.x,this.location.y)
    line(0,0, dir.x*30,dir.y*30)
    pop()
}

drawAirResistanceVector(airResistance){
    push()
    stroke("red")
    strokeWeight(4)

```

```

        translate(this.location.x, this.location.y)
        line(0,0,airResistance.x*300,airResistance.y*300)
        pop()
    }

    // NEW METHODS

    /// MY TESTERS !!!!!///
    shipCollisionCircle()
    {
        push()
        noFill()
        strokeWeight(2)
        stroke("red")
        ellipse(this.location.x,this.location.y,this collisionRadius,this collisionRadius)
        pop()
    }
}

#####
#####
#####

////////// ANGRY BIRDS CLONE //////////
//sketch.js
// Example is based on examples from: http://brm.io/matter-js/, https://github.com/shiffman/p5-matter
// add also Benedict Gross credit

// MY CODE - original code was modified and spread into different functions. Except that
// original code in the helper area at the bottom, all code is mine
var Engine = Matter.Engine;
var Render = Matter.Render;
var World = Matter.World;
var Bodies = Matter.Bodies;
var Body = Matter.Body;
var Constraint = Matter.Constraint;
var Mouse = Matter.Mouse;
var MouseConstraint = Matter.MouseConstraint;

var engine;
var propeller;
var boxes;
var birds;
var colors;
var ground;
var slingshotBird, slingshotConstraint;
var angle;
var angleSpeed;
var canvas;

// MY GLOBAL VARIABLES
var maxAngleSpeed = 0.4;
var birdSize = 20;
var boxSize;
var slingshotBirdInitPos;
var Events = Matter.Events
var score;
var towerHeight;
var towerWidth;

var ifGameOver;;
#####
function setup() {

```

```

    canvas = createCanvas(1000, 600);

    birdBoxCollisionDetector = new birdBoxCollisionDetector();
    initializeGame();
}

////////////////////////////////////
function draw() {

    Engine.update(engine);

    background(0);

    drawGround();

    drawPropeller();

    drawTower();

    drawBirds();

    drawSlingshot();

    drawScore();

    checkForGameOver();

}
////////////////////////////////////
function initializeGame(){
    boxes = [];
    birds = [];
    colors = [];
    score = -3;
    angle=0;
    angleSpeed=0;
    boxSize= random(50,80)
    towerHeight = random(6,8);
    towerWidth = random(3,5);

    engine = Engine.create(); // create an engine

    setupGround();

    setupPropeller();

    setupTower();

    setupSlingshot();

    setupMouseInteraction();

    birdBoxCollisionDetector.setup();
}

//use arrow keys to control propeller
function keyPressed(){
    if (keyCode == ENTER){
        restartGame();

    }
    if (keyCode == LEFT_ARROW){
        // Decrease angle speed and go counetr-clockwise
        if (angleSpeed > -maxAngleSpeed){
            angleSpeed -= 0.04;
        }
    }
    else if (keyCode == RIGHT_ARROW){
        // Increase angle speed and go clockwise

```

```

        if (angleSpeed < maxAngleSpeed){
            angleSpeed += 0.04;
        }
    }
}
////////////////////////////////////
function keyTyped(){
    //if 'b' create a new bird to use with propeller
    if (key==='b'){
        setupBird();
    }

    //if 'r' reset the slingshot
    if (key==='r'){
        removeFromWorld(slingshotBird);
        removeFromWorld(slingshotConstraint);
        setupSlingshot();
    }
}

function restartGame(){
    initializeGame()

}

//////////////////////////////////// MY CODE //////////////////////////////////
function setupPropeller(){
    // creates a propeller
    propeller = Bodies.rectangle(150, 480, 200, 15, {isStatic: true, angle: angle});

    // adds propeller to the world
    World.add(engine.world, [propeller]);
}

function drawPropeller(){
    // update angle
    angle += angleSpeed;

    //set angle to the propeller
    Body.setAngle(propeller, angle);

    // assign anlgeSpeed to the propeller
    Body.setAngularVelocity(propeller, angleSpeed);

    drawVertices(propeller.vertices);
}

function setupBird(){
    // creates a bird
    let bird = Bodies.polygon(mouseX, mouseY, 1, birdSize,{restitution:0.8, friction:0.5,
label:"bird"});
    Body.setMass(bird,1)

    // keeps track of the bird object
    birds.push(bird);

    // adds bird to the world
    World.add(engine.world, [bird]);
}

function drawBirds(){
    // iterate through the birds array to draw individual birds
    for (let i=0; i<birds.length; i++){
        push()
        fill("red")
        drawVertices(birds[i].vertices);
        pop()

        // remove birds that went off screen

```

```

        if (isOffScreen(birds[i])){
            removeFromWorld(birds[i]);
            birds.splice(i,1);
            i--;
            score++;
        }
    }
}

function setupTower(){
    // Creating tower elements
    for (let i=0;i<towerHeight;i++){    // tower height in boxes
        for (let j=0;j<towerWidth;j++){    // tower width in boxes

            // Creatng single box
            let box = Bodies.rectangle(width*0.95-j*boxSize, 620-i*boxSize, boxSize,boxSize,
{label:"towerBox"})
            boxes.push(box);
            World.add(engine.world,[box])

            // Generatig random colour for the box
            boxColor = color(50,random(50,200),50)
            colors.push(boxColor)
        }
    }
}

function drawTower(){
    // Loops through the individual boxes of the tower and draws them
    for (let i=0;i<boxes.length;i++){
        push();

        fill(color(colors[i]));

        drawVertices(boxes[i].vertices);
        pop();

        // any box off screen is deleted
        if (isOffScreen(boxes[i])){
            removeFromWorld(boxes[i])
            boxes.splice(i,1);
            colors.splice(i,1)
            i--
            score++
        }
    }
}

function setupSlingshot(){
    // Creating vector containing slingshotBird inital position
    var slingshotBirdInitPos = new createVector(200, 200);

    // Renames for simplification
    var sBirdiPos = slingshotBirdInitPos;
    slingshotBird = Bodies.circle(sBirdiPos.x,sBirdiPos.y,30, {friction:0, restitution:0.95,
label:"slingshotBird"})
    Body.setMass(slingshotBird,10)
    World.add(engine.world, [slingshotBird])

    // Creating a contraint that is fixed to the world and to the slingshotBird - constraint is
    // destroyed when mouse released after dragging the slingshotBird (implemented in mouseReleased
    // function)
    slingshotConstraint = Constraint.create({
        pointA:{x:sBirdiPos.x, y:sBirdiPos.y},
        bodyB: slingshotBird,
        pointB:{x:0,y:0},
        stiffness: 0.01,

```

```

        damping: 0.0001
    });
    World.add(engine.world, [slingshotConstraint])
}

function drawSlingshot(){
    // Draws Slingshot Bird
    push()
    fill("yellow")
    drawVertices(slingshotBird.vertices)
    pop()

    // Draw slingshot constraint
    drawConstraint(slingshotConstraint)
}

function drawScore(){
    // Shows how many boxes remain to be destroyed and total number of destroyed boxes (the score)
    push()
    // TO DESTROY
    textSize(26);
    fill("red");
    text("To destroy: " + boxes.length, 10, 30);

    // SCORE
    textSize(32);
    fill("yellow");
    text("Score: " + score, 10, 60);

    // DUST, SMALLBOX, TOWERBOX REMAINING
    textSize(20);
    fill(125);
    // show only boxes which label is "smallBox"
    let towerBoxes = boxes.filter(box => box.label == "towerBox");
    let smallBoxes = boxes.filter(box => box.label == "smallBox");
    let dusts = boxes.filter(box => box.label == "dust");
    text("REMAINING: TowerBoxes: " + towerBoxes.length + ", SmallBoxes: " + smallBoxes.length + ",
Dust: " + dusts.length, 270, 30);
    pop()
}

function checkForGameOver(){
    // no loop if no boxes left
    if (boxes.length == 0){
        // display game over message
        push()
        textSize(70);
        fill('orange');
        text("GAME OVER", width/2-150, height/2);

        // display the final score
        textSize(30);
        fill('green');
        text("Boxes destroyed: " + score, width/2-150, height/2+50);
        fill(125);
        textSize(20);
        text("Press ENTER to restart", width/2-150, height/2+100)
        pop()

        // stop the game
        ifGameOver = true;
    }

    if (ifGameOver == false){
        drawScore();
    }
}

```

```

class birdBoxCollisionDetector{
  constructor(){
    self = this; // self has to be used as the Events on has its own this
  }

  setup(){
    Events.on(engine, 'collisionStart', function(event) {
      let pairs = event.pairs;

      // Loop over the pairs of objects that collided
      for (let i = 0; i < pairs.length; i++) {
        let bodyA = pairs[i].bodyA;
        let bodyB = pairs[i].bodyB;

        // Check if bodyA should be split
        if (self.shouldSplit(bodyA,bodyB)) {

          // Remove the original body from the world
          Matter.World.remove(engine.world, bodyA);
          // Storing the color of the destroyed box
          let index = boxes.indexOf(bodyA)
          let destroyedBoxColor = color("yellow")

          // Color is stored if body is in the boxex array
          if (index != -1){
            destroyedBoxColor = color(colors[index])
          }
          else{
            console.log("error - no color found")
          }

          self.removeFromBoxes(bodyA)

          score++;
          if (bodyA.label != "dust"){
            self.replaceWithStack(bodyA, destroyedBoxColor)
          };
        };
      }
    });
  }

  checkSpeedThreshold(bodyA,bodyB,minSpd){
    /// Check if the collision speed is above a threshold to generate split
    let collisionSpeedThreshold = minSpd;
    let relativeVelocity = Matter.Vector.sub(bodyA.velocity, bodyB.velocity);
    let collisionSpeed = Matter.Vector.magnitude(relativeVelocity);
    return collisionSpeed >= collisionSpeedThreshold;
  }

  shouldSplit(bodyA,bodyB){
    /// Check if body hit by a bird should split
    if (bodyB.label == "slingshotBird" || bodyB.label == "bird"){
      if (bodyA.label == "towerBox"){ // tower box hit by bird
        if (self.checkSpeedThreshold(bodyA,bodyB,15)){
          return true;
        }
      }
      /// Chcks if small box hit by bird should split
      else if (bodyA.label == "smallBox"){ // small box hit by bird
        if (self.checkSpeedThreshold(bodyA,bodyB,10)){
          return true;
        }
      }
      else if (bodyA.label == "dust"){ // dust hit by bird
        if (self.checkSpeedThreshold(bodyA,bodyB,5)){
          return true;
        }
      }
    }
  }
}

```



```

    }

    else{
        return false;
    }
}

removeFromBoxes(body) {
    let index = boxes.indexOf(body); // gets the index of the box in the boxes array

    if (index !== -1) { // box exists in the boxes array
        boxes.splice(index, 1); // removes box from the boxes array
        colors.splice(index, 1); // removes colour from the colours array
    }

    return index;
}

replaceWithStack(originalBox, destroyedBoxColor) {
    // Get the position and velocity of the original box
    let position = originalBox.position;
    let velocity = originalBox.velocity;
    let angularVelocity = originalBox.angularVelocity;

    // Remove the original box from the world
    let newColor = color("gray")

    if (destroyedBoxColor){
        newColor = destroyedBoxColor;
    }

    Matter.World.remove(engine.world, originalBox);
    self.removeFromBoxes(originalBox);

    // Create a stack of rectangles

    let stackWidth = 3; // Width of the stack (number of rectangles)
    let stackHeight = 3; // Height of the stack (number of rectangles)

    let stackSize = boxSize / stackWidth; // Size of each rectangle in the stack
    if (originalBox.label == "smallBox"){
        stackSize = stackSize/3;
    }
    let stack = [];
    for (let i = 0; i < stackHeight; i++) {
        for (let j = 0; j < stackWidth; j++) {
            let x = position.x + j * stackSize;
            let y = position.y + i * stackSize;
            let label = "smallBox"
            if (originalBox.label == "smallBox"){
                label = "dust"
            }
            let rectangle = Bodies.rectangle(x, y, stackSize, stackSize,{label:label});
            stack.push(rectangle);
        }
    }

    // Add the stack to the world
    Matter.World.add(engine.world, stack);

    // Adjust the position and velocity of each rectangle in the stack
    stack.forEach((rectangle, index) => {
        let x = position.x + ((index % stackWidth) - 0.5) * stackSize;
        let y = position.y + (Math.floor(index / stackWidth) - 0.5) * stackSize;
        Body.setPosition(rectangle, { x, y });
        Body.setVelocity(rectangle, velocity);
        Body.setAngularVelocity(rectangle, angularVelocity);
    });

    // Update the boxes and colors arrays with the new rectangles

```

```

        boxes = boxes.concat(stack);

        // Assigning unique color for each stack of "dust" boxes
        // let newColor = color(random(100,150),random(100,150),20);
        if (originalBox.label == "smallBox"){
            newColor = color(random(100,200), 50,70)
        }

        colors = colors.concat(Array(stack.length).fill(newColor));

    }
}

//*****
//  HELPER FUNCTIONS - DO NOT WRITE BELOW THIS line
//*****

//if mouse is released destroy slingshot constraint so that
//slingshot bird can fly off
function mouseReleased(){
    setTimeout(() => {
        slingshotConstraint.bodyB = null;
        slingshotConstraint.pointA = { x: 0, y: 0 };
    }, 100);
}

//*****
//tells you if a body is off-screen
function isOffScreen(body){
    var pos = body.position;
    return (pos.y > height || pos.x<0 || pos.x>width);
}

//*****
//removes a body from the physics world
function removeFromWorld(body) {
    World.remove(engine.world, body);
}

//*****
function drawVertices(vertices) {
    beginShape();
    for (var i = 0; i < vertices.length; i++) {
        vertex(vertices[i].x, vertices[i].y);
    }
    endShape(CLOSE);
}

//*****
function drawConstraint(constraint) {
    push();
    var offsetA = constraint.pointA;
    var posA = {x:0, y:0};
    if (constraint.bodyA) {
        posA = constraint.bodyA.position;
    }
    var offsetB = constraint.pointB;
    var posB = {x:0, y:0};
    if (constraint.bodyB) {
        posB = constraint.bodyB.position;
    }
    strokeWeight(5);
    stroke(255);
    line(
        posA.x + offsetA.x,
        posA.y + offsetA.y,
        posB.x + offsetB.x,
        posB.y + offsetB.y
    );
    pop();
}

```

```

////////// WEAVY DOTS //////////
/*
In this task I was able to implement the wave function which uses the translate and rotate
functions to give rotating motion to individual dots. The difference in angle phase creates the
wave effect. The variable angle_phase use noise to introduce some randomness to the phase.
The newColor function changes the color of dots dependingt if they are in the lowest or highest
position.
The wave reacts to the mouse position
*/
///

var amp;
let abs_angle=0
function setup()
{
  createCanvas(500, 500);
  background(255);
  rectMode(CENTER);
  // noiseDetail(1)
  amp = 100
  angle = random(0,360)
}

function draw()
{
  background(255);

  var noOfDots = 20;
  var size = width/noOfDots;

  for (var x = 0; x < noOfDots; x++){
    for (var y = 0; y < noOfDots; y++){
      waves2B(x,y,size) //
    }

    // Limitting angle to range of 0 to 360
    abs_angle = abs_angle%360
    abs_angle+=0.1
  }
}

function createDot(size,c){
  // Creates a dot at 0,0 location of given size and color
  push();
  noStroke()
  fill(c)
  ellipse(0,0,size,size);
  pop();
}

function drawLine(originX,originY,endX,endY){
  // Draws line and dot indicating its beginning between two given positons
  push()
  stroke(color("red"))
  let el_size = 4
  ellipse(originX,originY,el_size,el_size)
  line(originX,originY,endX,endY)
  pop()
}

////////// 2B //////////

function waves2B(x,y,size ){
  push() // POSITIONING THE DOTS

```

```

    translate(x*size,y*size) // POSITIONING THE DOTS

    push() // WAVE EFFECT
        n =wave2B(x, y);
        let c = createNewColor2B(x,y,n)
        createDot(size/2,c)
    pop() // WAVE EFFECT END

pop() // POSITIONING THE DOTS END
}

```

```

function wave2B(x,y){
    // mY = map(mouseY,0,height, 0, 40)
    // let amp = mY
    let amp;
    amp=40
    nA = noise(x*0.1, y*0.1 + 1, frameCount*0.005)
    amp = map(nA,0,1, 0,100)

    nAP = noise(x*0.5+1,y*.5+4, frameCount*0.005)
    phaseNoise = map(nAP,0,1,-4,4)
    mX= map(mouseX,-width/2,width/2,0,6)
    mY= map(mouseY,-height/2,height/2,0,6)

    anglePhase= x*mX +y*mY + phaseNoise*5
    angle = (abs_angle + anglePhase)%360

    let barH = amp
    rotate(radians(angle))
    // drawLine(0,0,0,-barH)
    translate(0,-barH)

    // FOR COLORS
    let norm_angle;
    if (angle<180){
        norm_angle=map(angle,0,180,1,0)
    }
    else{
        norm_angle=map(angle,180,360,0,1)
    }

    return norm_angle
}

```

```

function createNewColor2B(x,y,n){
    // Creates random color using noise function

    let f = 0.1
    let fc = frameCount*0.01

    // let nR = noise((x+1)*f, (y+1)*f, fc)
    let R = map(n, 0,1,255,30)
    let G = 0
    let B = map(n, 0,1,30,255)
    let A = map(n, 0.0,1,255,30)

    let c= color(R,G,B,A)

    return c
}

```

```

////////// NOT USED FUNCTIONS //////////
///// 1 //////////
function createNewColor(x,y){
    // Creates random color using noise function

```

```

let f = 0.1
let fc = frameCount*0.01

let R = noise((x+1)*f, (y+1)*f, fc)*255
let G = 100 -noise((x+2)*f, (y+2)*f, fc)*50
let B = (1- noise((x+3)*f, (y+3)*f, fc))*255

let c= color(R,G,B)

return c
}

function waves1(x,y,size ){
  let c = createNewColor(x,y)
  push() // POSITIONING THE DOTS
    translate(x*size,y*size) // POSITIONING THE DOTS

    push() // WAVE EFFECT
      wave1(x, y);
      createDot(size/2,c)
    pop() // WAVE EFFECT END

  pop() // POSITIONING THE DOTS END
}

function wave1(x,y){
  shiftV = 0
  shiftH = 50
  mY = map(mouseY,0,height,0.05,0.1)
  let mX = map(mouseX,0,width,0.05,0.01)
  let n = noise(x*mX,y*mY+4,frameCount*0.004)

  let nA = noise( + x*0.005,y*0.003+2,frameCount*mX)
  // let angleStep = map(nA,0,1,-0.1,0.1)

  // angleStep = map(nA,0,1,0.01,0.02)
  // angleStep = constrain(angleStep, 0.1, high)
  angleStep = map(mouseX,0,width,-0.02,0.02) + n*map(mouseY,0,height,-0.05,0.05)
  angle = angle + angleStep

  shiftH = map(n,0,1,-amp,amp)

  // if (x==0 && y==0){
  //   console.log(angle )
  // }
  rotate(radians(angle))
  drawLine(0,0,shiftH,shiftV)
  translate(shiftH,shiftV)
}

```