





HTML



HTML(Hyper Text Markup Language)



HTML stands for HyperText Markup Language.

HTML is used to create web pages and web applications.

HTML is widely used language on the web.



We can create a static website by HTML only.

Technically, HTML is a Markup language rather than a programming language.


HTML was created by Tim Berners-Lee in late 1991 but "HTML 2.0" was the first standard HTML specification, which was published in 1995.



Type of Websites



HTML Structure



Example

```
<!DOCTYPE html>
<html>
<head>
<title>Page Title</title>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

My First Heading

My first paragraph.



HTML Headings

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1>This is heading 1</h1>
```

```
<h2>This is heading 2</h2>
```

```
<h3>This is heading 3</h3>
```

```
<h4>This is heading 4</h4>
```

```
<h5>This is heading 5</h5>
```

```
<h6>This is heading 6</h6>
```

```
</body>
```

```
</html>
```

This is heading 1

This is heading 2

This is heading 3

This is heading 4

This is heading 5

This is heading 6



HTML Paragraphs

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<p>This is a paragraph.</p>
```

```
<p>This is a paragraph.</p>
```

```
<p>This is a paragraph.</p>
```

```
</body>
```

```
</html>
```

This is a paragraph.

This is a paragraph.

This is a paragraph.



HTML Styles

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<p>I am normal</p>
```

```
<p style="color:red;">I am red</p>
```

```
<p style="color:blue;">I am blue</p>
```

```
<p style="font-size:50px;">I am big</p>
```

```
</body>
```

```
</html>
```

I am normal

I am red

I am blue

I am big



HTML Text Formatting

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<p><b>This text is bold</b></p>
```

```
<p><i>This text is italic</i></p>
```

```
<p>This is<sub> subscript</sub> and  
<sup>superscript</sup></p>
```

```
</body>
```

```
</html>
```

This text is bold

This text is italic

This is_{subscript} and^{superscript}



HTML Formatting Elements

Formatting elements were designed to display special types of text:

- `<b>` - Bold text
- `<strong>` - Important text
- `<i>` - Italic text
- `<em>` - Emphasized text
- `<mark>` - Marked text
- `<small>` - Smaller text
- `<del>` - Deleted text
- `<ins>` - Inserted text
- `<sub>` - Subscript text
- `<sup>` - Superscript text



HTML Comments

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<!-- This is a comment -->
```

```
<p>This is a paragraph.</p>
```

```
<!-- Comments are not displayed in the browser -->
```

This is a paragraph.

```
</body>
```

```
</html>
```



Background Color

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1 style="background-color:DodgerBlue;">Hello World</h1>
```

```
<p style="background-color:Tomato;">
```

```
Welcome To HTML
```

```
</p>
```

```
</body>
```

```
</html>
```

Hello World

Welcome To HTML



HTML Links

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1>HTML Links</h1>
```

```
<p><a href="https://www.clarent.institute/" target="_blank">Visit Clarent  
Institute</a></p>
```

```
</body>
```

```
</html>
```

HTML Links

[Visit Clarent Institute](https://www.clarent.institute/)



HTML Images

```
<!DOCTYPE html>  
<html>  
<body>
```

HTML Image

```
<h2>HTML Image</h2>  
  
  
</body>  
</html>
```



HTML Tables

```
<!DOCTYPE html>
<html>
<style>
table, th, td {
  border:1px solid black;
}
</style>
<body>

<h2>A basic HTML table</h2>

<table style="width:100%">
  <tr>
    <th>Employee</th>
    <th>Contact</th>
    <th>City</th>
  </tr>
  <tr>
    <td>Ram Sharma</td>
    <td>8965475682</td>
    <td>Surat</td>
  </tr>
  <tr>
    <td>Kamal Nath</td>
    <td>9025761594</td>
    <td>Jalgaon</td>
  </tr>
  <tr>
    <td>Ganesh Chavan</td>
    <td>8945675216</td>
    <td>Mathura</td>
  </tr>
</table>
</body>
</html>
```

A basic HTML table

Employee	Contact	City
Ram Sharma	8965475682	Surat
Kamal Nath	9025761594	Jalgaon
Ganesh Chavan	8945675216	Mathura



HTML Lists

Lists - un-numbered

◆ Unnumbered Lists:

```
<UL>
    <LI> apples </LI>
    <LI> bananas </LI>
    <LI> grapefruit </LI>
</UL>
```

◆ Unnumbered Lists with different pointer types:

```
<UL type="square">
    <LI> oranges </LI>
    <LI> peaches </LI>
    <LI> grapes </LI>
</UL>
```

type="square"

type="disc"

type="circle"

List-Numbered

◆ Numbered Lists:

```
<OL>
    <LI> oranges </LI>
    <LI> peaches </LI>
    <LI> grapes </LI>
</OL>
```

◆ Numbered Lists that starts with 4:

```
<OL start="4">
    <LI> oranges </LI>
    <LI> peaches </LI>
    <LI> grapes </LI>
</OL>
```

◆ Numbered Lists with different ordering:

```
<OL type="a">
    <LI> oranges </LI>
    <LI> peaches </LI>
    <LI> grapes </LI>
</OL>
```

type="a": a, b, c

type="A": A, B, C

type="i": i, ii, iii

type="I": I, II, III



HTML class Attribute

```
<!DOCTYPE html>
<html>
<head>
<style>
.city {
  background-color: tomato;
  color: white;
  border: 2px solid black;
  margin: 20px;
  padding: 20px;
}
</style>
</head>
<body>
```

```
<div class="city">
  <h2>London</h2>
  <p>London is the capital of England.</p>
</div>
```

```
<div class="city">
  <h2>Paris</h2>
  <p>Paris is the capital of France.</p>
</div>
```

```
<div class="city">
  <h2>Tokyo</h2>
  <p>Tokyo is the capital of Japan.</p>
</div>
```

```
</body>
</html>
```



HTML class Attribute

London

London is the capital of England.

Paris

Paris is the capital of France.

Tokyo

Tokyo is the capital of Japan.



HTML id Attribute

```
OCTYPE html>
<html>
<head><!D
<style>
#myHeader {
  background-color: lightblue;
  color: black;
  padding: 40px;
  text-align: center;
}
</style>
</head>
<body>
```

The id Attribute

Use CSS to style an element with the id "myHeader":

My Header

```
<h2>The id Attribute</h2>
<p>Use CSS to style an element with the id "myHeader":</p>
```

```
<h1 id="myHeader">My Header</h1>
```

```
</body>
</html>
```



HTML Input Types

`<input type="text">`

`<input type="file">`

`<input type="button">`

`<input type="checkbox">`

`<input type="color">`

`<input type="date">`

`<input type="email">`

`<input type="password">`

`<input type="month">`

`<input type="number">`

`<input type="url">`

`<input type="radio">`

`<input type="range">`

`<input type="reset">`

`<input type="search">`

`<input type="submit">`

`<input type="tel">`

`<input type="time">`

`<input type="week">`

username

Choose File No file chosen

Button

☒ Car ☐ Bus ☒ Bike

Color Picker:

02/14/2022 

user@gmail.com

July 2022 

50

https://www.google.com

☒ Male ☐ Female

Reset

Search

Submit

Phone No. 123-45-678

04:37 PM 

Week 37 2022 



HTML Forms

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>Text input fields</h2>
```

```
<form>
```

```
  <label for="fname">First name:</label> <br>
```

```
  <input type="text" id="fname" name="fname" value="John"> <br>
```

```
  <label for="lname">Last name:</label> <br>
```

```
  <input type="text" id="lname" name="lname" value="Doe">
```

```
</form>
```

```
</body>
```

```
</html>
```

Text input fields

First name:

Last name:



Radio Buttons

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>Radio Buttons</h2>
```

```
<p>Choose your favorite Web language:</p>
```

```
<form>
```

```
  <input type="radio" id="html" name="fav_language" value="HTML">
```

```
  <label for="html">HTML</label> <br>
```

```
  <input type="radio" id="css" name="fav_language" value="CSS">
```

```
  <label for="css">CSS</label> <br>
```

```
  <input type="radio" id="javascript" name="fav_language" value="JavaScript">
```

```
  <label for="javascript">JavaScript</label>
```

```
</form>
```

```
</body>
```

```
</html>
```

Radio Buttons

Choose your favorite Web language:

- ☐ HTML
- ☐ CSS
- ☐ JavaScript



Checkboxes

```
<!DOCTYPE html>
<html>
<body>
```

```
<h2>Checkboxes</h2>
```

```
<p>The <strong>input type="checkbox"</strong> defines a checkbox:</p>
```

```
<form action="/action_page.php">
```

```
  <input type="checkbox" id="vehicle1" name="vehicle1" value="Bike">
```

```
  <label for="vehicle1"> I have a bike</label><br>
```

```
  <input type="checkbox" id="vehicle2" name="vehicle2" value="Car">
```

```
  <label for="vehicle2"> I have a car</label><br>
```

```
  <input type="checkbox" id="vehicle3" name="vehicle3" value="Boat">
```

```
  <label for="vehicle3"> I have a boat</label><br><br>
```

```
  <input type="submit" value="Submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

Checkboxes

The **input type="checkbox"** defines a checkbox:

- ☐ I have a bike
- ☐ I have a car
- ☐ I have a boat

The Submit Button

```
<!DOCTYPE html>
<html>
<body>
```

```
<h2>HTML Forms</h2>
```

```
<form action="/action_page.php">
  <label for="fname">First name:</label><br>
  <input type="text" id="fname" name="fname" value="John"><br>
  <label for="lname">Last name:</label><br>
  <input type="text" id="lname" name="lname" value="Doe"><br><br>
  <input type="submit" value="Submit">
</form>
```

<p>If you click the "Submit" button, the form-data will be sent to a page called "/action_page.php".</p>

```
</body>
</html>
```

HTML Forms

First name:

Last name:

If you click the "Submit" button, the form-data will be sent to a page called "/action_page.php".



HTML Image

```
<!DOCTYPE>
<html>
<body>
<h2>HTML Image Example</h2>

</body>
</html>
```

HTML Image Example



HTML Video

```
<!DOCTYPE html>
<html>
<body>
<video src="FileName"> OR
<video width="400" controls>
  <source src="mov_bbb.mp4" type="video/mp4">
  <source src="mov_bbb.ogv" type="video/ogg">

</video>
```

<!-- **OR** Ref add from link videos -->

```
<iframe width="853" height="480" src="https://www.youtube.com/embed/5WtQwGvCA1I" title="Yoga and Manifestation
challenge video 2022" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope;
picture-in-picture" allowfullscreen></iframe>
  Your browser does not support HTML video.
```

```
</body>
</html>
```

OR Use Autoplay options

```
<video width="320" height="240" autoplay>
```



HTML Audio

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<audio controls>
```

```
  <source src="horse.ogg" type="audio/ogg">
```

```
  <source src="horse.mp3" type="audio/mpeg">
```

Your browser does not support the audio element.

```
</audio>
```

```
</body>
```

```
</html>
```



HTML Responsive Web Design

- Responsive web design is about creating web pages that look good on all devices!
- A responsive web design will automatically adjust for different screen sizes and viewports.

What is Responsive Web Design?

- Responsive Web Design is about using HTML and CSS to automatically resize, hide, shrink, or enlarge, a website, to make it look good on all devices (desktops, tablets, and phones):

Example:

Setting The Viewport

```
<head>
  <meta charset="UTF-8">
  <meta name="description" content="Free web tutorials">
  <meta name="keywords" content="HTML, CSS, JavaScript">
  <meta name="author" content="Kailas Patil">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
</head>
```

Responsive Images

```


```

Responsive Text Size: The text size can be set with a "vw" unit, which means the "viewport width".

© 2025 Clarent Institute. All rights reserved. This document is strictly private, confidential and personal to its recipients and should not be copied, distributed or reproduced in whole or in part, nor passed to any third party.

```
<h1 style="font-size:10vw">Hello World</h1>
```



Difference between Html and Html5

Features	Html	Html5
definition	A hypertext markup language (HTML) is the primary language for developing web pages.	HTML5 is a new version of HTML with new functionalities with markup language with Internet technologies.
Multimedia support	Language in HTML does not have support for video and audio.	HTML5 supports both video and audio.
Storage	The HTML browser uses cache memory as temporary storage.	HTML5 has the storage options like: application cache, SQL database, and web storage.
Shapes	It is not possible to create shapes like circles, rectangles, triangles.	We can draw shapes like circles, rectangles, triangles.
Browser Support	Works with all older browsers	A new browser supports this.
JavaScript Support	Does not allow JavaScript to run in browser.	Allows JavaScript to run in background. This is possible due to JS Web worker API in HTML5.



HTML5

Don't Omit `<html>` and `<body>`

HTML5 facilitates you to omit and tag. You can exclude both tags and the program will work well enough.

```
<!DOCTYPE html>
<head>
<title>Page Title</title>
</head>
<h1>This is Training Institute</h1>
<p>Welcome to Clarent </p>
```

This is Training Institute

Welcome to Clarent

We recommend you to not to omit and tag because is a root element and specifies the page language.



Thank you