



(Session-2)

jQuery Effects - Hide and Show

Examples

jQuery hide()

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("p").click(function(){
    $(this).hide();
  });
});
</script>
</head>
<body>

<p>If you click on me, I will disappear.</p>
<p>Click me away!</p>
<p>Click me too!</p>

</body>
</html>
```

If you click on me, I will disappear.

Click me away!

Click me too!

jQuery Effects - Hide and Show

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<script
```

```
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
```

```
</script>
```

```
<script>
```

```
$(document).ready(function(){
```

```
  $(".ex .hide").click(function(){
```

```
    $(this).parents(".ex").hide("slow");
```

```
  });
```

```
});
```

```
</script>
```

```
<style>
```

```
div.ex {
```

```
  background-color: #e5eccc;
```

```
  padding: 7px;
```

```
  border: solid 1px #c3c3c3;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

Examples

jQuery hide()

```
<h3>Island Trading</h3>
```

```
<div class="ex">
```

```
  <button class="hide">Hide me</button>
```

```
  <p>Contact: Helen Bennett<br>
```

```
  Garden House Crowther Way<br>
```

```
  London</p>
```

```
</div>
```

```
<h3>Paris Specialities</h3>
```

```
<div class="ex">
```

```
  <button class="hide">Hide me</button>
```

```
  <p>Contact: Marie Bertrand<br>
```

```
  265, Boulevard Charonne<br>
```

```
  Paris</p>
```

```
</div>
```

```
</body>
```

```
</html>
```

jQuery Effects - Hide and Show

Island Trading

Hide me

Contact: Helen Bennett
Garden House Crowther Way
London

Paris Specialities

Hide me

Contact: Marie Bertrand
265, Boulevard Charonne
Paris

After Clicking Buttons

Island Trading

Paris Specialities



jQuery Effects-hide() and show()

With jQuery, you can hide and show HTML elements with the `hide()` and `show()` methods:

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("#hide").click(function(){
    $("p").hide();
  });
  $("#show").click(function(){
    $("p").show();
  });
});
</script>
</head>
<body>

<p>If you click on the "Hide" button, I will disappear.</p>

<button id="hide">Hide</button>
<button id="show">Show</button>

</body>
</html>
```

If you click on the "Hide" button, I will disappear.

Hide Show

jQuery hide() and show()

Syntax:



```
$(selector).hide(speed,callback);
```

```
$(selector).show(speed,callback);
```

The optional speed parameter specifies the speed of the hiding/showing, and can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after the `hide()` or `show()` method



jQuery Effects- hide() and show()

The following example demonstrates the speed parameter with `hide()` :

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
    $("button").click(function(){
        $("p").hide(1000);
    });
});
</script>
</head>
<body>

<button>Hide</button>

<p>This is a paragraph with little content.</p>
<p>This is another small paragraph.</p>

</body>
</html>
```

Hide

This is a paragraph with little content.

This is another small paragraph.

jQuery Effects-toggle()

jQuery toggle()

You can also toggle between hiding and showing an element with the `toggle()` method.

Shown elements are hidden and hidden elements are shown:

Syntax:

```
$(selector).toggle(speed, callback);
```

The optional speed parameter can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after `toggle()` completes.



jQuery Effects-toggle()

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("button").click(function(){
    $("p").toggle("slow");
  });
});
</script>
</head>
<body>

<button>Toggle between hiding and showing the paragraphs</button>

<p>This is a paragraph with little content.</p>
<p>This is another small paragraph.</p>

</body>
</html>
```

Toggle between hiding and showing the paragraphs

This is a paragraph with little content.

This is another small paragraph.

jQuery Effects - Fading

jQuery has the following fade methods:

- `fadeIn()`
- `fadeOut()`
- `fadeToggle()`
- `fadeTo()`



jQuery Effects - Fading

jQuery fadeIn() Method

The jQuery `fadeIn()` method is used to fade in a hidden element.

Syntax:

```
$(selector).fadeIn(speed,callback);
```

The optional speed parameter specifies the duration of the effect. It can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after the fading completes.

The following example demonstrates the `fadeIn()` method with different parameters:



jQuery Effects - Fading

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
    $("button").click(function(){
        $("#div1").fadeIn();
        $("#div2").fadeIn("slow");
        $("#div3").fadeIn(3000);
    });
});
</script>
</head>

<body>

<p>Demonstrate fadeIn() with different parameters.</p>

<button>Click to fade in boxes</button><br><br>

<div id="div1" style="width:80px;height:80px;display:none;background-
color:red;"></div><br>
<div id="div2" style="width:80px;height:80px;display:none;background-
color:green;"></div><br>
<div id="div3" style="width:80px;height:80px;display:none;background-
color:blue;"></div>

</body>
</html>
```



jQuery Effects - Fading

Demonstrate fadeIn() with different parameters.

Click to fade in boxes

Demonstrate fadeIn() with different parameters.

Click to fade in boxes



jQuery Effects - Fading

jQuery fadeOut() Method

The jQuery `fadeOut()` method is used to fade out a visible element.

Syntax:

```
$(selector).fadeOut(speed, callback);
```

The optional speed parameter specifies the duration of the effect. It can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after the fading completes.

The following example demonstrates the `fadeOut()` method with different parameters:



jQuery Effects - Fading

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("button").click(function(){
    $("#div1").fadeOut();
    $("#div2").fadeOut("slow");
    $("#div3").fadeOut(3000);
  });
});
</script>
</head>
```

```

<body>

<p>Demonstrate fadeOut() with different parameters.</p>

<button>Click to fade out boxes</button><br><br>

<div id="div1" style="width:80px;height:80px;background-color:red;">
</div><br>
<div id="div2" style="width:80px;height:80px;background-color:green;">
</div><br>
<div id="div3" style="width:80px;height:80px;background-color:blue;">
</div>

</body>
</html>
```



jQuery Effects - Fading

Demonstrate fadeOut() with different parameters.

Click to fade out boxes



Demonstrate fadeOut() with different parameters.

Click to fade out boxes



jQuery Effects - Fading

jQuery fadeToggle() Method

The jQuery `fadeToggle()` method toggles between the `fadeIn()` and `fadeOut()` methods.

If the elements are faded out, `fadeToggle()` will fade them in.

If the elements are faded in, `fadeToggle()` will fade them out.

Syntax:

```
$(selector).fadeToggle(speed, callback);
```

The optional speed parameter specifies the duration of the effect. It can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after the fading completes.

The following example demonstrates the `fadeToggle()` method with different parameters:

jQuery Effects - Fading

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("button").click(function(){
    $("#div1").fadeToggle();
    $("#div2").fadeToggle("slow");
    $("#div3").fadeToggle(3000);
  });
});
</script>
</head>

<body>
<p>Demonstrate fadeToggle() with different speed parameters.</p>
<button>Click to fade in/out boxes</button><br><br>
<div id="div1" style="width:80px;height:80px;background-color:red;">
</div>
<br>
<div id="div2" style="width:80px;height:80px;background-color:green;">
</div>
<br>
<div id="div3" style="width:80px;height:80px;background-color:blue;">
</div>


</body>
</html>
```



jQuery Effects - Fading

Demonstrate `fadeToggle()` with different speed parameters.

Click to fade in/out boxes



jQuery Effects - Fading

jQuery fadeTo() Method

The jQuery `fadeTo()` method allows fading to a given opacity (value between 0 and 1).

Syntax:

```
$(selector).fadeTo(speed, opacity, callback);
```

The required `speed` parameter specifies the duration of the effect. It can take the following values: "slow", "fast", or milliseconds.

The required `opacity` parameter in the `fadeTo()` method specifies fading to a given opacity (value between 0 and 1).

The optional `callback` parameter is a function to be executed after the function completes.

The following example demonstrates the `fadeTo()` method with different parameters:



jQuery Effects - Fading

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("#button").click(function(){
    $("#div1").fadeTo("slow", 0.15);
    $("#div2").fadeTo("slow", 0.4);
    $("#div3").fadeTo("slow", 0.7);
  });
});
</script>
</head>
```


```
<body>
<p>Demonstrate fadeTo() with different parameters.</p>
<button>Click to fade boxes</button><br><br>
<div id="div1" style="width:80px;height:80px;background-color:red;">
</div><br>
<div id="div2" style="width:80px;height:80px;background-color:green;">
</div><br>
<div id="div3" style="width:80px;height:80px;background-color:blue;">
</div>

</body>
</html>
```

jQuery Effects - Fading

Demonstrate `fadeTo()` with different parameters.

Click to fade boxes



Demonstrate `fadeTo()` with different parameters.

Click to fade boxes



jQuery Effects - Sliding

jQuery Sliding Methods

With jQuery you can create a sliding effect on elements.

jQuery has the following slide methods:

- `slideDown()`
- `slideUp()`
- `slideToggle()`



jQuery Effects - Sliding

jQuery slideDown() Method

The jQuery `slideDown()` method is used to slide down an element.

Syntax:

```
$(selector).slideDown(speed,callback);
```

The optional speed parameter specifies the duration of the effect. It can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after the sliding completes.

The following example demonstrates the `slideDown()` method:



jQuery Effects - Sliding

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("#flip").click(function(){
    $("#panel").slideDown("slow");
  });
});
</script>
```

Click to slide down panel

After Clicking



```
<style>
#panel, #flip {
  padding: 5px;
  text-align: center;
  background-color: #e5eecd;
  border: solid 1px #c3c3c3;
}
```

```
#panel {
  padding: 50px;
  display: none;
}
```

```
</style>
</head>
<body>
```

```
<div id="flip">Click to slide down panel</div>
<div id="panel">Hello world!</div>
```

```
</body>
</html>
```

jQuery Effects - Sliding

jQuery slideUp() Method

The jQuery `slideUp()` method is used to slide up an element.

Syntax:

```
$(selector).slideUp(speed,callback);
```

The optional speed parameter specifies the duration of the effect. It can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after the sliding completes.

The following example demonstrates the `slideUp()` method:




jQuery Effects - Sliding

```
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("#flip").click(function(){
    $("#panel").slideUp("slow");
  });
});
</script>
```



After Clicking



```
<style>
#panel, #flip {
  padding: 5px;
  text-align: center;
  background-color: #e5eccc;
  border: solid 1px #c3c3c3;
}

#panel {
  padding: 50px;
}
</style>
</head>
<body>

<div id="flip">Click to slide up panel</div>
<div id="panel">Hello world!</div>

</body>
</html>
```

jQuery Effects - Sliding

jQuery slideToggle() Method

The jQuery `slideToggle()` method toggles between the `slideDown()` and `slideUp()` methods.

If the elements have been slid down, `slideToggle()` will slide them up.

If the elements have been slid up, `slideToggle()` will slide them down.

```
$(selector).slideToggle(speed, callback);
```

The optional speed parameter can take the following values: "slow", "fast", milliseconds.

The optional callback parameter is a function to be executed after the sliding completes.

The following example demonstrates the `slideToggle()` method:



jQuery Effects - Sliding

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("#flip").click(function(){
    $("#panel").slideToggle("slow");
  });
});
</script>
```

Click to slide the panel down or up

Click to slide the panel down or up

Hello world!

```
<style>
#panel, #flip {
  padding: 5px;
  text-align: center;
  background-color: #e5eccc;
  border: solid 1px #c3c3c3;
}

#panel {
  padding: 50px;
  display: none;
}
</style>
</head>
<body>
```

```
<div id="flip">Click to slide the panel down or up</div>
<div id="panel">Hello world!</div>
```

```
</body>
</html>
```

jQuery Effects - Animation

jQuery Animations - The animate() Method

The jQuery `animate()` method is used to create custom animations.

Syntax:

```
$(selector).animate({params}, speed, callback);
```

The required `params` parameter defines the CSS properties to be animated.

The optional `speed` parameter specifies the duration of the effect. It can take the following values: "slow", "fast", or milliseconds.

The optional `callback` parameter is a function to be executed after the animation completes.

The following example demonstrates a simple use of the `animate()` method; it moves a `<div>` element to the right, until it has reached a left property of 250px:

jQuery Effects - Animation

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("button").click(function(){
    $("div").animate({left: '250px'});
  });
});
</script>
</head>
<body>
```

Start Animation

By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!



```
<button>Start Animation</button>
```

<p>By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!</p>

```
<div
style="background:#98bf21;height:100px;width:100px;position:absolute;">
</div>

</body>
</html>
```

Start Animation

By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!



jQuery Effects - Animation

By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!

jQuery animate() - Manipulate Multiple Properties

Notice that multiple properties can be animated at the same time:



jQuery Effects - Animation

```
<!DOCTYPE html>
<html>
<head>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
  $("button").click(function(){
    $("div").animate({
      left: '250px',
      opacity: '0.5',
      height: '150px',
      width: '150px'
    });
  });
});
</script>
</head>
```

```
<body>
```

```
<button>Start Animation</button>
```

<p>By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!</p>

```
<div
```

```
style="background:#98bf21;height:100px;width:100px;position:absolute;">
```

```
</div>
```

```
</body>
```

```
</html>
```



jQuery Effects - Animation

Start Animation

By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!



Start Animation

By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!



jQuery Effects - Animation

jQuery animate() - Using Relative Values

It is also possible to define relative values (the value is then relative to the element's current value). This is done by putting += or -= in front of the value:



Thank you



Address

Shivalik Western Complex, LP Savani Rd, TGB,
Adajan Gam, Adajan, Surat, Gujarat 395009