KPIs at building-level

|	cost	electricity_consumption
Building_1	RBC: 1.013 SAC: 1.026 SAC_DB2: 1.027	RBC: 1.014 SAC: 1.033 SAC_DB2: 1.035
Building_3	RBC: 1.021 SAC: 1.013 SAC_DB2: 1.006	RBC: 1.023 SAC: 1.019 SAC_DB2: 1.009
Building_4	RBC: 1.016 SAC: 1.025 SAC_DB2: 1.024	RBC: 1.017 SAC: 1.03 SAC_DB2: 1.027
Building_6	RBC: 1.02 SAC: 1.027 SAC_DB2: 1.027	RBC: 1.021 SAC: 1.038 SAC_DB2: 1.039
Building_8	RBC: 1.016 SAC: 1.015 SAC_DB2: 1.019	RBC: 1.016 SAC: 1.021 SAC_DB2: 1.028
Building_13	RBC: 1.013 SAC: 1.019 SAC_DB2: 1.01	RBC: 1.013 SAC: 1.026 SAC_DB2: 1.021

Legend: - - - Baseline, RBC, SAC, SAC_DB2

Building-level net electricty consumption profile

Building-level battery SoC profiles

KPIs at district-level

Label	RBC	SAC	SAC_DB2
1 - average_daily_renewable_share	1.003	1.005	1.005
1 - average_daily_renewable_share_grid	1.003	1.005	1.005
1 - load_factor	0.99	1.005	1.009
average_daily_peak	0.992	1.018	1.021
cost	1.017	1.021	1.019
electricity_consumption	1.017	1.028	1.027
ramping	1.053	1.113	1.117

Baseline (dashed line at 1)

District-level net electricty consumption profile

District-level renewable energy share

District-level renewable energy share

SAC - Building_1 loss values

SAC - Building_3 loss values

SAC - Building_4 loss values

- q1_losses
- q2_losses
- policy_losses
- alpha_losses

SAC - Building_6 loss values

SAC - Building_8 loss values

SAC - Building_13 loss values

SAC_DB2 - Building_1 loss values

SAC_DB2 - Building_3 loss values

SAC_DB2 - Building_4 loss values

SAC_DB2 - Building_6 loss values

SAC_DB2 - Building_8 loss values

SAC_DB2 - Building_13 loss values

SAC - Building_1 reward values

SAC - Building_3 reward values

SAC - Building_4 reward values

SAC - Building_6 reward values

SAC - Building_8 reward values

SAC - Building_13 reward values

SAC_DB2 - Building_1 reward values

SAC_DB2 - Building_3 reward values

SAC_DB2 - Building_4 reward values

SAC_DB2 - Building_6 reward values

SAC_DB2 - Building_8 reward values

SAC_DB2 - Building_13 reward values