



KPIs at building-level

cost








electricity_consumption




Building-level net electricity consumption profile




Building-level battery SoC profiles




KPIs at district-level




District-level net electricity consumption profile




SAC - Building_3 loss values




SAC - Building_5 loss values




SAC - Building_7 loss values




SAC - Building_8 loss values




SAC - Building_10 loss values




SAC - Building_11 loss values




SAC - Building_17 loss values




SAC_DB2 - Building_3 loss values




SAC_DB2 - Building_5 loss values




SAC_DB2 - Building_7 loss values




SAC_DB2 - Building_8 loss values




SAC_DB2 - Building_10 loss values




SAC_DB2 - Building_11 loss values




SAC_DB2 - Building_17 loss values




SAC - Building_3 reward values




SAC - Building_5 reward values




SAC - Building_7 reward values




SAC - Building_8 reward values




SAC - Building_10 reward values




SAC - Building_11 reward values




SAC - Building_17 reward values




SAC_DB2 - Building_3 reward values




SAC_DB2 - Building_5 reward values




SAC_DB2 - Building_7 reward values




SAC_DB2 - Building_8 reward values



SAC_DB2 - Building_10 reward values



SAC_DB2 - Building_11 reward values



SAC_DB2 - Building_17 reward values

