









# KPIs at building-level

cost







electricity\_consumption




# Building-level net electricity consumption profile




# Building-level battery SoC profiles




# KPIs at district-level




# District-level net electricity consumption profile




# District-level renewable energy share



# District-level renewable energy share




SAC - Building\_3 loss values







SAC - Building\_8 loss values




SAC - Building\_9 loss values




SAC - Building\_11 loss values




SAC - Building\_13 loss values




SAC - Building\_14 loss values




SAC\_DB2 - Building\_3 loss values



SAC\_DB2 - Building\_8 loss values




SAC\_DB2 - Building\_9 loss values







SAC\_DB2 - Building\_11 loss values




SAC\_DB2 - Building\_13 loss values




SAC\_DB2 - Building\_14 loss values




SAC - Building\_3 reward values




SAC - Building\_8 reward values




SAC - Building\_9 reward values



SAC - Building\_11 reward values




SAC - Building\_13 reward values







SAC - Building\_14 reward values




SAC\_DB2 - Building\_3 reward values




SAC\_DB2 - Building\_8 reward values




SAC\_DB2 - Building\_9 reward values



SAC\_DB2 - Building\_11 reward values



SAC\_DB2 - Building\_13 reward values



SAC\_DB2 - Building\_14 reward values

