



KPIs at building-level

--- Baseline
 RBC
 SAC
 SAC_DB2
 SAC_DB2Value


1 - used_pv_of_total_share




carbon_emissions




cost









electricity_consumption




Building-level net electricity consumption profile




Building-level battery SoC profiles




KPIs at district-level




District-level net electricity consumption profile




Used PV / available share (Building_3)




Used PV / available share (Building_5)




Used PV / available share (Building_7)




Used PV / available share (Building_8)




Used PV / available share (Building_11)




Used PV / available share (Building_17)




District-level used renewable energy grid / available




District-level used renewable energy / available




SAC - Building_3 loss values




SAC - Building_5 loss values




SAC - Building_7 loss values




SAC - Building_8 loss values




SAC - Building_11 loss values




SAC - Building_17 loss values




SAC_DB2 - Building_3 loss values




SAC_DB2 - Building_5 loss values




SAC_DB2 - Building_7 loss values




SAC_DB2 - Building_8 loss values




SAC_DB2 - Building_11 loss values




SAC_DB2 - Building_17 loss values




SAC_DB2Value - Building_3 loss values




SAC_DB2Value - Building_5 loss values




SAC_DB2Value - Building_7 loss values




SAC_DB2Value - Building_8 loss values




SAC_DB2Value - Building_11 loss values




SAC_DB2Value - Building_17 loss values




SAC - Building_3 reward values




SAC - Building_5 reward values




SAC - Building_7 reward values




SAC - Building_8 reward values




SAC - Building_11 reward values




SAC - Building_17 reward values




SAC_DB2 - Building_3 reward values




SAC_DB2 - Building_5 reward values




SAC_DB2 - Building_7 reward values




SAC_DB2 - Building_8 reward values




SAC_DB2 - Building_11 reward values




SAC_DB2 - Building_17 reward values




SAC_DB2Value - Building_3 reward values




SAC_DB2Value - Building_5 reward values




SAC_DB2Value - Building_7 reward values




SAC_DB2Value - Building_8 reward values




SAC_DB2Value - Building_11 reward values




SAC_DB2Value - Building_17 reward values



SAC evaluation results during training



SAC_DB2 evaluation results during training



SAC_DB2Value evaluation results during training

