




# KPIs at building-level




# Building-level net electricity consumption profile




## Building-level battery SoC profiles




# KPIs at district-level




# District-level net electricity consumption profile




District-level renewable energy share / available share



# District-level renewable energy share grid / available share




SAC - Building\_3 loss values







SAC - Building\_5 loss values




SAC - Building\_7 loss values




SAC - Building\_8 loss values




SAC - Building\_10 loss values




SAC - Building\_11 loss values




SAC - Building\_17 loss values



SAC\_DB2 - Building\_3 loss values




SAC\_DB2 - Building\_5 loss values







SAC\_DB2 - Building\_7 loss values




SAC\_DB2 - Building\_8 loss values




SAC\_DB2 - Building\_10 loss values




SAC\_DB2 - Building\_11 loss values




SAC\_DB2 - Building\_17 loss values




SAC - Building\_3 reward values



SAC - Building\_5 reward values




SAC - Building\_7 reward values







SAC - Building\_8 reward values




SAC - Building\_10 reward values




SAC - Building\_11 reward values




SAC - Building\_17 reward values




SAC\_DB2 - Building\_3 reward values




SAC\_DB2 - Building\_5 reward values



SAC\_DB2 - Building\_7 reward values




SAC\_DB2 - Building\_8 reward values






SAC\_DB2 - Building\_10 reward values



SAC\_DB2 - Building\_11 reward values



SAC\_DB2 - Building\_17 reward values

