# VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

### INTERNET TEHNOLOGIJE

## **DOKUMENTACIJA**

https://kristina519.github.io/Reid/index.html

Predmet: Web programiranje 1 Student: Kristina Mladenovic 5/19

# Sadržaj

Uvod	3
Korišćeni programski jezici I tehnologije:	3
Opis funkcionalnosti	3
Template	3
Organizacija	4
Organizaciona šema	4
Svakoj stranici je moguće pristupiti sa svih stranica	4
Mapa sajta	4
Stranice	6
Home	6
Men / Women	7
Contact	8
About	9
Author	9
Kodovi	10
HTML	10
Home	10
Men	12
Women	13
About	14
Contact	16
Author	19
CSS	20
lavaScrint	24

#### Uvod

## Korišćeni programski jezici I tehnologije:

Html, Css, Bootstrap, JavaScript, JQuery, Owl JQuery plugin

## **Opis funkcionalnosti**

- 1. Dinamičko ispisivanje menija na svim stranama iz niza.
- 2. Hamburger dugme
- 3. Slajder na početnoj strani
- 4. Animacija za kamion na početnoj strani
- 5. Dinamičko ispisivanje iz nizova 'Best Sellers' na početnoj strani
- 6. Dinamičko ispisivanje vesti iz nizova na početnoj strani
- 7. Read more link na vestima
- 8. Animacija kada se klikne na korpu za svaki proizvod
- 9. Plug in za ispis tipova odeće na početnoj strani
- 10. Brojač na početnoj strani
- 11. Dinamičko ispisivanje footera na svim stranama
- 12. Ispisivanje proizvoda na stranam men i women
- 13. Promena prikaza proizvoda u redu
- 14. Promena teme sajt
- 15. Hover prelaskom preko proizvoda
- 16. Validacija podataka iz forme na kontakt strani
- 17. 'Back to top dugme'

### **Template**

Nije korišćen template, kod je samostalno pisan, ideja je preuzeta sa komercijalnih sajtova i template-a, za organizaciju i dizajn je koriscen bootstrap.

# Organizacija

## Organizaciona šema

Svakoj stranici je moguće pristupiti sa svih stranica.

## Mapa sajta


```
<urlset xmlns="http://www.sitemaps.org/schmemas/sitemap/0.9">
<url>
<loc>https://kristina519.github.io/Reid//index.html</loc>
<lastmod>2021-12-03</lastmod>
<changefreq>daily</changefreq>
<prioriry>0.2</prioriry>
</url>
<url>
<loc>https://kristina519.github.io/Reid//men.html</loc>
<lastmod>2021-12-03</lastmod>
<changefreq>daily</changefreq>
<prioriry>0.4</prioriry>
k/url>
<url>
<loc>https://kristina519.github.io/Reid//women.html</loc>
<lastmod>2021-11-25</lastmod>
<changefreq>monthly</changefreq>
<prioriry>0.4</prioriry>
</url>
```


```
<url>
<loc>https://kristina519.github.io/Reid//women.html</loc>
<lastmod>2021-11-25</lastmod>
<changefreq>monthly</changefreq>
<prioriry>0.4</prioriry>
</url>
<url>
<loc>https://kristina519.github.io/Reid//about.html</loc>
<lastmod>2021-11-25</lastmod>
<changefreq>monthly</changefreq>
<pri>oriry>0.6</prioriry>
</url>
<url>
<loc>https://kristina519.github.io/Reid//contact.html</loc>
<lastmod>2021-11-25</lastmod>
<changefreq>monthly</changefreq>
<prioriry>0.8</prioriry>
</url>
<url>
<loc>https://kristina519.github.io/Reid//author.html</loc>
<lastmod>2021-11-25</lastmod>
<changefreq>monthly</changefreq>
<prioriry>0.8</prioriry>
</url>
```

```
</url>
</urlset>
```

#### **Stranice**


#### Home






Na ovoj stranici nalaze se : dinamički meni koji se otvara klikom na hamburger dugme, slajder,kamion koji animacijom prelazi na drugu stranu, ispis najprodavanijih proizvoda, ispis vesti, ispis tipova odeće (owl plug in za povlačenje levo-desno), brojač ( kada se dođe do tog dela strane kreće brojanje) I footer. Svi elementi koji se ponavljaju ispisuju se iz nizova. Klikom na link korpe pored proizvoda, korpa za taj proizvod menja boju, a korpa u hederu menja boju I okrene se za 360 stepeni. Strelica 'Back to top' se pojavljuje prilikom skrolovanja. Heder dobije pozadinku boju prilikom skrolovanja, ili kada se otvori. Kada se klikne na link 'Read more' na vestima, ispisuje se ceo tekst za tu vest. Prelaskom misem preko proizvoda, pojavljuje se senka za taj proizvod. Klikom na link pored korpe menja se tema sajta (dark, slika dole desno)

## Men / Women



Na ovim stranicama nalaze se dinamički heder I footer, ispis proizvoda iz nizova (slika, naziv, stara cena ako je proizvod na sniženju, nova cena, ocena I link za korpu). Promena prikaza proizvoda po redu klikom na kockice

#### Contact




Na ovoj stranici su ispisani dinamički header I footer. Dugme za submit forme je disable-ovano sve dok se sva polja u formi ne popune pravilno. Kada se krene popunjavanje forme, ispisuju se odgovarajuće poruke kako popuniti formu. Ako je polje ispravno popunjeno, poruka se sklanja I polje ima zelenu borduru, dok je neispravno, bordura je crvena. Kada se forma submituje, ispisuje se poruka da poruka uspešno poslata, a tekstovi iz forme se brišu.






Welcome to Clothing Shop Online – the web's one-stop shop for apparel velocing to coloning any pointing in the research supported of all kinds by offer a wide selection of blank apparel styles, brands, and sizes for crafting, DIY projects, and just wearing every day, Our goal is to satisfy the apparel needs of online shappers with plenty of options, a user-friendly site and affordable prices. From cozy fleeces, to casual tshirts and sweat-wicking athletic wear, Clothing Shop Online has it all.Our online store provides apparel from trusted brands, including Gildan, Bella + Canvas, Hanes, Champion, Jerzees, Next Level, Boxercraft, Anvil and Comfort Colors. Check out our products page to see a complete list of what we have to offer. Explore clothing options for every member of the family at Clothing Shop Online.





Na ovoj stranici prikazani su header, footer I statički tekst sa slikom.

#### **Author**



Na ovoj stranici prikazani su header, footer I statički tekst sa slikom.

#### Kodovi

#### **HTML**

#### Home

```
<!DOCTYPE html>
<html lang="en">
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <link rel="stylesheet" href="OwlCarousel2-2.3.4/dist/assets/owl.carousel.min.css">
  link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" int
egrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous"
  k rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  link href="https://fonts.googleapis.com/css2?family=Poppins:wght@200&display=swap" rel="stylesheet"
  link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.1/css/all.min.css">
 <link rel="stylesheet" href="assets/css/style.css">
  <title>Document</title>
  <link rel="shortcut icon" href="assets/images/favicon.ico" type="image/x-icon">
<body>
  <header id="header" class="d-flex justify-content-between flex-wrap p-3">
 </header>
 <div id="slider">
    <img id="sliderImage" class="img-fluid" src="assets/images/slider13.jpg" alt="Slider image">
      <h1>Welcome to Reid</h1>
      Brands you know & love 
 </div>
  <div class="col-12 position-relative my-5">
   <div class="col-3 position-absolute left" id="sneakerAnimation">
      <img class="img-fluid" src="assets/images/patika2.png" alt="">
 </div>
  <div id="best" class="bsHome">
    <h2 class="text-center">Best Sellers</h2>
    <div id="topProducts" class="d-flex justify-content-between flex-wrap my-4"></div>
  </div>
```

```
<div id="news" class="my-5">
   <h2 class="text-center">News</h2>
   <div id="news-container" class="my-4 col-10 mx-auto">
 </div>
 <div class="baner d-flex flex-wrap justify-content-center my-4">
   <img class="col-5 img-fluid" src="assets/images/banner10.jpg" alt="Baner image">
   <img class="col-7 img-fluid" src="assets/images/banner8.jpg" alt="Baner image">
   <img class="col-7 img-fluid" src="assets/images/banner11.jpg" alt="Baner image">
   <img class="col-5 img-fluid" src="assets/images/banner12.jpg" alt="Baner image">
 <div id="categories" class="owl-carousel owl-theme my-2">
 <div id="backToTop" class="d-none">
   <a href="#"><i class="fas fa-chevron-up fs-2"></i></a>
 <div class="stats d-flex justify-content-between flex-wrap col-10 mx-auto my-5">
   <div class="col-5 col-md-2 p-5 d-flex justify-content-between align-items-center m-2">
     <i class="fas fa-users fs-3"></i> <span class="fs-3" id="users">0</span>
   <div class="col-5 col-md-2 p-5 d-flex justify-content-between align-items-center m-2">
     <i class="fas fa-trophy fs-3"></i> <span class="fs-3" id="awards">0</span>
   <div class="col-5 col-md-2 p-5 d-flex justify-content-between align-items-center m-2">
     <i class="fas fa-clock fs-3"></i> <span class="fs-3" id="hours">0</span>
   <div class="col-5 col-md-2 p-5 d-flex justify-content-between align-items-center m-2">
     <i class="fas fa-truck fs-3"></i> <span class="fs-3" id="delivery">0</span>
   </div>
 </div>
 <script src="assets/js/jquery-3.4.1.min.js"></script>
 <script src="OwlCarousel2-2.3.4/src/js/owl.carousel.js"></script>
 <script src="assets/js/main.js" type="text/javascript"></script>
</body>
```

#### Men

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" int</pre>
egrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous"
 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  link href="https://fonts.googleapis.com/css2?family=Poppins:wght@200&display=swap" rel="stylesheet"
 </l></l></l></l></l></l
 k rel="stylesheet" href="assets/css/style.css">
 <title>Document</title>
 <link rel="shortcut icon" href="assets/images/favicon.ico" type="image/x-icon">
</head>
 <header id="header" class="d-flex justify-content-between flex-wrap p-3">
 </header>
 <div id="best" class="py-5">
   <h1 class="text-center py-5">Men</h1>
   <div id="topProducts" class="d-flex justify-content-between flex-wrap px- my-4"></div>
 </div>
 <div id="backToTop" class="d-none">
   <a href="#"><i class="fas fa-chevron-up fs-2"></i></a>
 </div>
 <script src="assets/js/jquery-3.4.1.min.js"></script>
 <script src="assets/js/main.js" type="text/javascript"></script>
</body>
```

#### Women

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" int</pre>
egrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous"
 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  link href="https://fonts.googleapis.com/css2?family=Poppins:wght@200&display=swap" rel="stylesheet"
 </l></l></l></l></l></l
 k rel="stylesheet" href="assets/css/style.css">
 <title>Document</title>
 <link rel="shortcut icon" href="assets/images/favicon.ico" type="image/x-icon">
</head>
 <header id="header" class="d-flex justify-content-between flex-wrap p-3">
 </header>
 <div id="best" class="py-5">
   <h1 class="text-center py-5">Women</h1>
   <div id="topProducts" class="d-flex justify-content-between flex-wrap px- my-4"></div>
 </div>
 <div id="backToTop" class="d-none">
   <a href="#"><i class="fas fa-chevron-up fs-2"></i></a>
 </div>
 <script src="assets/js/jquery-3.4.1.min.js"></script>
 <script src="assets/js/main.js" type="text/javascript"></script>
</body>
```

#### **About**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" int</pre>
egrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous"
  k rel="preconnect" href="https://fonts.googleapis.com">
  k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  link href="https://fonts.googleapis.com/css2?family=Poppins:wght@200&display=swap" rel="stylesheet"
  </l></l></l></l></l></l
  <link rel="stylesheet" href="assets/css/style.css">
  <title>Document</title>
  <link rel="shortcut icon" href="assets/images/favicon.ico" type="image/x-icon">
</head>
<body>
  <header id="header" class="d-flex justify-content-between flex-wrap p-3">
  </header>
  <div id="best" class="py-5">
    <h1 class="text-center py-5">About</h1>
  <div class="d-flex flex-wrap justify-content-around my-5 col-12">
    <div class="col-10 col-md-5">
      <h2>Welcome To Reid Store!</h2>
      >Welcome to Clothing Shop Online – the web's one-
stop shop for apparel of all kinds. We offer a wide selection of blank apparel styles, brands, and sizes for crafti
ng, DIY projects, and just wearing every day. Our goal is to satisfy the apparel needs of online shoppers with pl
enty of options, a user-friendly site and affordable prices. From cozy fleeces, to casual t-shirts and sweat-
wicking athletic wear, Clothing Shop Online has it all.Our online store provides apparel from trusted brands, i
ncluding Gildan, Bella + Canvas, Hanes, Champion, Jerzees, Next Level, Boxercraft, Anvil and Comfort Colors.
Check out our products page to see a complete list of what we have to offer. Explore clothing options for ever
y member of the family at Clothing Shop Online.
    </div>
```

#### **Contact**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="Clothing Shop Online is dedicated to</pre>
fulfilling the apparel needs of our customers.">
     <meta name="author" content="Mladenović Kristina">
    <meta name="keyword" content="Reid, men, women, sale,shop">
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@200&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.1/css/all.min.css">
    <link rel="stylesheet" href="assets/css/style.css">
    <title>Reid</title>
    <link rel="shortcut icon" href="assets/images/favicon.ico" type="image/x-</pre>
icon">
</head>
<body>
    <header id="header" class="d-flex justify-content-between flex-wrap p-3">
    </header>
    <div id="best" class="py-5">
        <h1 class="text-center py-5">Contact</h1>
    </div>
    <div class="d-flex flex-wrap justify-content-around my-5 col-12">
        <div class="col-10 col-md-5">
           <h2>Contact Us</h2>
           Clothing Shop Online is dedicated to fulfilling the apparel needs
of our customers. Our Customer Service representatives are available Monday
```

```
through Friday during regular business hours to address any questions or concerns
that you may have.
          <hr>>
          <i class="fas fa-map-marker-alt"></i> Address : Princess Road
55
          <i class="far fa-envelope"></i> Infor@roadthemes.com
          <i class="fas fa-phone-alt"></i> 0(1234) 567 890
       </div>
           <div class="col-10 col-md-5 mx">
               <form action="#" method="post" name="myForm">
               <div class="col-12 mb-2">
                  <label for="email">E-mail *</label>
                  <input type="text" name="email" id="email" class="form-</pre>
control">
                  </div>
               <div class="col-12 mb-2">
                  <label for="phone">Phone *</label>
                  <input type="text" name="phone" id="phone" class="form-</pre>
control">
                  </div>
               <div class="col-12 mb-2">
                  <label for="subject">Subject *</label>
                  <input type="text" name="subject" id="subject" class="form-</pre>
control">
                  </div>
               <div class="col-12 mb-2">
                  <label for="message">Message *</label>
                  <textarea name="message" id="message" class="form-
control"></textarea>
                  </div>
               <div class="col-12 mb-2">
                  <label for="rate">Rate our products *</label><br>
                  <input type="range" name="rate" id="rate" min="0" max="100">
                  <span id="rangeValue"></span>
```

```
</div>
              <div class="col-12 mt-4">
                 Rate our shop *
                 <input type="radio" name="rateShop" value="awesome"><span>
Awesome</span>
                 <input type="radio" name="rateShop" value="good"><span>
Good</span>
                 <input type="radio" name="rateShop" value="bad"><span>
Bad</span>
                 </div>
              <div class="col-12 mt-4">
                 <button type="button" id="btnSend" class="form-control btn</pre>
btn-primary disabled">Send</button>
              </div>
              You have
successfuly sent message!
          </form>
       </div>
   </div>
   <div id="backToTop" class="d-none">
       <a href="#"><i class="fas fa-chevron-up fs-2"></i></a>
   </div>
   <script src="assets/js/jquery-3.4.1.min.js"></script>
   <script src="assets/js/main.js" type="text/javascript"></script>
</body>
</html>
```

#### **Author**

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" int</pre>
egrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous"
 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  link href="https://fonts.googleapis.com/css2?family=Poppins:wght@200&display=swap" rel="stylesheet"
 </l></l></l></l></l></l
 <link rel="stylesheet" href="assets/css/style.css">
 <title>Document</title>
 <link rel="shortcut icon" href="assets/images/favicon.ico" type="image/x-icon">
</head>
 <header id="header" class="d-flex justify-content-between flex-wrap p-3">
 </header>
 <div id="best" class="pt-5">
   <h1 class="text-center py-5">Author</h1>
 <div class="d-flex flex-wrap justify-content-center my-5 col-12">
   <div class="col-10 col-md-5 mx">
     <img class="img-fluid" src="assets/images/profil.jpg" alt="Kristina Mladenovic">
   <div class="col-10 col-md-5">
     <h2>Kristina Mladenovic</h2>
     Internet technologies
     5/19
     Web programming 1
   </div>
 </div>
 <div id="backToTop" class="d-none">
   <a href="#"><i class="fas fa-chevron-up fs-2"></i></a>
 <script src="assets/js/jquery-3.4.1.min.js"></script>
  <script src="assets/js/main.js" type="text/javascript"></script>
 /body>
```

## **CSS**

```
margin: 0px;
  padding: 0px;
  box-sizing: border-box;
body{
  font-family: 'Poppins', sans-serif;
header{
  width: 100%;
  position: fixed;
  transition-duration: 0.5s;
  z-index: 99;
nav{
  position: absolute;
  right: 0px;
  top: 59px;
  padding-right: 25px;
  transition-duration: 0.5s;
nav ul{
  list-style-type: none;
.headerColor{
  background-color: #fff;
  transition-duration: 0.5s;
#backToTop{
  position: fixed;
  right: 20px;
  bottom: 20px;
  z-index: 99;
.item{
  margin: 45px;
  padding: 25px;
```

```
footer{
  width: 100%;
  background-color: #ebebeb;
.product{
  position: relative;
  z-index: 80;
  padding: 20px 0px;
.product p{
  font-size: 20px;
.product .productName{
  font-weight: bold;
.product .fa-star{
  color: burlywood;
  font-size: 25px;
.card-position{
  position: absolute;
  z-index: 80;
  bottom: 20px;
  right: 30px;
.bsHome{
  margin-top: 250px;
#best h1::after{
  content: "-";
#best h1::before{
  content: "-";
.add-to-card,.card-up{
  color: #75edff;
.card-added{
  color: #0026ff;
  transition-duration: 0.5s;
.card-animation{
  transform: rotate(360deg);
  transition-duration: 0.5s;
```

```
#slider{
  position: relative;
#slider div{
  position: absolute;
  top: 40%;
  left: 50px;
#slider h1{
  font-size: 65px;
.stats div{
  background-color: #ebebeb;
.left{
  transform: rotateY(0deg);
.right{
  transform: rotateY(180deg);
.shadow{
  box-shadow: 0px 0px 10px #c2c2c2;
/* @keyframes myAnimation{
    transform: rotateY(180deg);
@media screen and (max-width:800px){
  .item{
    margin: 20px;
    padding: Opx;
  #slider h1{
    font-size: 30px;
  #slider p{
```

```
font-size: 20pxlimportant;
}
.product .fa-star{
  font-size: 15px;
}
.card-position{
  font-size: 15pxlimportant;
  right: 15px;
  bottom: 10px;
}
.product{
  padding: 0px 10pxlimportant;
}
.bsHome{
  margin-top: 150px;
}
}
@media screen and (max-width:500px){
  .item{
   margin: 5px;
}
}
```

## **JavaScript**

```
$(document).ready(function(){
    getHeader()
    getFooter()
})
$(window).scroll(function(){
    if(window.pageYOffset>50){
        $("header").addClass("headerColor")
        $("#backToTop").removeClass("d-none")
        if($("#themeToggle").hasClass("darkTheme")){
            $("header").addClass("yellowTheme")
        else{
            $("header").addClass("headerColor")
            $("header").removeClass("yellowTheme")
    else{
        if($("nav").hasClass("d-none")){
            $("header").removeClass("headerColor")
            $("header").removeClass("yellowTheme")
        $("#backToTop").addClass("d-none")
})
$("#scroll a").on("click",function() {
    $("html, body").animate({ scrollTop: 0 }, "slow");
    return false;
});
function getHeader(){
```

```
let print=''
    print+=`<div id="Logo"><a class="text-decoration-none fw-bold text-secondary</pre>
text-uppercase fs-3" href="index.html">Reid</a></div>
            <div class="d-flex align-items-center">
                <a href="#" id="themeToggle"><i class="fas fa-toggle-on fs-2 mx-</pre>
2"></i></a>
                <a href="#" id="card"><i class="fas fa-shopping-cart fs-4 card-up"</pre>
mx-2"></i></a>
                <a href="#" id="hamburger" class="hamburger text-secondary"><i</pre>
class="fas fa-bars fs-4 mx-2"></i></a>
            </div>`
    $('header').html(print)
    getMenu()
    $("#hamburger").on("click",showMenu)
    $("#themeToggle").on("click",themeToggle)
function themeToggle(e){
    e.preventDefault()
    if($("#themeToggle").hasClass("darkTheme")){
        ///remove dark
        $("#themeToggle").removeClass("darkTheme")
        $("#themeToggle").removeClass("darkTheme")
        $("body").removeClass("bg-dark")
        $("p").removeClass("text-light")
        $("h1").removeClass("text-light")
        $("h2").removeClass("text-light")
        $("h3").removeClass("text-light")
        $("footer").removeClass("yellowTheme")
        $("label").removeClass("text-light")
        // $("#best a i").removeClass("text-light")
        $(".form-control").removeClass("text-light")
        $("#slider h1").removeClass("text-light")
        $("#slider p").removeClass("text-light")
        // $(".old-price").addClass("text-danger")
```

```
$("nav").removeClass("yellowTheme")
        $("header").removeClass("yellowTheme")
        $(".view i").removeClass("text-light")
    else{
        ///add dark
        $("#themeToggle").addClass("darkTheme")
        $("body").addClass("bg-dark")
        $("p").not($(".old-price")).not($(".text-success")).addClass("text-
light")
        $("h1").addClass("text-light")
        $("h2").addClass("text-light")
        $("h3").addClass("text-light")
        $("footer").addClass("yellowTheme")
        // $("#best a i").addClass("text-light")
        $("nav").addClass("yellowTheme")
        $("label").addClass("text-light")
        $(".form-control").addClass("text-light")
        $("#slider h1").removeClass("text-light")
        $("#slider p").removeClass("text-light")
        // $(".old-price").removeClass("text-light")
        $(".view i").addClass("text-light")
        if(!$("nav").hasClass("d-none")){
            $("header").addClass("yellowTheme")
        if(window.pageYOffset>50){
            $("header").addClass("yellowTheme")
function getMenu(){
    var menuNames=['Home','Men','Women','About','Contact','Author']
menuLinks=['index.html','men.html','women.html','about.html','contact.html','auth
or.html']
    let print=''
    print+=`<nav class="col-12 d-none">`
    for(let i=0;i<menuNames.length;i++){</pre>
        print+=`<a class="text-decoration-none text-uppercase fs-4"</pre>
href="${menuLinks[i]}">${menuNames[i]}</a>`
```

```
print+=`</nav>`
   document.getElementById("header").innerHTML+=print
function getFooter(){
   var footer=document.createElement("footer");
   footer.setAttribute("class","p-4 d-flex justify-content-between flex-wrap");
   $("body").append(footer)
   var footerInformations=document.createElement("div")
   var footerContact=document.createElement("div")
   footerInformations.setAttribute("class","col-10 col-md-6")
   footerContact.setAttribute("class","col-10 col-md-6")
   footer.append(footerInformations)
   footer.append(footerContact)
   footerInformations.innerHTML=`<h3>Informations</h3>
   Stores
   Adress: Princess Road 55
   Phone: +385/555-555
   Adress: King James street 156
   Phone: +385/665-335
   footerContact.innerHTML=`<h3>Contact Us</h3>
   Address: 6688 Princess Road, London, Greater London BAS 23JK, UK
   Phone: (+012) 800 456 789 - 987
   Email: reid@gmail.com
   var networks=['fa-facebook-f','fa-instagram','fa-youtube','fa-twitter']
   var
networksLinks=['https://www.facebook.com','https://www.instagram.com','https://ww
w.youtube.com','https://www.twitter.com/']
   for(let i=0;i<networks.length;i++){</pre>
       footerContact.innerHTML+=`<a target="_blank" class="px-3 py-2 me-2</pre>
rounded-circle bg-light border-1 text-dark fs-5" href="${networksLinks[i]}"><i
class="fab ${networks[i]}"></i></a>`
    }
```

```
footerContact.innerHTML+=`<br/><br/><a class="text-decoration-none text-dark"
href="doc.pdf">Documentation</a>`
function showMenu(e){
    e.preventDefault()
    if($("nav").hasClass("d-none")){
        $("nav").removeClass("d-none")
        $("#hamburger").html(`<i class="fas fa-times fs-4 mx-2"></i>`)
        if($("#themeToggle").hasClass("darkTheme")){
            $("nav").addClass("yellowTheme")
            $("header").addClass("yellowTheme")
            $("nav").removeClass("headerColor")
            $("header").removeClass("headerColor")
        else{
            $("nav").addClass("headerColor")
            $("header").addClass("headerColor")
   else{
        $("nav").addClass("d-none")
        $("#hamburger").html(`<i class="fas fa-bars fs-4 mx-2"></i>`)
        $("header").removeClass("headerColor")
        $("nav").removeClass("headerColor")
        $("header").removeClass("yellowTheme")
let url=location.href;
function getSlider(){
    var slider=document.querySelector("#sliderImage");
   var imagesSrc=["slider13.jpg","slider14.jpg","slider15.jpg"];
   var i=0;
    function loadSlider(){
        slider.src="assets/images/"+imagesSrc[i];
       if(i<imagesSrc.length-1) i++;</pre>
        else i=0;
        setTimeout(loadSlider, 3000);
```

```
loadSlider();
function getCategories(){
categoriesImages=['shipping.png','shipping1.png','shipping2.png','shipping3.png',
shipping4.png','shipping5.png']
    var categoryNames=['Backpak','Hooded Jacket','Lingerie
Women','Sneaker','Socks','Clothing',]
let print=''
for(let i=0;i<categoriesImages.length;i++){</pre>
    print+=`<div class='item text-center'><img alt="Category" class="img-fluid"</pre>
src='assets/images/${categoriesImages[i]}'/>
bolder">${categoryNames[i]}</div>`
document.getElementById("categories").innerHTML+=print
$('.owl-carousel').owlCarousel({
    loop:true,
    margin:10,
    nav:true,
    responsive:{
        0:{
            items:1
        },
        60:{
            items:3
        },
        100:{
            items:5
})
///top products
var topProducts=['T-Shirt','Trousers','Jacket','T-Shirt']
topProductsImages=['product9.webp','product3.webp','product14.webp','product8.web
```

```
var topProductsPrices=[25,35,50,20]
var topProductsOldPrices=[35,null,null,30]
var topProductRate=[5,3,3,4]
///men products
var menProducts=['T-
Shirt','Shorts','Jeans','Joggers','Hoodie','Jacket','Jeans','Hoodie']
menProductsImages=['product9.webp','product10.webp','product11.webp','product12.w
ebp','product13.webp','product14.webp','product15.webp','product16.webp']
var menProductsPrices=[25,20,66,30,20,44,30,20]
var menProductsOldPrices=[35,null,null,45,30,45,null,30]
var menProductRate=[5,5,3,2,5,5,3,2]
///woman products
var womanProducts=['Sweatshirt','Jeans','Trousers ','Dress','T-Shirt','Leather
Jacket','Jacket','T-Shirt']
womanProductsImages=['product1.webp','product2.webp','product3.webp','product4.we
bp','product5.webp','product6.webp','product7.webp','product8.webp']
var womanProductsPrices=[55,44,35,50,15,60,40,20]
var womanProductsOldPrices=[66,null,null,60,20,null,45,30]
var womanProductRate=[5,5,3,2,5,5,3,2]
function
printProducts(products,productsImages,productsPrices,oldPrices,productRate){
    let print=''
    for(let i=0;iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii
         print+=`<div class="col-6 col-md-3 px-4 my-3 product">
                  <div class="my-2 text-center"><img class="img-fluid"</pre>
src="assets/images/${productsImages[i]}"/></div>
                  ${products[i]}`
                  if(oldPrices[i]!=null){
                       print+=`
text-danger">${oldPrices[i]} $``
                  else{
                       print+=` ``
                  print+=`${productsPrices[i]} $`
                  for(let j=1;j<=5;j++){
```

```
if(j<=productRate[i]){</pre>
                      else{
                      print+=`<a href="#" class="add-to-card"><i class="fas fa-</pre>
shopping-cart card-position fs-4"></i></a>`
               print+=`</div>`
    }
   $("#topProducts").html(print)
   $("#productsNumber").html(products.length)
   $(".add-to-card").on("click",addToCard)
   $(".product").hover(
       function(){
           if($("#themeToggle").hasClass("darkTheme")){
               $(this).removeClass("shadow")
               $(this).addClass("shadow-dark")
           else{
               $(this).addClass("shadow")
       },
       function(){
           $(this).removeClass("shadow-dark")
           $(this).removeClass("shadow")
       })
function addToCard(e){
   e.preventDefault()
   $(".card-up").addClass("card-added")
   if($(".card-up").hasClass("card-animation")){
       $(".card-up").removeClass("card-animation")
   else{
       $(".card-up").addClass("card-animation")
```

```
$(this).addClass("card-added")
var newsTitle=['Reid gets tiktok','Opening of the month'];
var newsContent=['We are now on TikTok! The social media platform is experiencing
a real hype and we want to prove that fashion means more than just clothes. Find
out more here and become part of our community!','On Thursday, August 19, 2021,
we are celebrating a great opening party! 3 new stores in Belgrade, Amsterdam and
Paris. We are expecting you at the opening. Big discounts are waiting for you!
Stores Locations : Belgrade - Bulevar Kralja Aleksandra 55, Amsterdam :
Leidsestraat 7, Paris : 62 Rue Bonaparte']
var newsImage=['tiktok.png','opening.jpg']
function getNews(){
    let print=''
    for(let i=0;i<newsTitle.length;i++){</pre>
        print+=`<div class="col-12 my-4 d-flex justify-content-around flex-wrap">
                    <div class="col-10 col-md-6 my-2"><img class="img-fluid"</pre>
src="assets/images/${newsImage[i]}" alt="${newsTitle[i]}"/></div>
                    <div class="col-10 col-md-6">
                        <h3 class="text-uppercase">${newsTitle[i]}</h3>
                        id="${i}">${newsContent[i].substring(0,150)}... <a href="#" class="news-more
text-decoration-none">Read more</a>
                    </div>
                </div>`
    }
    $("#news-container").html(print)
    $(".news-more").on("click",moreTextNews)
function moreTextNews(e){
    e.preventDefault()
    var text=$(this).parent()
    var clicked=$(this).parent().attr("data-id")
    text.html(newsContent[clicked])
function getNumbers(){
    var divOffset=document.getElementsByClassName("stats")[0].offsetTop;
    console.log(divOffset)
    $(window).scroll(function(){
```

```
if(window.pageYOffset>divOffset){
            function tajmer(i,number,div){
                setInterval(() => {
                    if(i<=number){</pre>
                         $(div).html(i)
                    if(i>number){
                         clearInterval()
                    i++
                })
            tajmer($("#users").text(),1000,"#users")
            tajmer($("#awards").text(),153,"#awards")
            tajmer($("#hours").text(),455,"#hours")
            tajmer($("#delivery").text(),60,"#delivery")
    })
function getAnimatin(){
    setInterval(function(){
        $("#sneakerAnimation").animate({
            left: "75%"
        },5000).animate({
            left: "0%"
        },5000)
    })
    setInterval(function(){
        if($("#sneakerAnimation").hasClass("left")){
            $("#sneakerAnimation").addClass("right")
            $("#sneakerAnimation").removeClass("left")
        else{
            $("#sneakerAnimation").addClass("left")
            $("#sneakerAnimation").removeClass("right")
    },5000)
if(url.indexOf("index.html")!=-1){
    getSlider()
    getCategories()
```

```
printProducts(topProducts,topProductsImages,topProductsPrices,topProductsOldP
rices, topProductRate)
    getNews()
    getNumbers()
    getAnimatin()
if(url.indexOf("men.html")!=-1){
    printProducts(menProducts,menProductsImages,menProductsPrices,menProductsOldP
rices,menProductRate)
if(url.indexOf("women.html")!=-1){
    printProducts(womanProducts,womanProductsImages,womanProductsPrices,womanProd
uctsOldPrices,womanProductRate)
if(url.indexOf("women.html")!=-1 || url.indexOf("men.html")!=-1){
    $(".view").on("click",function(e){
        e.preventDefault()
        $(".product").removeClass("col-md-3")
        $(".product").removeClass("col-md-2")
        $(".product").removeClass("col-md-4")
        $(".product").removeClass("col-6")
        $(".product").removeClass("col-4")
        $(".product").removeClass("col-3")
        $(".product").addClass(this.dataset.id)
    })
if(url.indexOf("contact.html")!=-1){
    $("#btnSend").on("click",function(){
        $("#messageSuccess").removeClass("d-none")
        $("input").val("")
        $("textarea").val("")
        document.getElementById("btnSend").classList.add("disabled")
        $("input").removeClass("border-success")
        $("textarea").removeClass("border-success")
        $("input[type=radio]").prop('checked', false);
    $("#rate").change(getRateValue)
```

```
$("input[name='rateShop']").change(getRate2Value)
var email=document.getElementById("email")
var phone=document.getElementById("phone")
var subject=document.getElementById("subject")
var message=document.getElementById("message")
var rate=document.getElementById("rate")
var rateShop=$("input[name='rateShop']:checked")
var regEmail=/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,4})+$/;
var regTelefon=/^06[012345679]\d{6,7}$/;
var regSubject=/^[A-Z][a-z]{2,}(\s[a-z]{2,}){0,2}$/;
var err=0;
function emailCheck(){
    checkAll()
function subjectCheck(){
    checkAll()
}
function phoneCheck(){
    checkAll()
function messageCheck(){
    checkAll()
function rateCheck(){
    checkAll()
}
function rateShopCheck(){
    checkAll()
}
email.addEventListener("keyup",emailCheck)
phone.addEventListener("keyup",phoneCheck)
subject.addEventListener("keyup", subjectCheck)
message.addEventListener("keyup", messageCheck)
```

```
rate.addEventListener("change", rateCheck)
    rateShop.change(rateShopCheck)
function checkAll(){
    var rateShop=$("input[name='rateShop']:checked")
    var err=0
    if(!regEmail.test(email.value)){
        document.getElementById("errEmail").innerHTML='E-mail eg.
kristina@gmail.com or kristina.mladenovic.5.19@ict.edu.rs'
        $("#email").addClass("border-danger")
        $("#email").removeClass("border-success")
        err++
    else{
        document.getElementById("errEmail").innerHTML=''
        $("#email").addClass("border-success")
        $("#email").removeClass("border-danger")
    if(message.value.split(" ").length<10){</pre>
        document.getElementById("errMessage").innerHTML="Message has 10 words
minimum"
        $("#message").addClass("border-danger")
        $("#message").removeClass("border-success")
        err++
    else{
        document.getElementById("errMessage").innerHTML=""
        $("#message").addClass("border-success")
        $("#message").removeClass("border-danger")
    if(!regTelefon.test(phone.value)){
        document.getElementById("errPhone").innerHTML='Phone format 06XXXXXXXX(X)'
        $("#phone").addClass("border-danger")
        $("#phone").removeClass("border-success")
        err++
    else{
        document.getElementById("errPhone").innerHTML=''
        $("#phone").addClass("border-success")
        $("#phone").removeClass("border-danger")
    if(!regSubject.test(subject.value)){
```

```
document.getElementById("errSubject").innerHTML='Subject has one word
minimum with capital letter, maximum 3 words with lowercase. Every word has
minimum 2 letters'
        $("#subject").addClass("border-danger")
        $("#subject").removeClass("border-success")
        err++
    else{
        document.getElementById("errSubject").innerHTML=''
        $("#subject").addClass("border-success")
        $("#subject").removeClass("border-danger")
    if(document.getElementById("rate").value==0){
        document.getElementById("errRate").innerHTML="You have to choose number
grater than 0"
        err++
    else{
        document.getElementById("errRate").innerHTML=""
    if(rateShop.length==0){
        err++
        document.getElementById("errRate2").innerHTML="You have to choose rate"
    else{
        document.getElementById("errRate2").innerHTML=""
    if(err==0){
        document.getElementById("btnSend").classList.remove("disabled")
function getRateValue(){
    $("#rangeValue").html(this.value)
    if(this.value==0){
        document.getElementById("btnSend").classList.add("disabled")
    }
function getRate2Value(){
    checkAll()
```

```
document.getElementById("errRate2").innerHTML=""
```