

Akademija tehničko-umetničkih strukovnih Studija

Beograd

Odsek Visoka ICT škola

# StarOptic Blog

<https://drive.google.com/drive/folders/1ITsQXnZ3BP2jz6nagYf3HARk7eRjg6Xc>

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje PHP 2

Student: Kristina Glišović 55/19

Uvod .....	5
Korišćene tehnologije: .....	5
Korišćena okruženja .....	5
Opis funkcionalnosti .....	5
Front - zajedničko .....	5
Početna strana .....	6
Blog .....	6
Blog post .....	6
Kontakt .....	6
Prijava .....	6
Zaboravio/la sam lozinku .....	6
Link za reset lozinke .....	7
Registracija korisnika .....	7
Admin - Back .....	7
Admin - dashboard .....	7
Admin - Postovi i komentari .....	7
Admin - Korisnici .....	7
Admin - Poruke .....	7
Admin - aktivnosti .....	7
Admin - Resetovane lozinke .....	8
Admin - Kreiranje admina .....	8
Admin - Kreiranje postova .....	8
Admin - Kreiranje kategorija .....	8
Admin - izmena postova .....	8
Templejt .....	8
Organizacija .....	9
Organizaciona šema baze .....	9
Opis stranica sajta .....	10
Početna .....	10
Blog - postovi .....	11
Blog - post .....	12
Kontakt .....	13
Autor .....	14
Prijava .....	15
Registracija .....	16
Zaboravio/la sam lozinku .....	17
Admin panel .....	19
.....	19
Admin panel - Dashboard .....	19
Admin - Postovi i komentari .....	20
Admin - Registrovani korisnici .....	21
Admin - Poruke .....	22
Admin panel - Aktivnosti .....	23
Admin - resetovane lozinke .....	24
Admin - kreiranje admina .....	25
ADMIN - Kreiranje i izmena posta .....	26
Admin - Kreiranje i izmena kategorija .....	27
Više informacija - Responsive i polja .....	28
Struktura projekta .....	29
Kodovi .....	30
Kontroleri .....	30
Admin/BackendController .....	30
Admin/DataRangeActivityController .....	31
Admin/ForgotPasswordUsers .....	32
Admin/PostController .....	33

Admin/UserController .....	35
AuthController .....	37
CategoryController .....	39
Controller .....	41
FrontController .....	41
OsnovniController .....	44
Middlewares .....	45
AlreadyLoggedIn .....	45
AuthCheck .....	45
IsAdmin .....	46
Mailable .....	46
Contact .....	46
Models .....	47
AdminMenu .....	47
Category .....	47
Comment .....	48
Contact .....	48
Home .....	49
Menu .....	49
PasswordReset .....	49
Post .....	50
Role .....	50
User .....	51
UserActivityLog .....	52
Migrations .....	52
Create_users_table .....	52
Create_homes_table .....	53
Create_menus_table .....	54
Create_contacts_table .....	54
Create_posts_table .....	55
Create_roles_table .....	56
Create_menus_table .....	57
Create_categories_table .....	57
Create_comments_table .....	58
Add_visit_count_to_posts_table .....	59
Create_password_resets_table .....	59
Create_user_activity_logs_table .....	60
Add_post_status_to_post_table .....	61
Seeders .....	61
AdminMenuSeeder .....	61
HomeSeeder .....	62
MenuSeeder .....	63
RoleSeeder .....	63
CSS .....	64
Style.css .....	64
JS .....	66
mainBack.js .....	66
Views/Admin/Components .....	67
Aside.blade.php .....	67
Available-categories.blade.php .....	68
Pageheader.blade.php .....	69
Topnav.blade.php .....	69
Views/Admin/Fixed .....	70
Footer.blade.php .....	70
Head.blade.php .....	70
Scripts.blade.php .....	71
Views/Admin/Pages .....	71
Activity.blade.php .....	71
Admin-create.blade.php .....	73
Comments.blade.php .....	74

Contact.blade.php .....	76
Create-categories.blade.php .....	78
Create_post.blade.php .....	79
Dashboard.blade.php .....	81
Edit-categories.blade.php .....	83
Edit-post.blade.php .....	83
Forgot.blade.php .....	86
RegisteredUsers.blade.php .....	87
Front/Components/Aside .....	90
Aside.blade.php .....	90
Categories.blade.php .....	90
Latestposts.blade.php .....	90
Searchform.blade.php .....	91
Front/Components .....	92
CreateComment.blade.php .....	92
Indexpost.blade.php .....	93
Posts.blade.php .....	93
recentPosts.blade.php .....	94
Front/fixed .....	95
Footer.blade.php .....	95
Head.blade.php .....	96
Navigation.blade.php .....	97
Scripts.blade.php .....	98
Front/pages/blog .....	98
Main.blade.php .....	98
Single-blog-post.blade.php .....	99
Front/pages/main .....	101
Author.blade.php .....	101
Contact.blade.php .....	102
Index.blade.php .....	103
Login.blade.php .....	105
Password_reset.blade.php .....	106
Password_reset_email.blade.php .....	107
Registration.blade.php .....	107
Layouts/Admin .....	110
Admin-dash-layout.blade.php .....	110
Layouts/Front .....	110
Mainlayout.blade.php .....	110
postslayout.blade.php .....	111
Resetpassword.blade.php .....	111
Views/mail .....	111
Mail.blade.php .....	111
Routes .....	112
Web.php .....	112
Validation custom messages .....	115
Validate.php .....	115

# Uvod

## Korišćene tehnologije:

- HTML
- CSS
- Laravel
- Javascript
- JQuery
- Php
- Bootstrap 4

## Korišćena okruženja

- Php Storm
- Xampp
- MySql
- Adobe Photoshop

## Opis funkcionalnosti

### Front - zajedničko

- Navigacija - dinamički meni ispisan iz baze, sa linkovima čiji prikaz zavisi od autorizacije korisnika
- Skorašnje objave na footeru koje se izvlače iz baze na osnovu vremena kreiranja
- Blog sekcija – sekcija sa pretragom, skorašnjim objavama i kategorijama sa brojem proizvoda koji njoj pripadaju, izvučeno iz baze podataka
- Nemogućnost pristupa admin panelu, ako je običan registrovan/neregistrovan korisnik
- Logout – ako je korisnik registrovan
- Obaveštenja kroz vid poruke sa preduzete akcije

## Početna strana

- Dinamički ispisan središnji sadržaj stranice

## Blog

- Dinamički ispis postova sa slikom, glavnim tekstom, kategorijom, vremenom kreiranja, naslovom, imenom autora, brojem komentara, brojem pregleda, i imenom kreatora posta
- Paginacija – prikaz 4 posta
- Mogućnost pretrage - validirano
- Mogućnost filtriranja proizvoda na osnovu kategorije
- Mogućnost pregleda neke od skorašnjih objava
- Ako je korisnik admin, pojavljuju mu se linkovi za izmenu i brisanje određenog posta

## Blog post

- Dinamički ispis svih podataka iz baze vezano za post
- Navigacija za sledeći i prethodni post
- Mogućnost komentarisanja – zavisi od autorizacije
- Mogućnost brisanja komentara od strane usera koji ga je kreirao
- Povezani postovi po kategoriji – ako postoje, i pristup ka njima
- Broj komentara vezana za post
- Ako je korisnik admin, pojavljuju mu se linkovi za izmenu i brisanje određenog posta
- Pretraga sa stranice kao sa stranice postovi

## Kontakt

- Kontakt koji se ispisuje u bazu i stiže na mejl bloga
- Validacija svakog polja

## Prijava

- Mogućnost prijave korisnika sa validacijom
- Provera postojanja u bazi
- Zabrana ponovog prijavljivanja korisnika

## Zaboravio/la sam lozinku

- Mogućnost promene lozinke sa stizanjem linka za reset na mejl registrovanog korisnika
- Validacija polja
- Blokada stizanja mejla za reset korisniku koji već ne postoji

- Obaveštenje za korisnika ako njegov e-mail postoji da proveriti SPAM folder

#### Link za reset lozinke

- Kada korisnik klikne na link koji mu je stigao na mejl za reset lozinke urađena je validacija za zadati e-mail kao i za lozinku koju mora da ukuca ispravno

#### Registracija korisnika

- Kompletna registracija sa validacijom za svako polje
- Zabrana pristupa registraciji ako je korisnik prijavljen

#### Admin - Back

- Zajednički meni iz baze
- Ispis imena korisnika u meniju
- Logout
- Obaveštenja kroz vid poruke sa preduzete akcije

#### Admin – dashboard

- Prikaz kartica sa osnovnim informacijama o komentarima, korisnicima sa brojem podataka izvučenim iz baze

#### Admin – Postovi i komentari

- Prikaz komentara i posta sa kojim je povezan, mogućnost brisanja i gledanja posta za koji je određen komentar vezan
- Prikaz postova sa mogućnostima za brisanje, promenu statusa objavljivanja i pregleda ako je post objavljen

#### Admin – Korisnici

- Prikaz informacija usera i admina i mogućnost promene njihove uloge i brisanje
- Zabrana brisanja admina ako u bazi postoji samo 1 admin

#### Admin – Poruke

- Prikaz svih poslatih poruka
- Brisanje pojedinačne poruke
- Brisanje svih poruka odjednom

#### Admin – aktivnosti

- Prikaz aktivnosti korisnika

- Mogućnost brisanja svih podataka i filtriranja po zadatom datumu

#### Admin – Resetovane lozinke

- Prikaz e-mailova koji su pokušali reset ili resetovali svoju lozinku
- Mogućnost brisanja svih aktivnosti
- Mogućnost pretrage aktivnosti

#### Admin – Kreiranje admina

- Samo admin može da kreira admina
- Validacija za svako polje

#### Admin – Kreiranje postova

- Mogućnost kreiranja postova sa validacijom za svako polje i izborom kategorije kojoj post pripada – učitane iz baze
- Prikaz korišćene slike

#### Admin – Kreiranje kategorija

- Validirano kreiranje kategorija sa prikazom dostupnih kategorija i njihovom izmenom i brisanjem

#### Admin – izmena postova

- Iščitana polja vezana za post i mogućnost promene istih, naravno sa validacijom

## Templejt

Za sajt su korišćeni templejtovi za front i back modifikovani potrebama sajta.


Link kreatora admin panela: <https://adminlte.io/>

Link kreatora bloga: <https://bootstrapious.com/>




# Organizacija

## Organizaciona šema baze




# Opis stranica sajta


## Početna



Dinamički meni čiji prikaz zavisi od autorizacije korisnika






Dinamički sadržaj iz baze



Prikaz 3 zadnja postavljena posta iz baze sa pristupom određenom postu



# Blog – postovi



- Neautorizovan korisnik vidi sve postove bez mogućnosti brisanja i izmene kao autorizovan korisnik
- Paginacija
- Mogućnost pretrage
- Mogućnost prikaza postova po kategoriji
- Klikom na post korisnik vidi post, ali bez mogućnosti komentarisanja ako nije registrovan
- Ograničenje prikaza glavnog teksta


- Admin dobija mogućnost izmene i brisanja sadržaja
- Admin dobija mogućnost brisanja postova i komentarisanja

# Blog – post



- Prikaz posta sa svim podacima koji su iščitani iz baze
- Mogućnost pretrage, pristupu skorašnjim objavama i postovima po kategoriji
- Navigacija na prethodni i sledeći post
- Prikaz komentara posta – ako ih ima
- Mogućnost komentarisanja i brisanja svog komentara – registrovan korisnik
- Ili bilo kog - admin
- Direktan pristup izmeni i editu posta ako je korisnik admin
- Prikaz povezanih postova po kategoriji – ako ih ima

# Kontakt



PočetnaBlogKontaktAutorAdmin PanelOdjavi se

## Kontakt

📧 office@staroptic.rs  
☎️ +381 64 6689 857  
📍 Raše Plavića 2, 11160 Beograd

Ili nas kontaktirajte putem poruke, a mi ćemo Vam odgovoriti u najkraćem mogućem roku.

Poruka \*

Pošalji

Poruka je uspešno poslata

**StarOptik Blog**  
Raše Plavića 2, 11160 Beograd  
Telefon: +381 64 6689 857  
Email: [office@staroptic.rs](mailto:office@staroptic.rs)  
[f](#) [@](#) [G](#)


Početna


Blog


Kontakt

Autor

**Skorašnje objave**

Dioptrijske Naočare Nisu Zaštitne  
Naočare  
Vreme: 2 Hours Ago

Koliko Boja Rama Ide Uz Karakter?  
Vreme: 2 Hours Ago

Zaštita Ili Moda?  
Vreme: 2 Hours Ago

© 2022. Sva prava zadržana.Template By [Bootstrapious](#)

- Kompletno validirana kontakt forma koja se nakon slanja vidi u Admin panelu i stiže na mejl bloga
- Poruka o uspešno poslatoj poruci

## Contact Inbox x



**StarOptik Blog** <staropticblog22@gmail.com>  
to me ▾

Poruka:

Poruka

Ime i prezime: Test Test


Broj telefona: 0654646465

Email: [test123@ict.edu.rs](mailto:test123@ict.edu.rs)

↩ Reply


➡ Forward

# Autor



- Informacije o autoru i linkovi ka portfolio i dokumentaciji

# Prijava



PočetnaBlogKontaktAutorPrijavaRegistracija

### Prijavi se

Prijavi se

[Napravi nalog](#)


[Zaboravio/la sam lozinku?](#)


Ne postoji korisnik sa unetim imenom i lozinkom


**StarOptik Blog**  
Rade Plavčića 2, 11160 Beograd  
Telefon: +381 64 6689 857  
Email: [office@staroptik.rs](mailto:office@staroptik.rs)  
[f](#) [i](#) [G](#)

[Početna](#)  
[Blog](#)  
[Kontakt](#)  
[Autor](#)

**Skorašnje objave**

**Dioptrijske Naočare Nisu Zaštitne Naočare**  
Vreme: 2 Hours Ago

**Koliko Boja Rama Ide Uz Karakter?**  
Vreme: 2 Hours Ago


**Zaštita Ili Moda?**  
Vreme: 2 Hours Ago

© 2022. Sva prava zadržana.

Template By Bootstrapious

- Validiran log in sa porukama i blokadom prijave koji ne postoji
- Zabrana prijave korisnika koji je već prijavljen

# Registracija



PočetnaBlogKontaktAutorPrijavaRegistracija

## Registracija

Sva polja su obavezna

Ime

Ime ne sme biti prazno

Prezime

Prezime ne sme biti prazno

Korisničko ime

Korisničko ime je obavezno

Email

E-mail ne sme biti prazan

Lozinka

Lozinka je obavezna

Potvrdite lozinku

Obavezno polje


Napravi nalog


Uloguj se


**StarOptik Blog**  
Rata Plavica 2, 11160 Beograd  
Telefon: +381 64 6689 857  
Email: [office@staroptik.rs](mailto:office@staroptik.rs)  
[f](#) [i](#) [g](#)

Početna  
Blog  
Kontakt  
Autor

**Skorašnje objave**

Dioptrijske Naočare Nisu Zaštitne  
Naočare  
Vreme: 2 Hours Ago

Koliko Boja Rama Ide Uz Karakter?  
Vreme: 2 Hours Ago

Zaštita Ili Moda?  
Vreme: 2 Hours Ago

© 2022. Sva prava zadržana.

Template By Bootstrapious

- Validirana registracija sa porukom obaveštenja
- Zabranjen pristup registraciji ako je korisnik ulogovan
- Zabranjena registracija sa korisničkim imenom ili mejlom koji već postoji




# Zaboravio/la sam lozinku


The screenshot shows a web form for password reset. At the top, the title 'Zaboravio/la sam lozinku' is centered. Below it, the instruction 'Upišite Vašu e-mail adresu' is displayed. A text input field labeled 'E-mail' is present, with a red error message 'E-mail ne sme biti prazan' below it. A teal button labeled 'Pošalji link za reset lozinke' is positioned below the input field. At the bottom, a link 'Povratak na prethodnu stranu' is visible.

- Validacija polja
- Validacija postojanosti e-maila korisnika
- Obaveštenje o proveri inboxa/spama ako korisnik postoji

This screenshot shows the same password reset form as the first one, but with an additional success message at the top. The message, in a light blue box, reads: 'Link za promenu lozinke Vam je poslat na e-mail !!! VAŽNO: Ako ne vidite link u INBOX-u, proverite SPAM folder !!!'. The rest of the form, including the 'E-mail' input field, the 'Pošalji link za reset lozinke' button, and the 'Povratak na prethodnu stranu' link, remains the same.



- Email sa linkom za reset lozinke koji stiže u inbox registrovanog korisnika




- Prozor koji se otvara koji omogućava korisniku da promeni lozinku
- Provera reseta za e-mail uz pomoć tokena
- Poruke o uspešnosti i greškama
- Validacije polja

# Admin panel

- Admin panelu ima pristup samo admin
- Zajednički meni za sve stranice iz baze podataka
- Prikaz imena ulogovanog administratora

## Admin panel - Dashboard



- Prikaz kartica sa informacijama o stranicama na koju se odnose

# Admin – Postovi i komentari

The screenshot displays the Admin interface with a sidebar on the left and a main content area. The sidebar contains the following menu items: 'Ime: kimix', 'Kontrolna tabla', 'Postovi i komentari' (highlighted), 'Korisnici', 'Poruke', 'Aktivnosti', 'Resetovane lozinke', 'Kreiranje admina', 'Kreiranje postova', 'Kreiranje kategorija', 'Početna', and 'Odjavi se'. The main content area is divided into two sections: 'Komentari' and 'Postovi'.

**Komentari**


#	Korisnik	Post	Post ID	Komentar	Izbriši	Post
7	userict	Koliko boja rama ide uz karakter?	21	ovo je test	Obrisi	Pogledaj

**Postovi**

#	Naslov	Broj komentara	Broj pregleda	Status	Obrisi	Promeni status	Pogledaj
17	Zašto je važno da nosimo naočare?	0	3	Objavljeno	Obrisi	Promeni status	Pogledaj
18	Dioptrijski ram kao modni detalj	0	2	Objavljeno	Obrisi	Promeni status	Pogledaj
19	Ram kao detalj na licu	0	1	Objavljeno	Obrisi	Promeni status	Pogledaj
20	Zaštita ili moda?	0	2	Objavljeno	Obrisi	Promeni status	Pogledaj
21	Koliko boja rama ide uz karakter?	1	9	Objavljeno	Obrisi	Promeni status	Pogledaj
22	Dioptrijske naočare nisu zaštitne naočare	0	8	Objavljeno	Obrisi	Promeni status	Pogledaj
24	post za delete test	0	2	Neobjavljeno	Obrisi	Promeni status	Prvo objavite post da biste ga videli

- Prikaz komentara i postova na koje se odnose
- Mogućnost pregleda posta za određeni komentar
- Pregled posta – ako je objavljen
- Brisanje postova
- Promena statusa objavljivanja posta

# Admin – Registrovani korisnici



Ime: kimix

Registrovani korisnici

ID	Ime	Prezime	Username	Email	Uloga	Izbriši
9	Testt	Testt	testt	test123@ict.edu.rs	User	Obriši
10	Hristina	Adzic	h.adzic	hristina.adzic@gmail.com	User	Obriši
11	uhasfhafshas	UOIJFASFASUFASI	SAOIFASOI	kglisovic@yahoo.com	User	Obriši
13	User	Test	userict	usertesticte@mail.com	User	Obriši


ID	Ime	Prezime	Username	Email	Uloga	Izbriši
4	Kristina	Glisovic	kimix	kimap963@gmail.com	Admin	Obriši
14	Admin	ICT	adminict	adminict@gmail.com	User	Obriši

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

- Prikaz svih registrovanih korisnika
- Mogućnost brisanja i promene uloge
- Zabrana brisanja i promene uloge admina ako u bazi postoji samo 1 admin
- Obaveštenje u vidu poruke o izvršenim aktivnostima

ID	Ime	Prezime	Username	Email	Uloga	Izbriši
4	Kristina	Glisovic	kimix	kimap963@gmail.com	Admin	U bazi mora postojati bar 1 admin i ne može se promeniti uloga. U bazi mora postojati bar 1 admin i ne može se obrisati.

# Admin – Poruke



Ime: kimix

Kontakt forma - poruke

Poruke

Obrisi	Ime i Prezime	Poruka	Broj telefona	Email	Primijeno
Obrisi	Kristina Test	Test	0616134441	kimap963@gmail.com	2 hours ago
Obrisi	Test Test	Test Poruka	0616134441	test123@ict.edu.rs	34 minutes ago
Obrisi	Test Test	Poruka	0654646465	test123@ict.edu.rs	33 minutes ago

Obrisi sve

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

- Prikaz svih poruka koje su stigle na mejl bloga
- Mogućnost brisanja pojedinačne ili svih poruka

# Admin panel – Aktivnosti

Ime: kimix

Aktivnosti korisnika

Registracija, izmena, brisanje, odjava, prijava i komentarisanje korisnika

03/09/2022 do mm/dd/yyyy [Filtriraj datume](#) [Obriši](#)

Broj rezultata filtriranja: 40


ID	Username	Email	Uloga	Aktivnost	Datum
40	adminICT	adminict@gmail.com	User	Izmenjena uloga	13-03-2022
39	adminICT	adminict@gmail.com	Admin	Izmenjena uloga	13-03-2022
38	kimix	kimap963@gmail.com	Admin	Prijavljen	13-03-2022
37	kimix	kimap963@gmail.com	Admin	Izlogovan	13-03-2022

[Obriši sve](#)

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

- Prikaz aktivnosti korisnika
- Filtriranje aktivnosti po datumu
- Osvežavanje tabele
- Brisanje svih aktivnosti
- Ispis broja rezultata filtriranja

# Admin – resetovane lozinke



- Prikaz korisnika koji su resetovali ili pokušali reset lozinke a da postoje u bazi podataka
- Mogućnost pretrage sadržaja
- Mogućnost brisanja celog sadržaja



# Admin – kreiranje admina

The screenshot shows the 'Kreiranje admina' (Create Admin) form in the AdminLTE interface. On the left is a dark sidebar with a menu including 'Kontrolna tabla', 'Postovi i komentari', 'Korisnici', 'Poruke', 'Aktivnosti', 'Resetovane lozinke', 'Kreiranje admina' (highlighted), 'Kreiranje postova', 'Kreiranje kategorija', 'Početna', and 'Odjavi se'. The main content area has a light blue header with the title 'Kreiranje admina'. Below the title are six input fields: 'Ime', 'Prezime', 'Korisničko ime', 'Email', 'Lozinka', and 'Potvrdite lozinku'. A teal button labeled 'Napravi admina' is positioned below the fields. At the bottom of the page, a small copyright notice reads: 'Copyright © 2014-2021 AdminLTE.io. All rights reserved.'

- Kreiranje admina od strane admina
- Validacija svih polja
- Provera da li email ili username postoji u bazi
- Poruke o uspešnosti ili greškama

# ADMIN – Kreiranje i izmena posta

The screenshot shows the 'Kreiranje postova' (Create Post) form in the Admin panel. The form includes a sidebar with navigation links, a main content area with form fields, and a footer with copyright information. The form fields are:

- Glavna slika \***: A field for the main image, with a 'Choose File' button and a note 'Slika je obavezna' (Image is required).
- Kategorija \***: A dropdown menu for selecting a category, with a note 'Kategorija mora biti izabrana' (Category must be selected).
- Naslov \***: A text field for the title, with a note 'Naslov mora biti prazan' (Title must be empty).
- Glavni tekst \***: A rich text editor for the main content, with a note 'Tekst je obavezan' (Text is required).
- Podnaslov \***: A text field for the subtitle, with a note 'Podnaslov ne sme biti prazan' (Subtitle must not be empty).
- Podnaslov tekst 1 \***: A rich text editor for the first subtitle, with a note 'Podnaslov ne sme biti prazan' (Subtitle must not be empty).
- Podnaslov tekst 2 \***: A rich text editor for the second subtitle, with a note 'Podnaslov ne sme biti prazan' (Subtitle must not be empty).

At the bottom of the form is a blue button labeled 'Kreiraj post' (Create post).

The screenshot shows the 'Edit post' form in the Admin panel. The form includes a sidebar with navigation links, a main content area with form fields, and a footer with copyright information. The form fields are:

- Glavna slika \***: A field for the main image, with a 'Choose File' button and a note 'Slika je obavezna' (Image is required).
- Kategorija \***: A dropdown menu for selecting a category, with a note 'Kategorija mora biti izabrana' (Category must be selected).
- Naslov \***: A text field for the title, with a note 'Naslov mora biti prazan' (Title must be empty).
- Glavni tekst \***: A rich text editor for the main content, with a note 'Tekst je obavezan' (Text is required).
- Podnaslov \***: A text field for the subtitle, with a note 'Podnaslov ne sme biti prazan' (Subtitle must not be empty).
- Podnaslov tekst 1 \***: A rich text editor for the first subtitle, with a note 'Podnaslov ne sme biti prazan' (Subtitle must not be empty).
- Podnaslov tekst 2 \***: A rich text editor for the second subtitle, with a note 'Podnaslov ne sme biti prazan' (Subtitle must not be empty).

At the bottom of the form is a blue button labeled 'Izmeni post' (Edit post).

- Validacija svih polja
- Prikaz trenutne slike
- Implementacija CDN – a koja omogućava lakšu konverziju teksta kroz HTML kod na blog
- Izlistavanje svih kategorija i ako je edit – selekcija iste

# Admin – Kreiranje i izmena kategorija

Ime: kimix

Kreiranje kategorije

Kreiranje

Ime kategorije

Kreiraj kategoriju

Dostupne kategorije

#	Kategorija	Izmeni	Izbriši
6	DIOPTRIJSKE NAOČARE	Izmeni	Obrisi
7	SUNČANE NAOČARE	Izmeni	Obrisi
8	ZAŠTITA	Izmeni	Obrisi

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

- Prikaz svih dostupnih kategorija uz mogućnost brisanja ili izmene iste

Ime: kimix

Izmena kategorije

Izmena kategorije

DIOPTRIJSKE NAOČARE

Izmeni kategoriju

Dostupne kategorije



#	Kategorija	Izmeni	Izbriši
6	DIOPTRIJSKE NAOČARE	Izmeni	Obrisi
7	SUNČANE NAOČARE	Izmeni	Obrisi
8	ZAŠTITA	Izmeni	Obrisi

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

# Više informacija – Responsive i polja

Sve stranice su responsive, i odrađeno je rešenje svih polja ako nisu dostupni

Primeri:



Početna Blog Kont


Trenutno nema postova

Ne postoji nijedan post za zadatu pretragu

Skorašnje objave

Nema kreiranih objava

# Struktura projekta



# Kodovi

## Kontroleri

Admin/BackendController

```
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use App\Models\Comment;
use App\Models>Contact;
use App\Models>PasswordReset;
use App\Models\Post;
use App\Models\Role;
use App\Models\User;
use App\Models\UserActivityLog;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;

class BackendController extends Controller
{

    public function dashboard()
    {
        return view('admin.pages.dashboard', [
            'pageName'=>"Kontrolna tabla",
            'brojUsera'=>count(User::all()),
            'brojPoruka'=>count(Contact::all()),
            'brojKomentara'=>count(Comment::all()),
            'brojAktivnosti'=>count(UserActivityLog::all())
        ]);
    }

    public function contact()
    {
        $contact=Contact::all();
        return view('admin.pages.contact', [
            'pageName'=>"Kontakt forma - poruke",
            'messages'=>$contact
        ]);
    }

    public function comments()
    {
        $comments=Comment::with('post')->get();
        $posts=Post::with('comments')->get();
        return view('admin.pages.comments', [
            'pageName'=>"Komentari ",
            'comments'=>$comments,
            'posts'=>$posts
        ]);
    }
}
```

```

    }

    public function destroyMessage(Contact $m){
        $m->delete();
        return redirect(route('admin.contact'))->with([
            'msg'=>'Poruka je uspešno obrisana',
        ]);
    }

    public function destroyCommentBack(Comment $comment){
        $comment->delete();
        return redirect(route('admin.comments'))->with([
            'msg'=>'Komentar je uspešno obrisana',
        ]);
    }
    public function destroyCommentFront(Comment $comment){
        $comment->delete();
        return redirect()->back();
    }

    public function truncateMessages(){
        DB::table('contacts')->truncate();
        return redirect(route('admin.contact'))->with([
            'msg'=>'Poruke su uspešno obrisane',
        ]);
    }
    //
}

```

## Admin/DataRangeActivityController

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use App\Models\UserActivityLog;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;

class DataRangeActivityController extends BackendController
{
    public function activity(){
        $activity=UserActivityLog::all();
        return view('admin.pages.activity',[
            'pageName'=>"Aktivnosti korisnika",
            'activity'=>$activity
        ]);
    }
}

```

```

    });
}

function fetch_data(Request $request){
    if($request->ajax()){
        if($request->from_date !='' && $request->to_date!=''){
            $data=UserActivityLog::whereBetween('created_at',[$request->from_date, $request->to_date])->get();
        }
        else{
            $data=UserActivityLog::orderBy('created_at','desc')->get();
        }
        echo json_encode($data);
    }
}

public function truncateActivity(){
    DB::table('user_activity_logs')->truncate();
    return redirect(route('admin.activity'))->with([
        'msg'=>'Aktivnosti su uspešno obrisane',
    ]);
}
}

```

## Admin/ForgotPasswordUsers

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use App\Models>PasswordReset;
use Illuminate\Http\Request;

class ForgotPasswordUsers extends BackendController
{
    function index(){
        return view('admin.pages.forgot',[
            'pageName'=>"Resetovane lozinke",
        ]);
    }
    function search(Request $request)
    {
        if($request->ajax()){
            $output='';
            $query=$request->get('query');
            if($query!=''){
                $data=PasswordReset::where('email','like','%'.$query.'%')->get();
            }
            else{
                $data=PasswordReset::all();
            }
            $total_row=$data->count();
            if($total_row>0){

```



```

        foreach($data as $key=>$row) {
            $output.='<tr>
                <td>'.++$key. ' </td>
                <td>'.$row->email.'</td>
                <td>'.$row->created_at.'</td>
            </tr>';
        }
    }
    else
    {
        $output='<tr>
            <td><strong>Nema rezultata
pretrage</strong></td></tr>';
    }
    $data=array('table_data'=>$output, 'total_data'=>$total_row);
    echo json_encode($data);
}
}
}

```

## Admin/PostController

```

<?php

namespace App\Http\Controllers\Admin;
use App\Http\Controllers\Controller;
use App\Models\Category;
use App\Models\Post;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use Symfony\Component\HttpFoundation\File\Exception\FileException;

class PostController extends BackendController
{
    public function destroyPost(Post $post){
        $post->delete();
        return redirect(route('admin.comments'))->with([
            'msg2'=>'Post je uspešno obrisao',
        ]);
    }

    public function createPage()
    {
        $categories=Category::all();
        return view('admin.pages.create_post',[
            'pageName'=>"Kreiranje postova",
            'categories'=>$categories
        ]);
    }

    public function store(Request $request){
        $request->validate([
            'title'=>'required|min:5|max:50',
            'main_photo'=>'required|image|mimes:jpeg,png,jpg,gif|max:2048',
            'main_text'=>'required|min:5',
            'subtitle'=>'required|min:5|max:50' ,
            'subtitle_text_1'=>'required|min:5',
            'subtitle_text_2'=>'nullable|min:5',
        ]);
    }
}

```

```

        'quote'=>'nullable|min:5|max:100',
        'category_id'=>'required'
    ]);

    $directory = public_path("assets/postImages/");
    $mainPhoto = $request->file('main_photo');
    $fileNameMain = time() . "_" . $mainPhoto->getClientOriginalName();

    $mainPhoto->move($directory, $fileNameMain);

    $p=new Post();

    $p->title=$request->title;
    $p->main_text=$request->main_text;
    $p->subtitle=$request->subtitle;
    $p->subtitle_text1=$request->subtitle_text_1;
    $p->subtitle_text2=$request->subtitle_text_2;
    $p->quote=$request->quote;
    $p->user_id=session()->get('user')->id;
    $p->main_photo=$fileNameMain;
    $p->alt='blog post';
    $p->category_id=$request->category_id;
    $p->save();

    return redirect(route('post.create'))->with([
        'msg'=>'Post je uspešno kreiran',
        //klasa koja boji polja
        "sent"=>"uspesno"
    ]);

}

public function edit($id){
    $postToEdit=Post::find($id);
    $categories=Category::all();
    return view('admin.pages.edit-post',[
        'pageName'=>"Edit post",
        'post'=>$postToEdit,
        'categories'=>$categories
    ]);
}

public function update(Request $request,Post $post){
    $request->validate([
        'title'=>'required|min:5|max:50',
        'main_text'=>'required|min:5',
        'subtitle'=>'required|min:5|max:50' ,
        'subtitle_text_1'=>'required|min:5',
        'subtitle_text_2'=>'nullable|min:5',
        'quote'=>'nullable|min:5|max:100',
        'category_id'=>'required'
    ]);

    if($request->hasFile('main_photo')) {
        $request->validate(['main_photo'=>'required|image|mimes:jpeg,png,jpg,gif|max:2048'])
    }
;

```

```

        $mainPhoto = $request->file('main_photo');
        $directory = public_path("assets/postImages/");
        $fileNameMain = time() . "_" . $mainPhoto->getClientOriginalName();
        $mainPhoto->move($directory, $fileNameMain);
        $post->main_photo=$fileNameMain;
    }

    $post->title=$request->title;
    $post->main_text=$request->main_text;
    $post->subtitle=$request->subtitle;
    $post->subtitle_text1=$request->subtitle_text_1;
    $post->subtitle_text2=$request->subtitle_text_2;
    $post->quote=$request->quote;
    $post->category_id=$request->category_id;
    $post->alt='blog post';
    $post->save();

    return redirect(route('post.edit',$post->id))->with([
        'msg'=>'Post je uspešno izmenjen',
        //klasa koja boji polja
        "sent"=>"uspesno"
    ]);
}

public function statusUpdate(Post $post)
{
    if ($post->status == 'Neobjavljeno') {
        $post->update(['status' => 'Objavljeno']);
    } else if ($post->status == 'Objavljeno') {
        $post->update(['status' => 'Neobjavljeno']);
    }
    $post->save();
    return redirect(route('admin.comments'))->with([
        'msg2'=>'Status je uspešno izmenjen',
    ]);
}
}

```

## Admin/UserController

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use App\Models>PasswordReset;
use App\Models\Role;
use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Hash;

class UserController extends Controller
{
    public function registeredUsers()
    {
    }
}

```

```

{
    $users=User::where('role_id',2)->with('role')->get();
    $admins=User::where('role_id',1)->with('role')->get();
    return view('admin.pages.registeredUsers',[
        'pageName'=>"Registrovani korisnici",
        'users'=>$users,
        'admins'=>$admins,
        'roles'=>Role::all()
    ]);
}

public function destroyUser(User $user){
    $activityLog=[
        'username'=>$user->username,
        'email'=>$user->email,
        'role_name'=>$user->role->name,
        'activity'=>'Obrisan'
    ];
    DB::table('user_activity_logs')->insert($activityLog);
    $user->delete();
    return redirect(route('admin.users.registered'))->with([
        'msg'=>'Korisnik je uspešno obrisani',
    ]);
}

public function truncateForgottenPass(){
    DB::table('password_resets')->truncate();
    return redirect(route('admin.users.forgotten'))->with([
        'msg'=>'Logovi su uspešno obrisani',
    ]);
}

public function createAdmin(){
    return view('admin.pages.admin-create',[
        'pageName'=>"Kreiranje admina",
    ]);
}

public function registerAdmin(Request $request){
    $request->validate([
        'firstname'=>'required|min:2|max:20|regex:/^([A-ZŽŠĐČĆa-zžšđćć][a-zšđććžA-ZŽČĆŠĐ]*)$/',
        'lastname'=>'required|min:2|max:20|regex:/^([A-ZŽŠĐČĆa-zžšđćć][a-zšđććžA-ZŽČĆŠĐ]*)$/',
        'username'=>'required|unique:users|min:5|max:30',
        'email'=>'required|email|unique:users',
        'password'=>'required|min:8|max:20|confirmed',
        'password_confirmation'=>'required|min:8|max:20'
    ]);

    $u=new User();
    $u->first_name=$request->firstname;
    $u->last_name=$request->lastname;
    $u->username=$request->username;
    $u->email=$request->email;
    $u->password=Hash::make($request->password);
    $u->role_id=1;
    $res=$u->save();
}

```

```

        if($res){
            $activityLog=[
                'username'=>$u->username,
                'email'=>$u->email,
                'role_name'=>$u->role->name,
                'activity'=>'Registrovan'
            ];
            DB::table('user_activity_logs')->insert($activityLog);
            return redirect(route('admin.create'))->with([
                'success'=>'Uspešno ste kreirali admina!',
                //klasa koja boji polja
                "sent"=>"uspesno"
            ]);
        }
        else{
            return redirect(route('admin.create'))->with([
                'fail'=>'Došlo je do problema, molimo pokušajte kasnije.'
            ]);
        }
    }

    function roleUpdate(Request $request){
        $id=$request->userId;
        $role=$request->roleUser;
        $user=User::where('id',$id)->first();
        $user->role_id=$role;

        $user->save();
        $activityLog=[
            'username'=>$user->username,
            'email'=>$user->email,
            'role_name'=>$user->role->name,
            'activity'=>'Izmenjena uloga'
        ];
        DB::table('user_activity_logs')->insert($activityLog);
        return redirect(route('admin.users.registered'))->with([
            'msg'=>"Uloga za ".$user->first_name." ".$user->last_name." je
uspešno promenjena"
        ]);
    }
}

```

## AuthController

```

<?php

namespace App\Http\Controllers;

use App\Models\Role;
use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Facades\Session;

```

```

class AuthController extends OsnovniController
{
    public function login(){
        return view('front.pages.main.login',$this->data);
    }

    public function registration(){
        return view('front.pages.main.registration',$this->data);
    }

    public function registerUser(Request $request){
        $request->validate([
            'firstname'=>'required|min:2|max:20|regex:/^([A-ZŽŠĐČĆa-zžšđćć][a-zšđććžA-ZŽČĆŠĐ]*)$/ ',
            'lastname'=>'required|min:2|max:20|regex:/^([A-ZŽŠĐČĆa-zžšđćć][a-zšđććžA-ZŽČĆŠĐ]*)$/ ',
            'username'=>'required|unique:users|min:5|max:30',
            'email'=>'required|email|unique:users',
            'password'=>'required|min:8|max:20|confirmed',
            'password_confirmation'=>'required|min:8|max:20'
        ]);

        $u=new User();
        $u->first_name=$request->firstname;
        $u->last_name=$request->lastname;
        $u->username=$request->username;
        $u->email=$request->email;
        $u->password=Hash::make($request->password);
        $u->role_id=2;
        $res=$u->save();

        if($res){
            $activityLog=[
                'username'=>$u->username,
                'email'=>$u->email,
                'role_name'=>$u->role->name,
                'activity'=>'Registrovan'
            ];
            DB::table('user_activity_logs')->insert($activityLog);

            return redirect(route('register'))->with([
                'success'=>'Uspešno ste se registrovali!',
                //klasa koja boji polja
                "sent"=>"uspesno"
            ]);
        }
        else{
            return redirect(route('register'))->with([
                'fail'=>'Došlo je do problema, molimo pokušajte kasnije.'
            ]);
        }
    }

    public function loginUser(Request $request){

        $request->validate([
            'username'=>'required|min:5|max:30',
            'password'=>'required|min:8|max:20',

```

```

    ]);

    $user=User::where('username',"",$request->username)->first();
    if($user) {
        if(Hash::check($request->password,$user->password)) {
            $activityLog=[
                'username'=>$user->username,
                'email'=>$user->email,
                'role_name'=>$user->role->name,
                'activity'=>'Prijavljen'
            ];

            DB::table('user_activity_logs')->insert($activityLog);

            $request->session()->put('user',$user);
            return redirect(route('home'));
        }
        else{
            return redirect(route('login'))->with([
                'fail'=>'Uneta lozinka je pogrešna'
            ]->withInput());
        }
    }
    else{
        return redirect(route('login'))->with([
            'fail'=>'Ne postoji korisnik sa unetim imenom i lozinkom'
        ]);
    }
}

public function logout() {
    if(Session::has('user')) {
        $user=session()->get('user');
        $activityLog=[
            'username'=>$user->username,
            'email'=>$user->email,
            'role_name'=>$user->role->name,
            'activity'=>'Izlogovan'
        ];
        DB::table('user_activity_logs')->insert($activityLog);

        Session::pull('user');
        return redirect(route('login'));
    }
    return redirect(route('login'));
}
}

```

## CategoryController

```

<?php

namespace App\Http\Controllers;

use App\Http\Controllers\Admin\BackendController;

```

```

use App\Models\Category;
use Illuminate\Http\Request;

class CategoryController extends BackendController
{
    public function create()
    {
        $categories=Category::all();
        return view('admin.pages.create-categories',[
            'pageName'=>"Kreiranje kategorije",
            'pageRoute'=>"Kreiranje kategorije",
            'categories'=>$categories
        ]);
    }

    public function store(Request $request)
    {
        $request->validate([
            'category'=>'required|min:3|max:20',
        ]);

        $category=new Category();
        $category->name=$request->category;
        $category->save();

        return redirect(route('categories.create'))->with([
            'msg'=>'Kategorija je uspešno kreirana',
            //klasa koja boji polja
            "sent"=>"uspesno"
        ]);
    }

    public function edit(Category $category)
    {
        $categories=Category::all();
        $categoryToEdit=$category;
        return view('admin.pages.edit-categories',[
            'pageName'=>"Izmena kategorije",
            'pageRoute'=>"Izmena kategorije",
            'categories'=>$categories,
            'category'=>$categoryToEdit
        ]);
    }
//
}

    public function update(Request $request, Category $category)
    {
        $request->validate([
            'category'=>'required|min:3|max:20',
        ]);

        $category->name=$request->category;
        $category->save();

        return redirect(route('categories.edit',$category))->with([

```



```

        'msg'=>'Kategorija je uspešno izmenjena',
        //klasa koja boji polja
        "sent"=>"uspesno",
    ]);
}

public function destroy(Category $category)
{
    $category->delete();
    return redirect(route('categories.create'))->with([
        'msg'=>'Kategorija je uspešno obrisana',
    ]);
}
}

```

## Controller

```

<?php

namespace App\Http\Controllers;

use Illuminate\Foundation\Auth\Access\AuthorizesRequests;
use Illuminate\Foundation\Bus\DispatchesJobs;
use Illuminate\Foundation\Validation\ValidatesRequests;
use Illuminate\Routing\Controller as BaseController;

class Controller extends BaseController
{
    use AuthorizesRequests, DispatchesJobs, ValidatesRequests;
}

```

## FrontController

```

<?php

namespace App\Http\Controllers;

use App\Models\Category;
use App\Models\Comment;
use App\Models>Contact;
use App\Models\Home;
use App\Models\Post;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Mail;

class FrontController extends OsnovniController
{

    public function home() {
        $this->data['pocetna']=Home::all();
    }
}

```

```

        return view('front.pages.main.index',$this->data);
    }

    public function author(){
        return view('front.pages.main.author',$this->data);
    }

    public function contact(){
        return view('front.pages.main.contact',$this->data);
    }

    public function storeMessage(Request $request){
        //validation
        $data=$request->validate([
            'firstname'=>'required|regex:/^([A-ZŽŠĐČĆa-zžšđćčŽA-ZŽČĆŠĐ])*$/|min:2|max:20',
            'lastname'=>'required|regex:/^([A-ZŽŠĐČĆa-zžšđćčŽA-ZŽČĆŠĐ])*$/|min:2|max:20',
            'email'=>'required|email',
            'message'=>'required|max:255|regex:/^([ĐŠŽČĆA-zžšđćč0-9][\.\-\,\,]*(\s)*)+$/|',
            'phone'=>'nullable|regex:/^(\+\d{1,2}\s?)?1?\-\?\.?\s?(?!\d{3}\)\?[\s.-]?!\d{3}[\s.-]?!\d{4}$/' ,
        ]);

        $c=new Contact();

        $c->first_name=$request->firstname;
        $c->last_name=$request->lastname;
        $c->phone=$request->phone;
        $c->email=$request->email;
        $c->message=$request->message;

        $c->save();

        Mail::to('staropticblog22@gmail.com')->send(new \App\Mail>Contact($data));

        return redirect(route('contact'))->with([
            'msg'=>'Poruka je uspešno poslata',
            //klasa koja boji polja
            "sent"=>"uspesno"
        ]);

    }

    //BLOG
    public function posts(Request $request){
        $request->validate([
            'keyword'=>'max:20',
        ]);
        if($request->keyword){
            $this->data['posts']=Post::where('status','Objavljeno')
                ->where(function ($query) use ($request) {
                    $query->where('title','like','%'.$request->keyword.'%')
                        ->orWhere('main_text','like','%'.$request->keyword.'%');
                })->latest()->paginate(4);
        }
    }

```

```

        elseif ($request->category) {
            $this->data['posts']=Post::where('status','Objavljeno')->
>where('category_id',$request->category)->latest()->paginate(4);
        }
        else{
            $this->data['posts']=Post::where('status','Objavljeno')->
>latest()->paginate(4);
        }
        $this->data['categories']=Category::with('posts')->get();
        return view('front.pages.blog.main',$this->data);
    }

    public function showPost(Request $request,Post $post){
        $request->validate([
            'keyword'=>'max:20',
        ]);
        if($request->keyword){
            $this->data['posts']=Post::where('status','Objavljeno')
            ->where(function ($query) use ($request) {
                $query->where('title','like','%'.$request->keyword.'%')
                ->orWhere('main_text','like','%'.$request->
>keyword.'%');
            })->latest()->paginate(4);
            $this->data['categories']=Category::with('posts')->get();
            return view('front.pages.blog.main',$this->data);
        }
        //pageView
        $this->data['posts']=Post::where('status','=','Objavljeno')->get();
        $post->increment('visit_count');

        $this->data['post']=$post;
        $this->data['categories']=Category::with('posts')->get();
        //kategorija dohvacenog proizvoda
        $category=$post->category()->first();
        $this->data['povezaniPostovi'] = $category->posts()-
>where('status','Objavljeno')->where('id','!=',$post->id)->latest()-
>take(3)->get();

        $this->data['comments']=$post->comments()->with('user')->get();

        //NEXT AND PREVIOUS
        // get previous post id
        $prethodniInt= Post::where('id','<',$post->id)-
>where('status','Objavljeno')->max('id');
        $this->data['prethodniPost']=Post::where('status','Objavljeno')-
>find($prethodniInt);

        // get next post id
        $sledeciInt= Post::where('id','>',$post->id)-
>where('status','Objavljeno')->min('id');

        $this->data['sledeciPost']=Post::where('status','Objavljeno')-
>find($sledeciInt);

        return view('front.pages.blog.single-blog-post',$this->data);
    }

    public function destroy(Post $post){
        $post->delete();
    }

```

```

        return redirect(route('posts'))->with([
            'msg'=>'Post je uspešno obrisan',
        ]);
    }

    public function commentStore(Request $request) {
        $request->validate([
            'comment'=>'required|max:255|regex:/^([DŠŽČĆA-zžšđčć0-9][\.\-
\,]* (\s) *)+$/ ',
        ]);

        $c=new Comment();
        $c->comment=$request->comment;
        $c->user_id=$request->user_id;
        $c->post_id=$request->post_id;
        $c->save();

        $user=session()->get('user');
        $activityLog=[
            'username'=>$user->username,
            'email'=>$user->email,
            'role_name'=>$user->role->name,
            'activity'=>'Komentarisan'
        ];
        DB::table('user_activity_logs')->insert($activityLog);

        return redirect()->back()->with([
            'msg'=>'Komentar je uspešno objavljen',
            //klasa koja boji polja
            "sent"=>"uspesno"
        ]);
    }
}

```

## OsnovniController

```

<?php

namespace App\Http\Controllers;

use App\Models\Menu;
use App\Models\Post;

class OsnovniController extends Controller
{
    protected $data=[];
    public function __construct()
    {
        $this->data['menu']=Menu::all();
        $this->data['latestPosts']=Post::where('status','Objavljeno')->latest()->take(3)->get();
    }
}

```

# Middlewares

## AlreadyLoggedIn

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class AlreadyLoggedIn
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure(\Illuminate\Http\Request):
     * (\Illuminate\Http\Response|\Illuminate\Http\RedirectResponse)  $next
     * @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
     */
    public function handle(Request $request, Closure $next)
    {
        if(Session()->has('user') && (url('login')==>$request->url() ||
url('register')==>$request->url())){
            return back();
        }
        return $next($request);
    }
}
```

## AuthCheck

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class AuthCheck
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure(\Illuminate\Http\Request):
     * (\Illuminate\Http\Response|\Illuminate\Http\RedirectResponse)  $next
     * @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
     */
    public function handle(Request $request, Closure $next)
```

```

    {
        if(!Session()->has('user')){
            return redirect(route('login'))->with('fail','Morate prvo da se
prijavite');
        }
        return $next($request);
    }
}

```

IsAdmin

```

<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class IsAdmin
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure(\Illuminate\Http\Request):
(\Illuminate\Http\Response|\Illuminate\Http\RedirectResponse)  $next
     * @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
     */
    public function handle(Request $request, Closure $next)
    {
        if (session()->has('user')) {
            if (session()->get('user')->role_id == 1) {
                return $next($request);
            }
        }
        return redirect('/home')->with('error', 'UNETOJ STRANICI MOŽE SAMO
ADMIN DA PRISTUPI');
    }
}

```

# Mailable

Contact

```

<?php

namespace App\Mail;

use Illuminate\Bus\Queueable;

```

```

use Illuminate\Contracts\Queue\ShouldQueue;
use Illuminate\Mail\Mailable;
use Illuminate\Queue\SerializesModels;

class Contact extends Mailable
{
    use Queueable, SerializesModels;

    /**
     * Create a new message instance.
     *
     * @return void
     */
    public $data;
    public function __construct($data)
    {
        $this->data=$data;
    }

    /**
     * Build the message.
     *
     * @return $this
     */
    public function build()
    {
        return $this->view('mail.mail');
    }
}

```

## Models

AdminMenu

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class AdminMenu extends Model
{
    use HasFactory;
}

```

Category

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Category extends Model
{
    use HasFactory;

    public function posts(){
        return $this->hasMany(Post::class, 'category_id', 'id');
    }
}

```

## Comment

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Comment extends Model
{
    use HasFactory;

    public function user(){
        return $this->belongsTo(User::class);
    }

    public function post(){
        return $this->belongsTo(Post::class);
    }
}

```

## Contact

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Contact extends Model
{

```



```
use HasFactory;
protected $fillable = [
    'firstname',
    'lastname',
    'phone',
    'email',
    'message',
];
}
```

Home

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Home extends Model
{
    use HasFactory;
}
```

Menu

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Menu extends Model
{
    use HasFactory;
}
```

PasswordReset

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class PasswordReset extends Model
{
}
```

```
use HasFactory;
}
```

## Post

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Post extends Model
{
    use HasFactory;

    protected $fillable = [
        'status'
    ];

    public function user() {
        return $this->belongsTo(User::class);
    }

    public function category() {
        return $this->belongsTo(Category::class);
    }

    public function comments() {
        return $this->hasMany(Comment::class);
    }
}
```

## Role

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Role extends Model
{
    use HasFactory;

    public function user() {
        return $this->belongsToMany(User::class);
    }
}
```

```
}
```

User

```
<?php

namespace App\Models;

use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;
use Illuminate\Contracts\Auth\CanResetPassword;

class User extends Authenticatable
{
    use HasApiTokens, HasFactory, Notifiable;
    /**
     * The attributes that are mass assignable.
     *
     * @var array<int, string>
     */
    protected $fillable = [
        'first_name',
        'last_name',
        'username',
        'email',
        'password',
    ];

    /**
     * The attributes that should be hidden for serialization.
     *
     * @var array<int, string>
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];

    /**
     * The attributes that should be cast.
     *
     * @var array<string, string>
     */
    protected $casts = [
        'email_verified_at' => 'datetime',
    ];

    public function role() {
        return $this->belongsTo(Role::class);
    }
}
```

```

    }

    public function posts() {
        return $this->hasMany(Post::class);
    }

    public function comments() {
        return $this->hasMany(Comment::class);
    }
}

```

## UserActivityLog

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class UserActivityLog extends Model
{
    use HasFactory;
    protected $casts = [
        'created_at' => 'date:d-m-Y'
    ];
}

```

## Migrations

### Create\_users\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {

```

```

{
    Schema::create('users', function (Blueprint $table) {
        $table->bigIncrements("id");
        $table->string("first_name", "20");
        $table->string("last_name", "20");
        $table->string("username", "30")->unique();
        $table->string("email", "60")->unique();
        $table->string("password", "255");
        $table->timestamps();
        $table->foreignId("role_id")->references("id")-
>on("roles");
        $table->rememberToken();
    });
}

/**
 * Reverse the migrations.
 *
 * @return void
 */
public function down()
{
    Schema::dropIfExists('users');
}
};

```

Create\_homes\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('homes', function (Blueprint $table) {
            $table->id();
            $table->string("naslov", 50)->unique();
            $table->string("podnaslov", 100);
            $table->string("text", 255);
            $table->string("slika", 50);
            $table->string("alt", 20);
            $table->timestamp('updated_at')->useCurrent();
            $table->timestamp('created_at')->useCurrent();
        });
    }

    /**
     * Reverse the migrations.
     *

```

```

        * @return void
        */
    public function down()
    {
        Schema::dropIfExists('homes');
    }
};

```

## Create\_menus\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('menus', function (Blueprint $table) {
            $table->id();
            $table->string('name', 20);
            $table->string('route', 30);
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('menus');
    }
};

```

## Create\_contacts\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

```

```

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('contacts', function (Blueprint $table) {
            $table->id();
            $table->string("first_name",20);
            $table->string("last_name",20);
            $table->string('email',60);
            $table->string('phone',20)->nullable();
            $table->string('message',255);
            $table->timestamp('created_at')->useCurrent();
            $table->timestamp('updated_at')->useCurrent();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('contacts');
    }
};

```

## Create\_posts\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('posts', function (Blueprint $table) {
            $table->bigIncrements("id");
            $table->string('title',60)->unique();
            $table->string('main_text',255);
            $table->string('subtitle',50);
            $table->string('subtitle_text1',255);
            $table->string('subtitle_text2',255)->nullable();
        });
    }
};

```

```

        $table->string('quote',100)->nullable();
        $table->string('main_photo',200);
        $table->string('alt',20);
        $table->integer('visit_count')->default(0);
        //kada obrisemo autora(usera) brise se i njegov post
        $table->foreignId('user_id')->references('id')->on('users')->onDelete('cascade');
        //kada obrisemo kategorije brisu se i svi postovi koji su
        pripadali toj kategoriji
        $table->foreignId('category_id')->references('id')->onDelete('categories')->onDelete('cascade');
        $table->timestamps();
    });
}

/**
 * Reverse the migrations.
 *
 * @return void
 */
public function down()
{
    Schema::dropIfExists('posts');
}
};

```

## Create\_roles\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('roles', function (Blueprint $table) {
            $table->bigIncrements('id');
            $table->timestamps();
            $table->string('name', 25)->unique();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
    }
};

```



```
{  
    Schema::dropIfExists('roles');  
}  
};
```

## Create\_menus\_table

```
<?php  
  
use Illuminate\Database\Migrations\Migration;  
use Illuminate\Database\Schema\Blueprint;  
use Illuminate\Support\Facades\Schema;  
  
return new class extends Migration  
{  
    /**  
     * Run the migrations.  
     * @return void  
     */  
  
    public function up()  
    {  
        Schema::create('admin_menus', function (Blueprint $table) {  
            $table->id();  
            $table->string('name', 20);  
            $table->string('route', 30);  
            $table->string('icon', 100);  
        });  
    }  
  
    /**  
     * Reverse the migrations.  
     * @return void  
     */  
    public function down()  
    {  
        Schema::dropIfExists('admin_menus');  
    }  
};
```

## Create\_categories\_table

```
<?php  
  
use Illuminate\Database\Migrations\Migration;  
use Illuminate\Database\Schema\Blueprint;  
use Illuminate\Support\Facades\Schema;  
  
return new class extends Migration
```

```

{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('categories', function (Blueprint $table) {
            $table->bigIncrements('id');
            $table->string('name')->unique();
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('categories');
    }
};

```

Create\_comments\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('comments', function (Blueprint $table) {
            $table->id();
            $table->string('comment', 255);
            $table->foreignId('user_id')->references('id')->on('users')->onDelete("cascade");
            $table->foreignId('post_id')->references('id')->on('posts')->onDelete("cascade");
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('comments');
    }
};

```

```

        *
        * @return void
        */
    public function down()
    {
        Schema::dropIfExists('comments');
    }
};

```

## Add\_visit\_count\_to\_posts\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::table('posts', function (Blueprint $table) {
            $table->integer('visit_count');
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::table('posts', function (Blueprint $table) {
            $table->dropColumn('visit_count');
        });
    }
};

```

## Create\_password\_resets\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

```

```

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('password_resets', function (Blueprint $table) {
            $table->string('email')->index();
            $table->string('token');
            $table->timestamp('created_at')->nullable();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('password_resets');
    }
};

```

## Create\_user\_activity\_logs\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('user_activity_logs', function (Blueprint $table) {
            $table->id();
            $table->string("username", "30");
            $table->string("email", "60");
            $table->string("role_name", "20");
            $table->string("activity", "20");
            $table->timestamp('created_at')->useCurrent();
        });
    }
};

```

```

/**
 * Reverse the migrations.
 *
 * @return void
 */
public function down()
{
    Schema::dropIfExists('user_activity_logs');
}
};

```

## Add\_post\_status\_to\_post\_table

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::table('posts', function (Blueprint $table) {
            $table->string('status')->default('neobjavljeno');
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::table('posts', function (Blueprint $table) {
            $table->dropColumn('status');
        });
    }
};

```

## Seeders

### AdminMenuSeeder

```

<?php

namespace Database\Seeders;

use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class AdminMenuSeeder extends Seeder
{
    private $name = ['Kontrolna tabla', 'Postovi i
komentar', 'Korisnici', 'Poruke', 'Aktivnosti', 'Resetovane
lozinke', 'Kreiranje admina', 'Kreiranje postova', 'Kreiranje
kategorija', 'Početna', 'Odjavi se',];
    private $route =
['admin.dash', 'admin.comments', 'admin.users.registered', 'admin.contact', 'ad
min.activity', 'admin.users.forgotten', 'admin.create', 'post.create', 'categor
ies.create', 'home', 'logout'];
    private $icon = ['fa-solid fa-gauge', 'fa-brands fa-blogger-b', 'fa-solid
fa-users', 'fa-solid fa-inbox', 'fa-solid fa-heart-pulse', 'fa-solid fa-
key', 'fa-solid fa-user-plus', 'fa-solid fa-circle-plus', 'fa-solid fa-square-
plus', 'fa-solid fa-home', 'fa-solid fa-right-from-bracket'];

    public function run()
    {
        for($i=0;$i<count($this->name);$i++){
            \DB::table("admin_menus")->insert([
                'name'=>$this->name[$i],
                'route'=>$this->route[$i],
                'icon'=>$this->icon[$i],
            ]);
        }
    }
}

```

## HomeSeeder

```

<?php

namespace Database\Seeders;

use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class AdminMenuSeeder extends Seeder
{
    private $name = ['Kontrolna tabla', 'Postovi i
komentar', 'Korisnici', 'Poruke', 'Aktivnosti', 'Resetovane
lozinke', 'Kreiranje admina', 'Kreiranje postova', 'Kreiranje
kategorija', 'Početna', 'Odjavi se',];
    private $route =
['admin.dash', 'admin.comments', 'admin.users.registered', 'admin.contact', 'ad
min.activity', 'admin.users.forgotten', 'admin.create', 'post.create', 'categor
ies.create', 'home', 'logout'];

```

```

        private $icon = ['fa-solid fa-gauge','fa-brands fa-blogger-b','fa-solid fa-users','fa-solid fa-inbox','fa-solid fa-heart-pulse','fa-solid fa-key','fa-solid fa-user-plus','fa-solid fa-circle-plus','fa-solid fa-square-plus','fa-solid fa-home','fa-solid fa-right-from-bracket'];

        public function run()
        {
            for($i=0;$i<count($this->name);$i++){
                \DB::table("admin_menus")->insert([
                    'name'=>$this->name[$i],
                    'route'=>$this->route[$i],
                    'icon'=>$this->icon[$i],
                ]);
            }
        }
    }
}

```

## MenuSeeder

```

<?php

namespace Database\Seeders;

use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class MenuSeeder extends Seeder
{
    private $name = ['Početna', 'Blog', 'Kontakt','Autor'];
    private $route = ['home', 'posts','contact','author'];

    public function run()
    {
        for($i=0;$i<count($this->name);$i++){
            \DB::table("menus")->insert([
                'name'=>$this->name[$i],
                'route'=>$this->route[$i]
            ]);
        }
    }
}

```

## RoleSeeder

```

<?php

```

```

namespace Database\Seeders;

use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class RoleSeeder extends Seeder
{
    private $name = ['Admin', 'User'];
    /**
     * Run the database seeds.
     *
     * @return void
     */
    public function run()
    {
        for($i=0;$i<count($this->name);$i++){
            \DB::table("roles")->insert([
                'name'=>$this->name[$i],
            ]);
        }
    }
}

```

## CSS

Style.css

```

/* your styles go here */
body{
    overflow-x: hidden;
}

.pozadina{
    background-color: rgba(0,0,0,0.3);
    box-shadow: 0px 1px 10px rgba(255,255,255,0.2);
}

.uspesno{
    border-color: #1c7430;
}

.novalid{
    border-color: #bd081d;
}

.mali{
    font-size: 13px ;
}
/*FORMA*/
.login-form {
    font-size: 15px;
}
.login-form form {

```



```

    background: #f7f7f7;
    box-shadow: 0px 2px 2px rgba(0, 0, 0, 0.3);
    padding: 30px;
}
.login-form h2 {
    margin: 0 0 15px;
}

.auth{
    background-image: url("../img/logreg.jpg");
    background-size: cover;
    background-repeat: no-repeat;
}

.maliFont{
    font-size: 14px;
    margin-left: 5px;
}

.postImg{
    width: 100%;
    height: 350px;
    object-fit: cover;
    object-position: center center;
}

.relPosts{
    width: 100%;
    height: 150px;
    object-fit: cover;
    object-position: center center;
}

@media only screen and (max-width: 1199px) {
    .postImg{
        max-width: 100%;
        height: auto;
    }
}

@media only screen and (max-width: 992px) {
    .login-form {
        width: 100% !important;
    }
}

@media only screen and (max-width: 768px) {
    .maximize {
        width: 75% !important;
        margin-right: 0 !important;
    }
    .relPosts{
        max-width: 100%;
        height: auto;
    }
}

@media only screen and (max-width: 991px) {

```

```

.pomeri1{
    margin:10px 0 7px 0;
}
.pomeri2{
    margin-bottom: 10px;
}
}

```

## JS

mainBack.js

```

$(document).ready(function() {
    //console.log('ucitano');
    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': $('meta[name="csrf-token"]').attr('content')
        }
    });

    var _token=$("input[name='_token']").val();

    fetch_data();
    function fetch_data(from_date='',to_date='') {

        $.ajax({
            url:"/admin/activity/fetch_data",
            method:"POST",
            data:{
                from_date:from_date,
                to_date:to_date,
                _token:_token
            },
            dataType:"json",
            success:function (data) {
                var output='';
                $('#total_records').text(data.length);
                for (var count=0;count<data.length;count++) {
                    output+='<tr>';
                    output+='<td>'+data[count].id+'</td>';
                    output+='<td>'+data[count].username+'</td>';
                    output+='<td>'+data[count].email+'</td>';
                    output+='<td>'+data[count].role_name + '</td>';
                    output+='<td>'+data[count].activity + '</td>';
                    output+='<td>'+data[count].created_at + '</td></tr>';
                }
                $('#activity').html(output);
            }
        })
    }
}

```

```

$('#filter').click(function () {

    var from_date=$('#from_date').val();
    var to_date=$('#to_date').val();
    //console.log(to_date);
    if(from_date!='' && to_date!=''){
        fetch_data(from_date,to_date);
    }
    else {
        alert('Morate izabrati oba datuma');
    }
});

$('#refresh').click(function () {
    $('#from_date').val('');
    $('#to_date').val('');
    fetch_data();
})

fetch_users_data();
function fetch_users_data(query='') {

    $.ajax({
        url:"/searchUsers",
        method:"GET",
        data:{query:query},
        dataType: 'json',
        success:function (data) {
            $('#table_users').html(data.table_data);
            $('#total_recordss').html(data.total_data);
        }

    })

}

$('#search_users').click(function () {
    var query=$('#search').val();
    fetch_users_data(query);
})

})

```

## Views/Admin/Components

Aside.blade.php

```

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-primary elevation-4">
    <!-- Brand Logo -->
    <a href="{{route('admin.dash')}}" class="brand-link">
        

```

```

        <span class="brand-text font-weight-light">Admin</span>
    </a>

    <!-- Sidebar -->
    <div class="sidebar">
        <!-- Sidebar user panel (optional) -->
        <div class="user-panel mt-3 pb-3 mb-3 d-flex">
            @php $user=session()->get('user');@endphp
            <div class="info">
                <span class="d-block text-white">Ime: {{ $user-
>username}}</span>
            </div>
        </div>

        <!-- Sidebar Menu -->
        <nav class="mt-2">
            <ul class="nav nav-pills nav-sidebar flex-column" data-
widget="treeview" role="menu" data-accordion="false">
                <li class="nav-item menu-open">
                    <ul class="nav nav-treeview">
                        @php use App\Models\AdminMenu;
$adminMenu=AdminMenu::all();@endphp
                        @foreach($adminMenu as $m)
                            <li class="nav-item">
                                <a href="{{route($m['route'])}}" class="nav-
link @if(request()->routeIs($m['route'])) active @endif">
                                    <i class="{{ $m['icon'] }}"></i>
                                    <p>{{ $m['name'] }}</p>
                                </a>
                            </li>
                        @endforeach
                    </ul>
                </li>
            </ul>
        </nav>
    <!-- /.sidebar-menu -->
</div>
<!-- /.sidebar -->
</aside>

```

Available-categories.blade.php

```

<h3 class="text-center py-5">Dostupne kategorije</h3>

<div class="table-responsive">
    <table class="table">
        <thead>
            <tr>
                <th scope="col">#</th>
                <th scope="col">Kategorija</th>
                <th scope="col">Izmeni</th>
                <th scope="col">Izbriši</th>
            </tr>

```

```

        </thead>
        <tbody>
        @if(count($categories)==0)
            <tr>
                <td><strong>Trenutno nema nijedna kreirana
kategorija</strong></td></tr>
            @else
            @foreach($categories as $c)
                <tr>
                    <th scope="row">{{$c->id}}</th>
                    <td>{{$c->name}}</td>
                    <td><a class="btn btn-info"
href="{{route('categories.edit',$c)}}">Izmeni</a></td>
                    <td><form action="{{route('categories.destroy',$c)}}" "
method="post">
                        @csrf
                        @method('delete')
                        <input type="submit" class="btn btn-danger"
value="Obriši">
                    </form></td>
                </tr>
            @endforeach
        @endif
        </tbody>
    </table>
</div>

```

## Pageheader.blade.php

```

<!-- Content Header (Page header) -->
<div class="content-header">
    <div class="container-fluid">
        <div class="row mb-2">
            <div class="col-sm-6">
                <h1 class="m-0">{{$pageName}}</h1>
            </div><!-- /.col -->
            <!-- /.col -->
        </div><!-- /.row -->
    </div><!-- /.container-fluid -->
</div>
<!-- /.content-header -->

```

## Topnav.blade.php

```

<!-- Navbar -->
<nav class="main-header navbar navbar-expand navbar-white navbar-light">
    <!-- Left navbar links -->
    <ul class="navbar-nav">
        <li class="nav-item">
            <a class="nav-link" data-widget="pushmenu" href="#"
role="button"><i class="fas fa-bars"></i></a>
        </li>
    </ul>

```

```

        <!-- Right navbar links -->
        <ul class="navbar-nav ml-auto">

            <li class="nav-item">
                <a class="nav-link" data-widget="fullscreen" href="#"
role="button">
                    <i class="fas fa-expand-arrows-alt"></i>
                </a>
            </li>
        </ul>
    </nav>
<!-- /.navbar -->

```

## Views/Admin/Fixed

Footer.blade.php

```

<!-- Main Footer -->
<footer class="main-footer">
    <!-- To the right -->
    <!-- Default to the left -->
    <strong>Copyright &copy; 2014-2021 <a
href="https://adminlte.io">AdminLTE.io</a>.</strong> All rights reserved.
</footer>

```

Head.blade.php

```

<head>

    <meta charset="utf-8">
    <meta name="csrf-token" content="{{ csrf_token() }}">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>StarOptic Blog Admin | @yield('title')</title>

    <!-- Google Font: Source Sans Pro -->
    <link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,
700&display=fallback">
    <!-- Font Awesome Icons -->

    <link rel="stylesheet" href="{{asset('plugins/fontawesome-
free/css/all.min.css')}}">
    <!-- Theme style -->
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.c
ss" integrity="sha384-
B0vP5xmATw1+K9KRQjQERjvTumQW0nPEzvf6L/Z6nronJ3oUOFUFpCjEUQouq2+1"
crossorigin="anonymous">

    <link rel="stylesheet" href="{{asset("dist/css/adminlte.min.css')}}">
    <link
href='https://ajax.googleapis.com/ajax/libs/jqueryui/1.12.1/themes/ui-

```

```

lightness/jquery-ui.css' rel='stylesheet'>
    <!-- Custom stylesheet - for your changes-->
    <link rel="stylesheet" href="{{asset("assets/css/style.css")}}">

</head>

```

Scripts.blade.php

```

<!-- REQUIRED SCRIPTS -->
<script src="https://kit.fontawesome.com/17e7903585.js"
crossorigin="anonymous"></script>
<!-- jQuery -->
<script src="{{asset("plugins/jquery/jquery.min.js")}}"></script>
<!-- Bootstrap 4 -->
<script
src="{{asset("plugins/bootstrap/js/bootstrap.bundle.min.js")}}"></script>
<!-- AdminLTE App -->
<script src="{{asset("dist/js/adminlte.min.js")}}"></script>
<script
src="https://cdn.ckeditor.com/4.17.2/standard/ckeditor.js"></script>
<script src="{{asset('assets/js/mainBack.js')}}"
crossorigin="anonymous"></script>

```

## Views/Admin/Pages

Activity.blade.php

```

@extends('layouts.admin.admin-dash-layout')
@section('title') Aktivnosti korisnika @endsection
@section('content')
    <!-- Main content -->
    <div class="content">

        <div class="row">
            <div class="col-12">
                <div class="card">
                    <div class="card-header">
                        <h3 class="card-title">Registracija, izmena,
brisanje, odjava, prijava i komentarisanje korisnika</h3>
                    </div>
                    <div class="container pt-2">
                        <div class="row text-center">
                            <div class="col-lg-3 col-md-12"><input
type="date" id="from_date" name="from_date"></div>
                            <div class="col-lg-1 col-md-12"><p
class="pomeri1 pomeri2">do</p></div>
                            <div class="col-lg-3 col-md-12"><input
type="date" id="to_date" name="to_date"></div>
                            <div class="col-lg-3 col-md-12 pomeri1"><button
type="button" name="filter" id="filter" class="btn btn-info btn-
sm">Filtriraj datume</button></div>

```

```

<div class="col-lg-2 col-md-12 pomeri2"><button
type="button" name="refresh" id="refresh" class="btn btn-warning btn-
sm">Osveži</button></div>
</div>
</div>

<!-- /.card-header -->
<div class="card-body table-responsive p-0"
style="height: 300px;">
    <p class="text-center my-3">Broj rezultata
filtriranja: <span id="total_records"></span></p>
    <table class="table table-head-fixed text-nowrap">
        <thead>
            <tr>
                <th>ID</th>
                <th>Username</th>
                <th>Email</th>
                <th>Uloga</th>
                <th>Aktivnost</th>
                <th>Datum</th>
            </tr>
        </thead>
        <tbody id="activity">

            </tbody>
        </table>

        {{csrf_field()}}
    </div>

    <!-- /.card-body -->
</div>
<!-- /.card -->
</div>
<div class="container">
    <form action="{{route('admin.activity.destroy')}}" class="text-
center" method="post">
        @csrf
        @method('delete')
        <input type="submit" class="btn btn-danger" value="Obriši
sve">
    </form>
</div>
@if(session('msg'))
    <div class="container-fluid pt-2">
        <div class="alert alert-success">
            <p class="text-dark text-center pt-
2">{{session('msg')}}</p>
        </div>
    </div>
@endif
</div>

</div>
<!-- /.content -->
@endsection

```



## Admin-create.blade.php

```
@extends('layouts.admin.admin-dash-layout')
@section('title') Kreiranje admina @endsection
@section('content')
    <section class="content">
        <div class="container-fluid">
            <div class="row">
                <!-- left column -->
                <div class="col-lg-12 col-md-12">
                    <!-- jquery validation -->
                    <div class="container-fluid">

                        <!-- /.card-header -->
                        <!-- form start -->
                        <form action="{{route('registerAdmin')}}"

method="post">

                            @csrf
                            <div class="form-group">
                                <input type="text" class="form-control
{{ $errors->has('firstname') ? 'novalid' : session('sent')}} "
placeholder="Ime" name="firstname" value="{{old('firstname')}}" ">
                                @error('firstname')
                                <span class="text-

danger">{{ $message }}</span>
                                @enderror
                            </div>
                            <div class="form-group">
                                <input type="text" class="form-control
{{ $errors->has('lastname') ? 'novalid' : session('sent')}} "
placeholder="Prezime" name="lastname" value="{{old('lastname')}}" ">
                                @error('lastname')
                                <span class="text-

danger">{{ $message }}</span>
                                @enderror
                            </div>
                            <div class="form-group">
                                <input type="text" class="form-control
{{ $errors->has('username') ? 'novalid' : session('sent')}} "
placeholder="Korisničko ime" name="username" value="{{old('username')}}" ">
                                @error('username')
                                <span class="text-

danger">{{ $message }}</span>
                                @enderror
                            </div>
                            <div class="form-group">
                                <input type="email" class="form-control
{{ $errors->has('email') ? 'novalid' : session('sent')}} "
placeholder="Email" name="email" value="{{old('email')}}" ">
                                @error('email')
                                <span class="text-

danger">{{ $message }}</span>
                                @enderror
                            </div>
                            <div class="form-group">
                                <input type="password" class="form-control
{{ $errors->has('password') ? 'novalid' : session('sent')}} "
placeholder="Lozinka" name="password">
                                @error('password')
```

```

        <span class="text-
danger">{{ $message }}</span>
        @enderror
    </div>
    <div class="form-group">
        <input type="password" class="form-control
{{ $errors->has('password_confirmation') ? 'novalid' : session('sent')}}"
placeholder="Potvrđite lozinku" name="password_confirmation">
        @error('password_confirmation')
        <span class="text-
danger">{{ $message }}</span>
        @enderror
    </div>

    <div class="form-group">
        <button type="submit" class="btn btn-info
btn-block">Napravi admina</button>
    </div>
</form>

@if(Session::has('success'))
    <div class="alert alert-success text-center pt-
2">{{ Session::get('success') }}</div>
@endif
@if(Session::has('fail'))
    <div class="alert alert-danger text-center pt-
2">{{ Session::get('fail') }}</div>
@endif
</div>
</div>
<!-- /.card -->
</div>
<!-- /.col (left) -->
<!-- right column -->
<div class="col-md-6">

    </div>
<!-- /.col (right) -->
</div>
<!-- /.row -->
<!-- /.container-fluid -->
</section>

@endsection

```

Comments.blade.php

```

@extends('layouts.admin.admin-dash-layout')
@section('title') Postovi i komentari @endsection
@section('content')
    <!-- Main content -->
    <div class="content">
        <div class="table-responsive py-4 bg-white">
            <table class="table">
                <thead>
                    <tr>

```

```

        <th scope="col">#</th>
        <th scope="col">Korisnik</th>
        <th scope="col">Post</th>
        <th scope="col">Post ID</th>
        <th scope="col">Komentar</th>
        <th scope="col">Izbriši</th>
        <th scope="col">Post</th>
    </tr>
</thead>
<tbody>
    @if(count($comments)==0)
        <tr>
            <td><strong>Trenutno nema
komentara<strong></td></tr>
        @else
        @foreach($comments as $c)
            <tr>
                <th scope="row">{{ $c->id }}</th>
                <td>{{ $c->user->username }}</td>
                <td>{{ $c->post->title }}</td>
                <td>{{ $c->post->id }}</td>
                <td>{{ $c->comment }}</td>
                <td><form
action="{{ route('comment.destroy', $c) }}" method="post">
                    @csrf
                    @method('delete')
                    <input type="submit" class="btn btn-danger"
value="Obriši">
                    </form></td>
                <td><a href="{{ route('post', $c->post) }}"
class="btn btn-info">Pogledaj</a></td>
            </tr>
        @endforeach
    @endif
</tbody>
</table>
</div>
@if(session('msg'))
    <div class="alert alert-success">
        <p class="text-white text-center pt-
2">{{ session('msg') }}</p>
    </div>
@endif
<h3 class="pt-5 pb-2">Postovi</h3>
<div class="table-responsive py-4 bg-white">

    <table class="table">
        <thead>
            <tr>
                <th scope="col">#</th>
                <th scope="col">Naslov</th>
                <th scope="col">Broj komentara</th>
                <th scope="col">Broj pregleda</th>
                <th scope="col">Status</th>
                <th scope="col">Obriši</th>
                <th scope="col">Promeni status</th>
                <th scope="col">Pogledaj</th>
            </tr>
        </thead>
        <tbody>
            @if(count($posts)==0)

```

```

        <tr>
            <td><strong>Trenutno nema
postova</strong></td></tr>
        @else
        @foreach($posts as $p)
            <tr>
                <th scope="row">{{ $p->id }}</th>
                <td>{{ $p->title }}</td>
                <td>{{ count($p->comments) }}</td>
                <td>{{ $p->visit_count }}</td>
                <td>{{ $p->status }}</td>
                <td><form action="{{ route('post.back.delete', $p) }}"
method="post">
                    @csrf
                    @method('delete')
                    <input type="submit" class="btn btn-danger"
value="Obriši">
                </form></td>
                <td><a href="{{ route('post.status', $p) }}"
class="btn btn-warning">Promeni status</a></td>
                @if($p->status=='Objavljeno')
                <td><a href="{{ route('post', $p) }}" class="btn btn-
info">Pogledaj</a></td>
                @else
                <td>Prvo objavite post da biste ga videli</td>
                @endif
            </tr>
        @endforeach
    @endif
</tbody>
</table>

</div>
@if(session('msg2'))
    <div class="alert alert-success">
        <p class="text-white text-center pt-
2">{{ session('msg2') }}</p>
    </div>
@endif

</div><!-- /.container-fluid -->

<!-- /.content -->
@endsection

```

Contact.blade.php

```

@extends('layouts.admin.admin-dash-layout')
@section('title') Kontakt @endsection
@section('content')

```

```

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <!-- /.col -->
            <div class="col-md-12 col-lg-12">
                <div class="card card-primary card-outline">
                    <div class="card-header">
                        <h3 class="card-title">Poruke</h3>
                    </div>
                    <div class="card-body p-0">

                        </div>
                        <div class="table-responsive mailbox-messages">
                            <table class="table table-hover table-
striped">

                                <thead>
                                    <tr>
                                        <th>Obriši</th>
                                        <th>Ime i Prezime</th>
                                        <th>Poruka</th>
                                        <th>Broj telefona</th>
                                        <th>Email</th>
                                        <th>Primljeno</th>
                                    </tr>
                                </thead>
                                <tbody>
                                    <@if(count($messages)==0)>
                                        <td><strong>Trenutno nema
nijedna poruka</strong></td>

                                        <@else>
                                        <@foreach($messages as $m)>
                                            <tr>
                                                <td>
action="{{route('contact.destroy',$m)}}" method="post">
                                                    @csrf
                                                    @method('delete')
                                                    <input type="submit"
class="btn btn-danger" value="Obriši">

                                                    </form></td>
                                                <td class="mailbox-name">{{ $m->first_name}} {{ $m->last_name}}</td>
                                                <td class="mailbox-subject">{{ $m->message}}

                                                    </td>
                                                <td class="mailbox-
attachment">{{ $m->phone}}</td>

                                                <td class="mailbox-
attachment">{{ $m->email}}</td>

                                                <td class="mailbox-date">{{ $m->created_at->diffForHumans() }}</td>
                                            </tr>
                                        <@endforeach>
                                        <@endif>
                                    </tbody>
                                </table>
                                <!-- /.table -->
                            </div>
                        </div>
                    <!-- /.card-body -->

```

```

        </div>
        <!-- /.card -->
    </div>
    <!-- /.col -->
    <div class="container text-center pb-4">
        <form action="{{route('contact.truncate')}}"
method="post">
            @csrf
            @method('delete')
            <input type="submit" class="btn btn-danger"
value="Obriši sve">
        </form>
    </div>
    @if(session('msg'))
        <div class="alert alert-success">
            <p class="text-white text-center pt-
2">{{session('msg')}}</p>
        </div>
    @endif
    <!-- /.row -->
</section>
@endsection

```

## Create-categories.blade.php

```

@extends('layouts.admin.admin-dash-layout')
@section('title') Kreiranje kategorija @endsection
@section('content')
    <!-- Main content -->
    <div class="content">
        @if(session('msg'))
            <div class="alert alert-success">
                <p class="text-white text-center pt-
2">{{session('msg')}}</p>
            </div>
        @endif
        <div class="container-fluid">
            <form action="{{route('categories.store')}}" method="post">
                @csrf
                <div class="card-body">
                    <h3>Kreiranje</h3>
                    <div class="form-group">
                        <input type="text" value="{{old('category')}}"
class="form-control {{ $errors->has('category') ? 'novalid' :
session('sent') }}" id="category" name="category" placeholder="Ime
kategorije">
                        @error('category')
                            <span class="text-danger">{{ $message }}</span>
                        @enderror
                    </div>
                </div>
            </form>
        </div>
    </div>
    <!-- /.card-body -->
    <div class="card-footer">

```

```

        <button type="submit" class="btn btn-primary">Kreiraj
kategoriju</button>
    </div>
</form>

    @include('admin.components.available-categories')

</div><!-- /.container-fluid -->
</div>
<!-- /.content -->
@endsection

```

Create\_post.blade.php

```

@extends('layouts.admin.admin-dash-layout')
@section('title') Kreiranje postova @endsection
@section('content')
    <!-- Main content -->
    <div class="content">
        @if(session('msg'))
            <div class="alert alert-success">
                <p class="text-white text-center pt-2">{{session('msg')}}</p>
            </div>
        @endif
        <div class="container-fluid">
            <form action="{{route('post.store')}}" method="post"
enctype="multipart/form-data">
                @csrf
                <div class="card-body">
                    <div class="form-group">
                        <label for="main_photo">Glavna slika *</label>
                        <div class="container-fluid">
                            <img id="mainp" alt="upload preview"
width="100" height="100"/>
                            <input type="file" name="main_photo"
id="main_photo"
onchange="document.getElementById('mainp').src =
window.URL.createObjectURL(this.files[0])">
                        </div>
                        @error('main_photo')
                        <span class="text-danger">{{ $message }}</span>
                        @enderror
                    </div>
                </div>
                <!-- KATEGORIJE----->
                <div class="form-group py-5">
                    <h3>Kategorija *</h3>
                    <div>
                        <select class="form-select" name="category_id"
aria-label="Default select example">
                            <option selected disabled>Izaberite
kategoriju</option>
                            @foreach ($categories as $category)
                                <option {{ (old("category_id") ==
$category->id ? "selected":"" ) }} value="{{ $category->id }}">{{ $category->

```

```

>name }}</option>

        @endforeach
    </select>
</div>
    @error('category_id')
    <span class="text-danger">{{ $message }}</span>
    @enderror
</div>
    <div class="form-group">
        <label for="title">Naslov *</label>
        <input type="text" class="form-control
            {{ $errors->has('title') ? 'novalid' :
session('sent')}}" id="title" name="title"
            placeholder="Naslov"
value="{{old('title')}}">
            @error('title')
            <span class="text-danger">{{ $message }}</span>
            @enderror
        </div>

        <div class="form-group">
            <label for="main_text"><span>Glavni tekst
* </span></label>
            <textarea id="main_text" name="main_text" class="w-
100" rows="5" >{{old('main_text')}}</textarea>
            @error('main_text')
            <span class="text-danger">{{ $message }}</span>
            @enderror
        </div>

        <div class="form-group">
            <label for="subtitle">Podnaslov *</label>
            <input type="text" value="{{old('subtitle')}}"
class="form-control {{ $errors->has('subtitle') ? 'novalid' :
session('sent')}}" id="subtitle" name="subtitle" placeholder="Podnaslov">
            @error('subtitle')
            <span class="text-danger">{{ $message }}</span>
            @enderror
        </div>

        <div class="form-group">
            <label for="subtitle_text_1"><span>Podnaslov tekst
1 * </span></label>
            <textarea id="subtitle_text_1" class="w-100"
rows="5" name="subtitle_text_1">{{old('subtitle_text_1')}}</textarea>
            @error('subtitle_text_1')
            <span class="text-danger">{{ $message }}</span>
            @enderror
        </div>

        <div class="form-group">
            <label for="quote">Citac</label>
            <input type="text" value="{{old('quote')}}"
class="form-control" id="quote" name="quote" placeholder="Citac">
            @error('quote')
            <span class="text-danger">{{ $message }}</span>
            @enderror
        </div>

        <div class="form-group">
            <label for="subtitle_text_2"><span>Podnaslov tekst
2 </span></label>
            <textarea id="subtitle_text_2" class="w-100"

```



```

rows="5" name="subtitle_text_2">{{old('subtitle_text_2')}}</textarea>
    @error('subtitle_text_2')
    <span class="text-danger">{{ $message }}</span>
@enderror

</div>

<!-- /.card-body -->
<div class="card-footer">
    <button type="submit" class="btn btn-primary">Kreiraj
post</button>
</div>
</form>

</div><!-- /.container-fluid -->
</div>
<!-- /.content -->
@endsection
@section('CDN')
    <script>
        CKEDITOR.replace('main_text');
        CKEDITOR.replace('subtitle_text_1');
        CKEDITOR.replace('subtitle_text_2');
    </script>
@endsection

```

Dashboard.blade.php

```

@extends('layouts.admin.admin-dash-layout')
@section('title') Početna @endsection
@section('content')
    <!-- Main content -->
    <div class="content">

        <div class="container-fluid">
            <div class="row">

                <!-- ./col -->
                <!-- ./col -->
                <div class="col-lg-3 col-6">
                    <!-- small box -->
                    <div class="small-box bg-gradient-warning">
                        <div class="inner">
                            <h3>{{ $brojUsera }}</h3>

                            <p>Registrovanih korisnika</p>
                        </div>
                        <div class="icon">
                            <i class="fa-solid fa-users"></i>
                        </div>
                        <a href="{{ route('admin.users.registered') }}"
class="small-box-footer">Više informacija <i class="fas fa-arrow-circle-
right"></i></a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <!-- ./col -->
        <div class="col-lg-3 col-6">
            <!-- small box -->
            <div class="small-box bg-gradient-success">
                <div class="inner">
                    <h3>{{ $brojAktivnosti }}</h3>

                    <p>Aktivnosti korisnika</p>
                </div>
                <div class="icon">
                    <i class="fa-solid fa-chart-column"></i>
                </div>
                <a href="{{ route('admin.activity') }}" class="small-
box-footer">Više informacija <i class="fas fa-arrow-circle-right"></i></a>
            </div>
        </div>

        <div class="col-lg-3 col-6">
            <!-- small box -->
            <div class="small-box bg-gradient-primary">
                <div class="inner">
                    <h3>{{ $brojKomentara }}</h3>

                    <p>Komentara</p>
                </div>
                <div class="icon">
                    <i class="fa-solid fa-comment-dots"></i>
                </div>
                <a href="{{ route('admin.comments') }}" class="small-
box-footer">Više informacija <i class="fas fa-arrow-circle-right"></i></a>
            </div>
        </div>

        <!-- ./col -->
        <div class="col-lg-3 col-6">
            <!-- small box -->
            <div class="small-box bg-gradient-info">
                <div class="inner">
                    <h3>{{ $brojPoruka }}</h3>

                    <p>Poruka</p>
                </div>
                <div class="icon">
                    <i class="fa-solid fa-envelope"></i>
                </div>
                <a href="{{ route('admin.contact') }}" class="small-
box-footer">Više informacija <i class="fas fa-arrow-circle-right"></i></a>
            </div>
        </div>
    </div>
</div>
<!-- /.content -->
@endsection

```

## Edit-categories.blade.php

```
@extends('layouts.admin.admin-dash-layout')
@section('title') Izmena kategorija @endsection
@section('content')
    <!-- Main content -->
    <div class="content">
        @if(session('msg'))
            <div class="alert alert-success">
                <p class="text-white text-center pt-2">{{session('msg')}}</p>
            </div>
        @endif
        <div class="container-fluid">
            <form action="{{route('categories.update',$category)}}"
method="post">
                @csrf
                @method('put')
                <div class="card-body">
                    <h3>Izmena kategorije</h3>
                    <div class="form-group">
                        <input type="text" value="{{ $category->name }}"
class="form-control {{ $errors->has('category') ? 'novalid' :
session('sent') }}" id="category" name="category" placeholder="Ime
kategorije">
                            @error('category')
                                <span class="text-danger">{{ $message }}</span>
                            @enderror
                        </div>
                    </div>
                    <!-- /.card-body -->
                    <div class="card-footer">
                        <button type="submit" class="btn btn-primary">Izmeni
kategoriju</button>
                    </div>
                </form>

                @include('admin.components.available-categories')

            </div><!-- /.container-fluid -->
        </div>
    <!-- /.content -->
@endsection
```

## Edit-post.blade.php

```
@extends('layouts.admin.admin-dash-layout')
@section('title') Izmena postova @endsection
@section('content')
```

```

<!-- Main content -->
<div class="content">
    @if(session('msg'))
        <div class="alert alert-success">
            <p class="text-white text-center pt-2">{{session('msg')}}</p>
        </div>
    @endif
    <div class="container-fluid">
        <form action="{{route('post.update',$post->id)}}" method="post"
        enctype="multipart/form-data">
            @csrf
            @method('patch')
            <div class="card-body">
                <div class="form-group">
                    <label for="main photo">Glavna slika *</label>
                    <div class="container-fluid">
                        <img id="mainp"
src='{{asset('assets/postImages/'.$post->main_photo)}}' alt="upload
preview" width="100" height="100"/>
                        <input type="file" name="main_photo"
id="main_photo"

onchange="document.getElementById('mainp').src =
window.URL.createObjectURL(this.files[0])">
                    </div>
                    @error('main_photo')
                    <span class="text-danger">{{ $message }}</span>
                    @enderror
                </div>
                {{-- KATEGORIJE-----}}
                <div class="form-group py-5">
                    <h3>Kategorija *</h3>
                    <div>
                        <select class="form-select" name="category_id"
aria-label="Default select example">
                            <option>Izaberite kategoriju</option>
                            @foreach ($categories as $category)
                                <option {{ $category->id === $post-
>category_id ? ' selected' : '' }} value="{{ $category->id }}">{{
$category->name }}</option>
                            @endforeach
                        </select>
                    </div>
                    @error('category_id')
                    <span class="text-danger">{{ $message }}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <label for="title">Naslov *</label>
                    <input type="text" class="form-control
{{ $errors->has('title') ? 'novalid' :
session('sent')}}" id="title" name="title"
placeholder="Naslov" value="{{ $post-
>title }}">
                    @error('title')
                    <span class="text-danger">{{ $message }}</span>
                    @enderror
                </div>

                <div class="form-group">

```

```

        <label for="main_text"><span>Glavni tekst
*</span></label>
        <textarea id="main_text" name="main_text" class="w-
100" rows="5" >{{ $post->main_text }}</textarea>
        @error('main_text')
        <span class="text-danger">{{ $message }}</span>
        @enderror
    </div>

    <div class="form-group">
        <label for="subtitle">Podnaslov *</label>
        <input type="text" value="{{ $post->subtitle }}"
class="form-control {{ $errors->has('subtitle') ? 'invalid' :
session('sent')}}" id="subtitle" name="subtitle" placeholder="Podnaslov">
        @error('subtitle')
        <span class="text-danger">{{ $message }}</span>
        @enderror

    </div>
    <div class="form-group">
        <label for="subtitle_text_1"><span>Podnaslov tekst
1 *</span></label>
        <textarea id="subtitle_text_1" class="w-100"
rows="5" name="subtitle_text_1">{{ $post->subtitle_text1 }}</textarea>
        @error('subtitle_text_1')
        <span class="text-danger">{{ $message }}</span>
        @enderror
    </div>
    <div class="form-group">
        <label for="quote">Citat</label>
        <input type="text" value="{{ $post->quote }}"
class="form-control {{ $errors->has('quote') ? 'invalid' :
session('sent')}}" id="quote" name="quote" placeholder="Citat">
        @error('quote')
        <span class="text-danger">{{ $message }}</span>
        @enderror
    </div>
    <div class="form-group">
        <label for="subtitle_text_2"><span>Podnaslov tekst
2</span></label>
        <textarea id="subtitle_text_2" class="w-100"
rows="5" name="subtitle_text_2">{{ $post->subtitle_text2 }}</textarea>
        @error('subtitle_text_2')
        <span class="text-danger">{{ $message }}</span>
        @enderror
    </div>

    </div>
    <!-- /.card-body -->
    <div class="card-footer">
        <button type="submit" class="btn btn-primary">Izmeni
post</button>
    </div>
</form>

</div><!-- /.container-fluid -->
</div>
<!-- /.content -->
@endsection
@section('CDN')

```

```

</script>
    CKEDITOR.replace('main_text');
    CKEDITOR.replace('subtitle_text_1');
    CKEDITOR.replace('subtitle_text_2');
</script>
@endsection

```

Forgot.blade.php

```

@extends('layouts.admin.admin-dash-layout')
@section('title') Zaboravljene lozinke @endsection
@section('content')
    <!-- Main content -->
    <div class="content">
        <div class="table-responsive py-4 bg-white">
            <table class="table">
                <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Korisnik</th>
                        <th scope="col">Datum</th>
                    </tr>
                    <tr>
                        <div class="container w-100 pb-4">
                            <div class="input-group">
                                <input type="text" name="search" id='search'
                                class="form-control float-right" placeholder="Pretražite korisnike">
                                <div class="input-group-append">
                                    <button type="submit" id='search_users'
                                class="btn btn-default">
                                    <i class="fas fa-search"></i>
                                </button>
                            </div>
                            <div class="input-group">
                                <p>Broj rezultata: <span
                                id="total_recordss"></span></p>
                            </div>
                        </div>
                    </tr>
                </thead>

                <tbody id="table_users">

                </tbody>

            </table>
            <form action="{{route('admin.reset.destroy')}}" class="text-
            center" method="post">
                @csrf
                @method('delete')
                <input type="submit" class="btn btn-danger" value="Obriši
            sve">
            </form>
        </div>
    </div>

```



```

method="POST">
    <form action="{{route('update.role')}}">
        @csrf
        <input type="hidden" name="userId"
value="{{ $u->id }}">
        <select class="form-select"
name="roleUser" aria-label="Default select example">
            @foreach($roles as $r)
                @if($u->role_id==$r->id)
                    <option selected value="{{
$r->id }}">{{ $r->name }}</option>
                @else
                    <option value="{{ $r->id
}}">{{ $r->name }}</option>
                @endif
            @endforeach
        </select>
        <input type="submit" class="ml-3
btn btn-warning" value="Promeni ulogu">
    </form>
</td>
    <form
action="{{route('user.destroy',$u)}}" method="post">
        @csrf
        @method('delete')
        <input type="submit" class="btn
btn-danger" value="Obriši">
    </form>
</td>

</tr>
@endforeach
@endif
</tbody>
</table>
</div>
@if(session('msg'))
    <div class="alert alert-success">
        <p class="text-white text-center pt-
2">{{session('msg')}}</p>
    </div>
@endif

@if(count($admins)==0)
    <td>U bazi mora postojati bar jedan admin i ne može
se obrisati</td>
    @else

        {{--ADMINI--}}
        <div class="card-body table-responsive p-0"
style="height: 300px;">
            <table class="table table-head-fixed text-nowrap">
                <thead>
                    <tr>
                        <th>ID</th>
                        <th>Ime</th>
                        <th>Prezime</th>
                        <th>Username</th>
                        <th>Email</th>
                        <th>Uloga</th>

```



```

        <th>Izbriši</th>
    </tr>
</thead>
<tbody>

    @foreach($admins as $u)
        <tr>
            <td>{{ $u->id }}</td>
            <td>{{ $u->first_name }}</td>
            <td>{{ $u->last_name }}</td>
            <td>{{ $u->username }}</td>
            <td>{{ $u->email }}</td>

            <td>
                <form
action="{{ route('update.role') }}" method="POST">
                    @csrf
                    <input type="hidden"
name="userId" value="{{ $u->id }}">
                    <select class="form-select"
name="roleUser" aria-label="Default select example">
                        @foreach($roles as $r)
                            @if($u-
>role_id==$r->id)
                                <option
selected value="{{ $r->id }}">{{ $r->name }}</option>
                            @else
                                <option
value="{{ $r->id }}">{{ $r->name }}</option>
                            @endif
                        @endforeach
                    </select>
                    @if(count($admins)==1)
                        <td><strong>U bazi
mora postojati bar 1 admin i ne može se promeniti uloga.</strong></td>
                    @else
                        <input type="submit"
class="ml-3 btn btn-warning" value="Promeni ulogu">
                    @endif
                </form>

                @if(count($admins)==1)
                    <td><strong>U bazi mora
postojati bar 1 admin i ne može se obrisati.</strong></td>
                @else
                    <td>
                        <form
action="{{ route('user.destroy',$u) }}" method="post">
                            @csrf
                            @method('delete')
                            <input type="submit"
class="btn btn-danger" value="Obriši">
                        </form>
                    </td>
                @endif
            </tr>
        @endforeach
    @endif
</tbody>
</table>
</div>

```

```

                <!-- /.card-body -->
            </div>
            <!-- /.card -->
        </div>
    </div>

    <!-- /.content -->
@endsection

```

## Front/Components/Aside

Aside.blade.php

```

<aside class="col-lg-4">
    @include('front.components.aside.searchform')
    @include('front.components.aside.latestposts')
    @include('front.components.aside.categories')

</aside>

```

Categories.blade.php

```

<!-- Widget [Categories Widget]-->
<div class="widget categories">
    <header>
        <h3 class="h6 text-center">Kategorije</h3>
    </header>
    @if(count($posts)==0)

        <div class="item d-flex justify-content-between"><span>Nema nijedna
kategorija</span></div>
    @else
        @foreach($categories as $c)
            <div class="item d-flex justify-content-between"><a
href="{{route('posts', ['category'=>$c->id])}}">{{ $c-
>name}}</a><span>({{count($c->posts()->where('status', 'Objavljeno')-
>get())}})</span></div>
        @endforeach
    @endif
</div>

```

Latestposts.blade.php

```

<!-- Widget [Latest Posts Widget] -->
<div class="widget latest-posts">
    <header>
        <h3 class="h4">Skorašnje objave</h3>
    </header>
    @if(count($latestPosts)==0)

        <div><p class="font-weight-bold">Nema kreiranih postova</p></div>
    @else
    @foreach($latestPosts as $lp)
    <div class="blog-posts shadow-sm">
        <a href="{{route('post',$lp)}}">
            <div class="item d-flex align-items-center">
                <div class="image m-3">alt }}"
class="img-fluid"></div>
                <div><p class="font-weight-bold">{{ $lp->title }}</p>
                    <div class="date"><i class="icon-clock"></i><span
class="maliFont">{{ $lp['created_at']->diffForHumans() }}</span></div>
                </div>
            </div>
        </a>
    </div>
    @endforeach
    @endif
</div>

```

Searchform.blade.php

```

<!-- Widget [Search Bar Widget] -->
<div class="widget search">
    <header>
        <h3 class="h6">Pretražite blog</h3>
    </header>
    <form action="" class="search-form">

        <div class="form-group">
            <input type="text" name="keyword" placeholder="Pretazite blog"
value="{{request()->keyword ?? ''}}">
            <button type="submit" class="submit"><i class="icon-
search"></i></button>
            @error('keyword')
                <span class="text-danger">{{ $message }}</span>
            @enderror
        </div>
    </form>
</div>

```

# Front/Components

CreateComment.blade.php

```
@if(session()->has('user'))
    <div class="add-comment">
        <header>
            <h3 class="h6">Ostavite komentar</h3>
        </header>
        <form action="{{route('comment.store')}}" method="post"
class="commenting-form">
            @csrf
            <input type="hidden" name="user_id" value="{{ $user->id }}">
            <input type="hidden" name="post_id" value="{{ $post->id }}">
            <div class="row">
                <div class="form-group col-md-6">
                    <input type="text" name="username" id="username"
placeholder="{{ $user->username }}" class="form-control" disabled>
                </div>
                <div class="form-group col-md-6">
                    <input type="email" name="username" id="useremail"
placeholder="{{ $user->email }}" (ne objavljuje se) class="form-control"
disabled>
                </div>
                <div class="form-group col-md-12">
                    <textarea name="comment" id="comment"
placeholder="Napišite komentar" class="form-control {{ $errors-
>has('comment') ? 'invalid' : session('sent')
}} ">{{ old('comment') }}</textarea>
                    @error('comment')
                        <span class="text-danger">{{ $message }}</span>
                    @enderror
                </div>
                <div class="form-group col-md-12">
                    <button type="submit" class="btn btn-
secondary">Objavi</button>
                </div>
            </div>
        </form>
        <p class="text-info h3 font-weight-bold">{{ session('msg') }}</p>
    </div>
@else
    <div class="add-comment">
        <header>
            <h3 class="h6">Morate biti ulogovani da biste ostavili
komentar!</h3>
        </header>
    </div>
@endif

</div>
```

Indexpost.blade.php

```
@foreach($pocetna as $i=>$p)
    @if ($i==1)
        <div class="row d-flex align-items-stretch">
            <div class="col-lg-5"></div>
            <div class="text col-lg-7">
                <div class="text-inner d-flex align-items-center">
                    <div class="content">
                        <header class="post-header">
                            <div class="category pb-
2"><strong>{{ $p['naslov'] }}</strong></div>
                            <h2 class="h4">{{ $p['podnaslov'] }}</h2>
                        </header>
                        <p>{{ $p["text"] }}</p>
                    </div>
                </div>
            </div>
        </div>

    @elseif ($i==0 || $i==2)
        <div class="row d-flex align-items-stretch">
            <div class="text col-lg-7">
                <div class="text-inner d-flex align-items-center">
                    <div class="content">
                        <header class="post-header">
                            <div class="category pb-
2"><strong>{{ $p['naslov'] }}</strong></div>
                            <h2 class="h4">{{ $p['podnaslov'] }}</h2>
                        </header>
                        <p>{{ $p["text"] }}</p>
                    </div>
                </div>
            </div>
            <div class="col-lg-5"></div>
        </div>

    @endif
@endforeach
```

Posts.blade.php

```
@foreach($posts as $p)
    <!-- post -->
```

```

<div class="post col-xl-6">
    @if(session()->has('user'))
        @php $user=session()->get('user') @endphp
        @if($user->role_id == 1)
            <div class="container d-flex justify-content-between mb-2">
                <a class="btn btn-info"
href="{{route('post.edit',$p)}}">Izmeni</a>
                <form action="{{route('post.delete',$p)}}" method="post">
                    @csrf
                    @method('delete')
                    <input type="submit" class="btn btn-danger" value="Obriši">
                </form>
            </div>
        @endif

        @endif

        <div class="post-thumbnail"><a href="{{route('post',$p)}}"></a></div>
        <div class="post-details">
            <div class="post-meta d-flex justify-content-between">
                <div class="date meta-last">{{p['updated_at']-
>diffForHumans()}}</div>
                <div class="category"><p>{{p->category->name}}</p></div>
            </div><a href="{{route('post',$p)}}">
                <h3 class="h4">{{p['title']}}</h3></a>
                <p class="text-muted">{!! str_limit(p['main_text'],90)!!}</p>
                <footer class="post-footer d-flex align-items-center"><div
class="author d-flex align-items-center flex-wrap">
                    <div class="title"><span>{{p->user-
>username}}</span></div></div>
                    <div class="date"><i class="icon-
clock"></i>{{p['created_at']->diffForHumans()}}</div>
                    <div class="views"><i class="icon-eye"></i> {{p-
>visit_count}}</div>
                    <div class="comments meta-last"><i class="icon-
comment"></i>{{count(p->comments()->get())}}</div>
                </footer>
            </div>
        </div>
        @empty
            <div class="alert-info container text-center mb-4"><h4 class="py-
3"><strong>Ne postoji nijedan post za zadatu pretragu</strong></h4></div>
        @endforelse

```

recentPosts.blade.php

```

@if(count($povezaniPostovi)>0)
<section class="latest-posts shadow-sm" id="relPosts">
    <div class="container">
        <header>
            <h2>Povezani postovi</h2>
        </header>
        <div class="row">
            @foreach($povezaniPostovi as $pp)
                <div class="post col-md-4 col-lg-4">
                    <div class="post-thumbnail"><a

```

```

href="{{route('post',$pp)}}"></a></div>
        <div class="post-details">
            <h3 class="h4">{{pp['title']}}</h3>
        </div>
    </div>
</div>
@endforeach

</div>
</section>
@endif

```

## Front/fixed

Footer.blade.php

```

<!-- Page Footer-->
<footer class="main-footer">
    <div class="container">
        <div class="row">
            <div class="col-md-4">
                <div class="logo">
                    <h6 class="text-white">StarOptik Blog</h6>
                </div>
                <div class="contact-details">
                    <p>Raše Plaovića 2, 11160 Beograd</p>
                    <p>Telefon: +381 64 6689 857</p>
                    <p>Email: <a
href="mailto:office@staroptic.rs">office@staroptic.rs</a></p>
                    <ul class="social-menu">
                        <li class="list-inline-item"><a href="#"><i
class="fa fa-facebook"></i></a></li>
                        <li class="list-inline-item"><a href="#"><i
class="fa fa-instagram"></i></a></li>
                        <li class="list-inline-item"><a href="#"><i
class="fa fa-google"></i></a></li>
                    </ul>
                </div>
            </div>
            <div class="col-md-4">
                <div class="menus d-flex">
                    <ul class="list-unstyled">
                        @foreach($menu as $i=>$m)
                            @if($i<4)
                                <li><a href="{{ $m['route'] }}" class="nav-link
@if(request()->routeIs($m['route'])) active @endif">{{ $m['name'] }}</a>
                            </li>
                            @endif
                        @endforeach
                    </ul>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>

        <div class="col-md-4">
            {{--      LATEST POSTSSSSS      --}}
            <div class="latest-posts">
                <p class="text-white font-weight-bold">Skorašnje
objave</p>

                @if(count($latestPosts)==0)

                    <div class="post d-flex align-items-center">
                        <div class="text-muted"><span>Nema kreiranih
objava</span></div>
                    </div>
                @else
                @foreach($latestPosts as $lp)
                    <a href="{{route('post',$lp)}}">
                        <div class="post d-flex align-items-center">
                            <div class="image">alt }}"
class="img-fluid"></div>
                            <div class="title"><strong>{{ $lp-
>title}}</strong><span class="date last-meta">Vreme: {{ $lp->created_at-
>diffForHumans() }}</span></div>
                            </div></a>
                        @endforeach
                    @endif
                </div>
            </div>
        </div>
        <div class="copyrights">
            <div class="container">
                <div class="row">
                    <div class="col-md-6">
                        <p>&copy; 2022. Sva prava zadržana.</p>
                    </div>
                    <div class="col-md-6 text-right">
                        <p>Template By <a
href="https://bootstrapious.com/p/bootstrap-carousel" class="text-
white">Bootstrapious</a>
                        <!-- Please do not remove the backlink to Bootstrap
Temple unless you purchase an attribution-free license @ Bootstrap Temple
or support us at http://bootstrapious.com/donate. It is part of the license
conditions. Thanks for understanding :)      -->
                    </p>
                </div>
            </div>
        </div>
    </div>
</footer>

```

Head.blade.php

```

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">

```



```

<title>StarOptic Blog | @yield('title')</title>
<meta name="description" content="@yield('pagedescription')">
<meta name="keywords" content="@yield('pagekeywords')">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="robots" content="all,follow">
<!-- Bootstrap CSS-->
<link rel="stylesheet"
href="{{asset('assets/bootstrap/css/bootstrap.min.css')}}">
<!-- Font Awesome CSS-->
<link rel="stylesheet" href="{{asset('assets/font-awesome/css/font-
awesome.min.css')}}">
<!-- Custom icon font-->
<link rel="stylesheet" href="{{asset('assets/css/fontastic.css')}}">
<!-- Google fonts - Open Sans-->
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,700">
<!-- Fancybox-->
<link rel="stylesheet"
href="{{asset('assets/@fancyapps/fancybox/jquery.fancybox.min.css')}}">
<!-- theme stylesheet-->
<link rel="stylesheet" href="{{asset('assets/css/style.default.css')}}"
id="theme-stylesheet">
<!-- Custom stylesheet - for your changes-->
<link rel="stylesheet" href="{{asset('assets/css/style.css')}}">
<!-- Favicon-->
<link rel="shortcut icon" href="{{asset('favicon.ico')}}">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.
theme.default.css">

<!-- Tweaks for older IEs--><!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script><![endif
]-->
</head>

```

Navigation.blade.php

```

<header class="header">
<!-- Main Navbar-->
<nav class="navbar navbar-expand-lg">
<div class="container">
<!-- Navbar Brand -->
<div class="navbar-header d-flex align-items-center justify-
content-between">
<!-- Navbar Brand -->
<a href="{{route('home')}}" class="navbar-brand"> </a>
<!-- Toggle Button-->
<button type="button" data-toggle="collapse" data-
target="#navbarmacollapse" aria-controls="navbarmacollapse" aria-
expanded="false" aria-label="Toggle navigation" class="navbar-
toggler"><span></span><span></span><span></span><span></span></button>
</div>
<!-- Navbar Menu -->

```

```

        <div id="navbarcollapse" class="collapse navbar-collapse">
            <ul class="navbar-nav ml-auto">
                @foreach($menu as $m)
                    <li class="nav-item"><a href="{{route($m['route'])}}"
class="nav-link @if(request()->routeIs($m['route'])) active
@endif">{{ $m['name'] }}</a>
                    </li>
                @endforeach
                @if(session()->has('user'))
                    @php $user=session()->get('user') @endphp
                    @if($user->role_id == 1)
                        <li class="nav-item"><a
href="{{route('admin.dash')}}" class="nav-link">Admin Panel</a>
                        </li>
                    @endif
                    <li class="nav-item"><a
href="{{route('logout')}}" class="nav-link">Odjavi se</a>
                    </li>
                    @else
                        @guest
                            <li class="nav-item"><a
href="{{route('login')}}" class="nav-link">Prijava</a>
                            <li class="nav-item"><a
href="{{route('register')}}" class="nav-link">Registracija</a>
                        @endguest
                    @endif
                </ul>
            </div>
        </div>
    </nav>
</header>

```

Scripts.blade.php

```

<!-- JavaScript files-->
<script src="{{asset('assets/jquery/jquery.min.js')}}"></script>
<script src="{{asset('assets/popper.js/umd/popper.min.js')}}"> </script>
<script src="{{asset('assets/bootstrap/js/bootstrap.min.js')}}"></script>
<script src="{{asset('assets/jquery.cookie/jquery.cookie.js')}}"> </script>
<script
src="{{asset('assets/@fancyapps/fancybox/jquery.fancybox.min.js')}}"></scri
pt>
<script src="{{asset('assets/js/front.js')}}"></script>

```

## Front/pages/blog

Main.blade.php

```

@extends('layouts.front.postslayout')
@section('title') Postovi @endsection
@section('pagedescription') Page Description 3 @endsection
@section('keywords') staroptic, blog, posts, postovi @endsection
@section('content')
    <!-- Latest Posts -->
    <main class="posts-listing col-lg-8">
        @if(session('msg'))
            <div class="alert alert-info text-center"><strong>{{session('msg')}}</strong></div>
        @endif

        <div class="container">
            <div class="row">
                @include('front.components.posts')
            </div>
            <!-- Pagination -->
            <nav aria-label="Page navigation example">
                {{ $posts->links() }}
            </nav>
        </div>
    </main>
@endsection

```

## Single-blog-post.blade.php

```

@extends('layouts.front.postslayout')
@section('title') Post @endsection
@section('pagekeywords') post, blog, staroptic @endsection
@section('pagedescription') Page desc 1 @endsection

@section('content')
    @if($post->status=='Objavljeno')
        <!-- Latest Posts -->
        <main class="post blog-post col-lg-8">
            @if(session()->has('user'))
                @php $user=session()->get('user'); @endphp
                @if($user->role_id == 1)
                    <div class="container d-flex justify-content-between mb-2">
                        <a class="btn btn-info"
href="{{route('post.edit',$post)}}">Izmeni</a>
                        <form action="{{route('post.delete',$post)}}"
method="post">
                            @csrf
                            @method('delete')
                            <input type="submit" class="btn btn-danger"
value="Obriši">
                        </form>
                    </div>
                @endif

            @endif

            <div class="container">
                <div class="post-single">
                    <div class="post-thumbnail"></div>
                    <div class="post-details">

```

```

        <div class="post-meta d-flex justify-content-between">
            <div class="category"><a href="#relPosts">{{ $post-
>category->name }}</a> </div>
        </div>
        <h1>{{ $post['title'] }}</h1>
        <div class="post-footer d-flex align-items-center flex-
column flex-sm-row"><div class="author d-flex align-items-center flex-
wrap">
            <div class="title"><span>Autor: {{ $post->user-
>username }}</span></div></div>
            <div class="d-flex align-items-center flex-wrap">
                <div class="date"><i class="icon-
clock"></i>{{ $post['created_at']->diffForHumans() }}</div>
                <div class="views"><i class="icon-eye"></i>
{{ $post->visit_count }}</div>
                <div class="comments meta-last"><i class="icon-
comment"></i>{{ count($comments) }}</div>
            </div>
        </div>
        <div class="post-body">
            <p class="lead">{!! $post['main_text'] !!}</p>
            <h3>{{ $post['subtitle'] }}</h3>
            <p>{!! $post['subtitle_text1'] !!}</p>
            @if($post['quote']!=null)
            <blockquote class="blockquote">
                <p>{{ $post['quote'] }}</p>
            </blockquote>
            @endif
            <p>{!! $post['subtitle_text2'] !!}</p>
        </div>
        <div class="posts-nav d-flex justify-content-between
align-items-stretch flex-column flex-md-row">
            @if($prethodniPost!=null)
            <a href="{{ route('post',$prethodniPost) }}"
class="prev-post text-left d-flex align-items-center">
                <div class="icon prev"><i class="fa fa-angle-
left"></i></div>
                <div class="text"><strong class="text-
primary">Prethodni post</strong>
                <h6>{{ $prethodniPost->title }}</h6>
            </div></a>
            @endif
            @if($sledeciPost!=null)
            <a
href="{{ route('post',['post'=>$sledeciPost]) }}" class="next-post text-right
d-flex align-items-center justify-content-end">
                <div class="text"><strong class="text-
primary">Sljedeći post</strong>
                <h6>{{ $sledeciPost->title }}</h6>
            </div>
                <div class="icon next"><i class="fa fa-angle-
right"></i></div></a>
            @endif
        </div>
        @include('front.components.recentPosts')

        <div class="post-comments">
            <header>
                <h3 class="h6">Komentari<span class="no-of-
comments">({{ count($comments) }})</span></h3>

```

```

        </header>
        @if(count($comments)>0)
        @foreach($comments as $comm)
        <div class="comment">
            <div class="comment-body">
                <div class="title"><strong>{{ $comm-
>user->username}}</strong><span class="date">{{ $comm-
>created_at}}</span></div>
                <p>{{ $comm->comment}}</p>
                @if($user->role_id==1 || $comm->user-
>id==$user->id)
                    <form
action="{{route('comment.destroy.front',$comm)}}" method="post">
                        @csrf @method('delete')<input
type="submit" class="btn mali text-info" name="obrisiKomentar"
value="Obriši"/>
                    </form>
                @endif
            </div>
        </div>
        @endforeach
        @else
            <p class="font-weight-bold">Ne postoji nijedan
komentar za ovaj post.</p>
        @endif

        </div>
        @include('front.components.createComment')
    </div>
</div>

</main>
@else
    <main class="post blog-post col-lg-8">
        <div class="alert alert-info text-dark text-center"><p>Post ne
možete ga videti jer ne postoji ili nije objavljen.</p></div>
    </main>
@endif
@endsection

```

## Front/pages/main

Author.blade.php

```

@extends('layouts.front.mainlayout')
@section('title') Autor @endsection
@section('pagedescription') Page Description 3 @endsection
@section('keywords') staroptic, autor @endsection
@section('content')

```

```

        <div id="intro" class="auth">
            <div class="mask" style="background-color: rgba(0, 0, 0, 0.7);">
                <div class="container py-5 d-flex align-items-center justify-
content-center flex-column text-center h-100">
                    
                    <div class="text-white py-3">
                        <h1 class="mb-3">Kristina Glišović</h1>
                        <h5 class="mb-4">Moje ime je Kristina i ja sam kreator
ovog sajta. Trenutno sam student na Visokoj ICT školi, gde se trudim da
unapredim svoje sposobnosti i znanje u oblasti IT-a.</h5>
                        <a class="btn btn-info btn-lg m-2"
href="https://kimaportfolio.netlify.app/" role="button"
rel="nofollow" target="_blank">Portfolio</a>
                        <a class="btn btn-warning btn-lg m-2"
href="{{asset('docs.pdf')}}" role="button"
rel="nofollow" target="_blank">Dokumentacija</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

@endsection

```

Contact.blade.php

```

@extends('layouts.front.mainlayout')
@section('title') Kontakt @endsection
@section('pagedescription') Page Description 2 @endsection
@section('keywords') staroptic,kontakt,message,poruka @endsection
@section('content')

    <section class="p-lg-4 text-center auth" id="contact">
        <div class="container bg-light shadow-sm pt-2 pb-5">
            <h2 class="mb-4 pt-3">Kontakt</h2>

            <ul class="fa-ul mb-4 ml-0">
                <li id="mail-address">
                    <i class="fa fa-google mr-2 contact-
icons"></i>office@staroptic.rs</a>
                </li>
                <li>
                    <i class="fa fa-phone mr-2 contact-icons"></i>+381 64
6689 857
                </li>
                <li>
                    <i class="fa fa-map-pin mr-2 contact-icons"></i>Raše
Plaovića 2, 11160 Beograd
                </li>
            </ul>

            <p>
                Ili nas kontaktirajte putem poruke, a mi ćemo Vam
odgovoriti u najkraćem mogućem roku.
            </p>

```

```

        <form class="contact-form d-flex flex-wrap align-items-center
justify-content-center"
        action="{{route('contactSend')}}" method="POST">
            @csrf
            <div class="form-group maximize mr-4">
                <input type="text" class="form-control {{$errors-
>has('firstname') ? 'novalid' : session('sent')}} " placeholder="Ime *"
value="{{old('firstname')}}" name="firstname"/>
                @error('firstname')
                <span class="text-danger">{{$message}}</span>
                @enderror
            </div>
            <div class="form-group maximize">
                <input type="text" class="form-control {{$errors-
>has('lastname') ? 'novalid' : session('sent')}} " placeholder="Prezime *"
value="{{old('lastname')}}" name="lastname"/>
                @error('lastname')
                <span class="text-danger">{{$message}}</span>
                @enderror
            </div>
            <div class="form-group w-75">
                <input type="text" class="form-control {{$errors-
>has('phone') ? 'novalid' : session('sent')}} "
placeholder="Telefon (opciono)" value="{{old('phone')}}" name="phone"/>
                @error('phone')
                <span class="text-danger">{{$message}}</span>
                @enderror
            </div>
            <div class="form-group w-75">
                <input type="text" class="form-control {{$errors-
>has('email') ? 'novalid' : session('sent')}} " placeholder="Email *"
value="{{old('email')}}" name="email"/>
                @error('email')
                <span class="text-danger">{{$message}}</span>
                @enderror
            </div>
            <div class="form-group w-75">
                <textarea class="form-control {{$errors->has('message')
? 'novalid' : session('sent')}} " type="text" placeholder="Poruka *"
rows="7" name="message">{{old('message')}}</textarea>
                @error('message')
                <span class="text-danger">{{$message}}</span>
                @enderror
            </div>

            <button type="submit" class="btn btn-info w-
75">Pošalji</button>

        </form>
        <p class="text-success pt-2">{{session('msg')}}</p>
    </div>
</section>

@endsection

```

Index.blade.php

```

@extends('layouts.front.mainlayout')
@section('title') Početna @endsection
@section('pagedescription') Page Description 1 @endsection
@section('keywords') staroptic,dioptrijska,blog,optika @endsection
@section('content')
    <!-- Hero Section-->
    <section
        style="background: url('{{asset('assets/img/hero.jpg')}}');
background-size: cover; background-position: center center;"
        class="hero shadow">
        @if(session('error'))
            <div class="alert alert-danger text-
center">{{session('error')}}</div>
        @endif
        <div class="container">
            <div class="row">
                <div class="col-lg-7 pozadina p-4">
                    <h1 class="pb-4">StarOptik Blog</h1>
                    <h2>Sve što treba da čujete, a možda niste znali o
naočarima i vidu</h2><a href="{{route('posts')}}"
class="hero-link">Saznaj
                        više</a>
                    </div>
                </div>
                <a href=".intro" class="continue link-scroll"><i class="fa fa-
long-arrow-down"></i> Scroll Down</a>
            </div>
        </section>
    <!-- Intro Section-->
    <section class="intro">
        <div class="container shadow-sm">
            <div class="row justify-content-center">
                <div class="col-lg-10">
                    <h2 class="h2 py-3 text-center"></h2>
                    <p class="text-big">Kada pitate nekoga šta prvo primeti
na nekoj osobi, često se čuje odgovor: OČI.</p>
                    <p class="text-big">Obično se misli na boju očiju,
oblik oka ili slično. </p>
                    <p class="text-big">Skoro pa nikada ne pomislimo da je
to ustvari jedan od najvažnijih čula čoveka.</p>
                    <p class="text-big mb-4 ">Ono što je činjenica a koju
često ne znamo je da mi gledamo mozgom a da oči sprovedu informacije do
njega.</p>
                </div>
            </div>
        </div>
    </section>
    <section class="featured-posts no-padding-top">
        <div class="container">
            @include('front.components.indexpost')
        </div>
    </section>
    <!-- Divider Section-->
    <section
        style="background: url('{{asset("assets/img/divider-bg.jpg')}}');
background-size: cover; background-position: center bottom"
        class="divider">
        <div class="container-fluid">
            <div class="row">

```



```

        <div class="col-md-7 col-lg-5 text-right">
            <h2>SVAKE NAOČARE TREBA DA BUDU LAGANE, UDOBNE ZA
NOŠENJE, <br> I DA SE PRE SVEGA VAMA SVIĐAJU.</h2>
        </div>
    </div>
</div>
</section>

@endsection

```

Login.blade.php

```

@extends('layouts.front.mainlayout')
@section('title') Prijavi se @endsection
@section('pagedescription') Page Description 1 @endsection
@section('keywords') staroptic,korisnik,log-in,prijava @endsection
@section('content')
    <div class="container-fluid d-flex auth py-5 justify-content-center
align-items-center">
        <div class="login-form w-50">
            <form action="{{route('loginUser')}}" method="post">
                @csrf
                <h2 class="text-center pb-3">Prijavi se</h2>
                <div class="form-group">
                    <input type="text" class="form-control {{$errors-
>has('username') ? 'novalid' : session('sent')}}" placeholder="Korisničko
ime" name="username" value="{{old('username')}}">
                    @error('username')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="password" class="form-control {{$errors-
>has('password') ? 'novalid' : session('sent')}}" placeholder="Lozinka"
name="password">
                    @error('password')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <button type="submit" class="btn btn-info btn-
block">Prijavi se</button>
                </div>
                <div class="form-group text-center">
                    <p class="pt-2"><a href="{{route('register')}}">Napravi
nalog</a></p>
                    <p><a href="{{route('password.request')}}"
class="">Zaboravio/la sam lozinku?</a></p>
                </div>
            </form>
            @if(Session::has('fail'))
                <div class="alert alert-danger text-
center">{{Session::get('fail')}}</div>
            @endif
        </div>
    </div>
@endsection

```

## Password\_reset.blade.php

```
@extends('layouts.front.resetpassword')
@section('title') Reset Lozinka @endsection
@section('pagedescription') Page Description 1 @endsection
@section('keywords') staroptic, lozinka, reset @endsection
@section('content')
    <div class="container-fluid d-flex vh-100 auth py-5 justify-content-
center align-items-center">
        <div class="login-form w-50">
            <form action="/reset-password" method="post">
                {{csrf_field()}}
                @if (session('status'))
                    <div class="alert alert-primary text-center">
                        {{session('status')}}
                    </div>
                @endif
                <input type="hidden" name="token"
value="{{Route::input('token')}}">
                <h2 class="text-center pb-3">Resetuj lozinku</h2>
                <p class="text-center pb-2">Sva polja su obavezna</p>
                <div class="form-group">
                    <input type="email" class="form-control {{$errors-
>has('email') ? 'novalid' : session('sent')}}" placeholder="Email"
name="email" value="{{ $email ?? old('email')}}">
                    @error('email')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="password" class="form-control {{$errors-
>has('password') ? 'novalid' : session('sent')}}" placeholder="Nova
lozinka" name="password">
                    @error('password')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="password" class="form-control {{$errors-
>has('password_confirmation') ? 'novalid' : session('sent')}}"
placeholder="Potvrdite novu lozinku" name="password_confirmation">
                    @error('password_confirmation')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <button type="submit" class="btn btn-info btn-
block">Resetuj lozinku</button>
                </div>
                <div class="form-group text-center">
                    <a class="text-info" href="{{route('login')}}">Povratak
na prethodnu stranu</a>
                </div>
            </form>
        </div>
    </div>
```

```
</div>
@endsection
```

## Password\_reset\_email.blade.php

```
@extends('layouts.front.resetpassword')
@section('title') Reset Link @endsection
@section('pagedescription') Page Description 1 @endsection
@section('keywords') staroptic, lozinka, reset, email @endsection
@section('content')
    <div class="container-fluid vh-100 d-flex auth py-5 justify-content-
center align-items-center">
        <div class="login-form w-50">
            <form action="{{route('password.email')}}" method="post">
                @csrf
                @if (session('status'))
                    <div class="alert alert-primary text-center">
                        {{session('status')}}
                        <p>!!!! VAŽNO: Ako ne vidite link u <strong>INBOX-
u</strong>, proverite <strong>SPAM</strong> folder !!!!!</p>
                    </div>

                    @endif
                    <h2 class="text-center pb-1">Zaboravio/la sam lozinku</h2>
                    <p class="text-center pb-2">Upišite Vašu e-mail adresu</p>
                    <div class="form-group">
                        <input type="email" class="form-control {{$errors-
>has('email') ? 'novalid' : session('sent')}} placeholder="E-mail"
name="email" value="{{old('email')}}">
                        @error('email')
                            <span class="text-danger">{{$message}}</span>
                        @enderror
                    </div>
                    <div class="form-group">
                        <button type="submit" class="btn btn-info btn-
block">Pošalji link za reset lozinke</button>
                    </div>
                    <div class="form-group text-center">
                        <a class="text-info" href="{{route('login')}}">Povratak na
prethodnu stranu</a>
                    </div>
                </form>
            </div>
        </div>
    @endsection
```

## Registration.blade.php

```
@extends('layouts.front.mainlayout')
@section('title') Registracija @endsection
@section('pagedescription') Page Description 1 @endsection
@section('keywords') staroptic, korisnik, registration, registracija
```

```

@endsection
@section('content')
    <div class="container-fluid d-flex auth py-5 justify-content-center align-items-center">
        <div class="login-form w-50">
            <form action="{{route('registerUser')}}" method="post">
                @csrf
                <h2 class="text-center pb-1">Registracija</h2>
                <p class="text-center pb-2">Sva polja su obavezna</p>
                <div class="form-group">
                    <input type="text" class="form-control {{$errors->has('firstname') ? 'novalid' : session('sent')}}" placeholder="Ime"
                    name="firstname" value="{{old('firstname')}}">
                    @error('firstname')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="text" class="form-control {{$errors->has('lastname') ? 'novalid' : session('sent')}}" placeholder="Prezime"
                    name="lastname" value="{{old('lastname')}}">
                    @error('lastname')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="text" class="form-control {{$errors->has('username') ? 'novalid' : session('sent')}}" placeholder="Korisničko ime"
                    name="username" value="{{old('username')}}">
                    @error('username')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="email" class="form-control {{$errors->has('email') ? 'novalid' : session('sent')}}" placeholder="Email"
                    name="email" value="{{old('email')}}">
                    @error('email')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="password" class="form-control {{$errors->has('password') ? 'novalid' : session('sent')}}" placeholder="Lozinka"
                    name="password">
                    @error('password')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>
                <div class="form-group">
                    <input type="password" class="form-control {{$errors->has('password_confirmation') ? 'novalid' : session('sent')}}"
                    placeholder="Potvrdite lozinku" name="password_confirmation">
                    @error('password_confirmation')
                        <span class="text-danger">{{$message}}</span>
                    @enderror
                </div>

                <div class="form-group">
                    <button type="submit" class="btn btn-info btn-

```

```
block">Napravi nalog</button>
    </div>
    <div class="form-group text-center">
        <p class="pt-2"><a href="{{route('login')}}">Uloguj
se</a></p>
    </div>
</form>

    @if(Session::has('success'))
        <div class="alert alert-success text-center pt-
2">{{Session::get('success')}}</div>
    @endif
    @if(Session::has('fail'))
        <div class="alert alert-danger text-center pt-
2">{{Session::get('fail')}}</div>
    @endif
</div>
</div>
@endsection
```

# Layouts/Admin

Admin-dash-layout.blade.php

```
<!DOCTYPE html>

<html lang="en">

@include('admin.fixed.head')

<body class="hold-transition sidebar-mini">
<div class="wrapper">

@include('admin.components.topnav')

@include('admin.components.aside')

    <!-- Content Wrapper. Contains page content -->
    <div class="content-wrapper">
        @include('admin.components.pageheader')

        @yield('content')

    </div>
    <!-- /.content-wrapper -->

    @include('admin.fixed.footer')
</div>
<!-- ./wrapper -->

@include('admin.fixed.scripts')
@yield('CDN')
</body>
</html>
```

# Layouts/Front

Mainlayout.blade.php

```
<!DOCTYPE html>
<html>
@include('front.fixed.head')
<body>
@include('front.fixed.navigation')
@yield('content')
```

```
@include('front.fixed.footer')
@include('front.fixed.scripts')

</body>
</html>
```

postslayout.blade.php

```
<!DOCTYPE html>
<html>
@include('front.fixed.head')
<body>
@include('front.fixed.navigation')

{{--content je levo--}}
<div class="container">
    <div class="row">
        @yield('content')
        @include('front.components.aside.aside')
    </div>
</div>

@include('front.fixed.footer')
@include('front.fixed.scripts')
</body>
</html>
```

Resetpassword.blade.php

```
<!DOCTYPE html>
<html>
@include('front.fixed.head')
<body>

@yield('content')

@include('front.fixed.scripts')

</body>
</html>
```

## Views/mail

Mail.blade.php

```
<p>Poruka:</p>
<p>{{ $data['message'] }}</p>
```

```

<div style="margin-top: 50px;">
    <p>Ime i prezime: {{ $data['firstname'] }} {{ $data['lastname'] }} </p>
    @if($data['phone'])
    <p>Broj telefona: {{ $data['phone'] }} </p>
    @else
    <p>Korisnik nije ostavio broj telefona</p>
    @endif
    <p>Email: {{ $data['email'] }}</p>
</div>

```

## Routes

Web.php

```

<?php

use App\Http\Controllers\Admin\BackendController;
use App\Http\Controllers\Admin\DataRangeActivityController;
use App\Http\Controllers\Admin\ForgotPasswordUsers;
use App\Http\Controllers\Admin\PostController;
use App\Http\Controllers\AdminUserController;
use App\Http\Controllers\AuthController;
use App\Http\Controllers\CategoryController;
use App\Http\Controllers\FrontController;
use Illuminate\Support\Facades\Route;

/*
|-----
| Web Routes
|-----
|
| Here is where you can register web routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| contains the "web" middleware group. Now create something great!
|
*/

//-----FRONT-----//

//-----POCETNA
Route::get('/', [FrontController::class, 'home'])->name('home');
Route::get('/home', [FrontController::class, 'home'])->name('home');
//kraj

//-----BLOG *****
Route::get('/posts', [FrontController::class, 'posts'])->name('posts');
Route::get('/posts/{post}', [FrontController::class, 'showPost'])->
>name('post');
//kraj

//-----AUTOR
Route::get('/author', [FrontController::class, 'author'])->name('author');

```



```

//kraj

//-----KONTAKT
Route::get('/contact', [FrontController::class, 'contact'])->name('contact');
Route::post('/contact', [FrontController::class, 'storeMessage'])->name('contactSend');
//kraj

//-----AUTHENTICATION-----///

//-----LOGIN
Route::get('/login', [AuthController::class, 'login'])->name('login')->middleware('alreadyLoggedIn');
Route::post('/login-user', [AuthController::class, 'loginUser'])->name('loginUser');
//kraj
//-----REGISTRATION
Route::get('/register', [AuthController::class, 'registration'])->name('register')->middleware('alreadyLoggedIn');
Route::post('/register-user', [AuthController::class, 'registerUser'])->name('registerUser');
//kraj
//-----LOGOUT
Route::get('/logout', [AuthController::class, 'logout'])->name('logout');
//kraj

//kategorije front

Route::resource('/categories', CategoryController::class);

Route::get('/categories/{category}', [CategoryController::class, 'show'])->name('categories.show');

//POST KOMENTARI

Route::post('/post/comment', [FrontController::class, 'commentStore'])->name('comment.store');

//comments
Route::delete('/comments/{comment}/delete', [BackendController::class, 'destroyCommentFront'])->name('comment.destroy.front');

//search

//-----ADMIN-----///
Route::group(['middleware' => 'isAdmin'], function() {
    //DASHBOARD PAGES
    Route::get('/admin', [BackendController::class, 'dashboard'])->name('admin.dash');

    Route::get('/admin/registeredUsers', [UserController::class, 'registeredUsers'])->name('admin.users.registered');
    Route::get('/admin/contactPage', [BackendController::class, 'contact'])->name('admin.contact');
    Route::get('/admin/comments', [BackendController::class, 'comments'])->name('admin.comments');
    Route::get('/admin/activity', [DataRangeActivityController::class,

```

```

'activity'])->name('admin.activity');
    Route::delete('/admin/activity/deleteAll',
[DataRangeActivityController::class, 'truncateActivity'])-
>name('admin.activity.destroy');
    Route::post('/admin/activity/fetch_data',
[DataRangeActivityController::class, 'fetch_data'])-
>name('datarange.fetch_data');

    //kreiraj post for
    Route::get('/post/create', [PostController::class, 'createPage'])-
>name('post.create');
    //stavljanje posta u bazu
    Route::post('/post/store', [PostController::class, 'store'])-
>name('post.store');

    //post
    //edit posta
    Route::get('/posts/{id}/edit', [PostController::class, 'edit'])-
>name('post.edit');

    Route::get('/posts/{post}/status', [PostController::class,
'statusUpdate'])->name('post.status');
    //edit posta -update
    Route::patch('/posts/{post}/update', [PostController::class,
'update'])->name('post.update');
    //delete posta-delete
    Route::delete('/posts/{post}/delete', [FrontController::class,
'destroy'])->name('post.delete');
    Route::delete('/posts/{post}/backDelete', [PostController::class,
'destroyPost'])->name('post.back.delete');

    //kategorije back
    Route::get('/admin/categories/createCategory',
[CategoryController::class, 'create'])->name('categories.create');
    Route::post('/admin/storeCategories', [CategoryController::class,
'store'])->name('categories.store');
    Route::get('/admin/categories/{category}/edit',
[CategoryController::class, 'edit'])->name('categories.edit');
    Route::put('/admin/categories/{category}', [CategoryController::class,
'update'])->name('categories.update');
    Route::delete('/admin/categories/{category}',
[CategoryController::class, 'destroy'])->name('categories.destroy');

    //user
    Route::get('/admin/user/create', [UserController::class,
'createAdmin'])->name('admin.create');

    Route::delete('/admin/registeredUsers/{user}/delete',
[UserController::class, 'destroyUser'])->name('user.destroy');
    Route::delete('/admin/user/email-reset-activity/truncate',
[UserController::class, 'truncateForgottenPass'])-
>name('admin.reset.destroy');
    Route::post('/admin/user/updateRole', [UserController::class,
'roleUpdate'])->name('update.role');
    //registrationAdmin
    Route::post('/admin/register-admin', [UserController::class,
'registerAdmin'])->name('registerAdmin');

    //comments

```

```

Route::delete('/admin/comments/{comment}/delete',
[BackendController::class, 'destroyCommentBack'])->name('comment.destroy');

//messages
Route::delete('/admin/contactPage/{m}/delete',
[BackendController::class, 'destroyMessage'])->name('contact.destroy');
Route::delete('/admin/contactPage/deleteAll',
[BackendController::class, 'truncateMessages'])->name('contact.truncate');

Route::get('/admin/user/email-reset-activity',
[ForgotPasswordUsers::class, 'index'])->name('admin.users.forgotten');
Route::get('/searchUsers', [ForgotPasswordUsers::class, 'search'])->
>name('search');
});

```

## Validation custom messages

Validate.php

```

'custom' => [
    'firstname' => [
        'required' => 'Ime ne sme biti prazno',
        'min'=>'Ime mora imati najmanje 2 slova bez brojeva',
        'max'=>'Ime može imati najviše 20 slova bez brojeva',
        'regex'=>'Ime mora imati najmanje 2 slova bez brojeva'
    ],
    'lastname' => [
        'required' => 'Prezime ne sme biti prazno',
        'min'=>'Prezime mora imati najmanje 2 slova',
        'max'=>'Prezime može imati najviše 20 slova bez brojeva',
        'regex'=>'Prezime mora imati najmanje 2 slova bez brojeva'
    ],
    'message' => [
        'required' => 'Poruka ne sme biti prazna',
        'regex'=>'Neispravan format poruke',
        'max'=>'Poruka mora imati najviše 255 karaktera',
    ],
    'email' => [
        'required' => 'E-mail ne sme biti prazan',
        'email' => 'E-mail mora biti u formatu: korisnik@adresa.com',
        'unique' => 'Korisnik sa unetim e-mailom već postoji'
    ],
    'phone' => [
        'regex'=>'Broj mora sadržati cifre bez slova',
    ],
    'username' => [
        'required'=>'Korisničko ime je obavezno',
        'min'=>'Korisničko ime mora imati najmanje 5 karaktera',
        'max'=>'Korisničko ime može imati najviše 30 karaktera',
        'unique' => 'Korisnik sa unetim korisničkim imenom već postoji'
    ],
    'password' => [
        'required'=>'Lozinka je obavezna',
    ],

```

```

        'min'=>'Lozinka mora imati najmanje 8 karaktera',
        'max'=>'Lozinka može imati najviše 20 karaktera',
        'confirmed'=>'Lozinke se ne poklapaju, popunite lozinke',
    ],
    'password_confirmation' => [
        'required'=>'Obavezno polje',
        'min'=>'Lozinka mora imati najmanje 8 slova'
    ],
    'comment' => [
        'required' => 'Komentar ne sme biti prazan',
        'regex'=>'Neispravan format komentara',
        'max'=>'Komentar mora imati najviše 255 karaktera',
    ],
    'title' => [
        'required' => 'Naslov ne sme biti prazan',
        'min'=>'Naslov mora imati najmanje 5 karaktera',
        'max'=>'Naslov može imati najviše 50 karaktera',
    ],
    'main_photo' => [
        'required' => 'Slika je obavezna',
        'image' => 'Fajl mora biti slika - jpeg,png,jpg,gif',
        'mimes' => 'Dozvoljeni formati su: jpeg,png,jpg,gif',
        'max'=>'Dozvoljena veličina slike je 2mb ili 2048kb',
    ],
    'subtitle' => [
        'required' => 'Podnaslov ne sme biti prazan',
        'min'=>'Podnaslov mora imati najmanje 5 karaktera',
        'max'=>'Podnaslov može imati najviše 50 karaktera',
    ],
    'main_text' => [
        'required' => 'Tekst je obavezan',
        'min'=>'Tekst mora imati najmanje 5 karaktera',
        'max'=>'Tekst može imati najviše 255 karaktera',
    ],
    'subtitle_text_1' => [
        'required'=> 'Tekst je obavezan',
        'min'=>'Tekst mora imati najmanje 5 karaktera',
        'max'=>'Tekst može imati najviše 255 karaktera',
    ],
    'subtitle_text_2' => [
        'min'=>'Tekst mora imati najmanje 5 karaktera',
        'max'=>'Tekst može imati najviše 255 karaktera',
    ],
    'quote' => [
        'min'=>'Tekst mora imati najmanje 5 karaktera',
        'max'=>'Tekst može imati najviše 100 karaktera',
    ],
    'category_id' => [
        'required' => 'Kategorija mora biti izabrana',
    ],
    'keyword' => [
        'max'=>'Pretraga može imati najviše 20 karaktera',
    ],

```

```

],

```